


## Department of Energy

# Ohio Field Office Fernald Area Office

P. O. Box 538705 Cincinnati, Ohio. 45253-8705 (513) 648-3155



DOE-1374-97

Mr. James A. Saric, Remedial Project Manager U.S. Environmental Protection Agency Region V - SRF-5J 77 West Jackson Boulevard Chicago, Illinois 60604-3590

Mr. Tom Schneider, Project Manager Ohio Environmental Protection Agency 401 East 5th Street Dayton, Ohio 45402-2911

Dear Mr. Saric and Mr. Schneider:

RESPONSES TO U.S. ENVIRONMENTAL PROTECTION AGENCY AND OHIO ENVIRONMENTAL PROTECTION AGENCY COMMENTS ON THE DRAFT AREA 2, PHASE I SITE PREPARATION PLAN

- References: (1) Letter, DOE-1140-97, from J. W. Reising to J. Saric and T. Schneider, "Transmittal of the Site Preparation Plan for Area 2, Phase I Inactive Flyash Pile, South Field, and Active Flyash Pile (Southern Waste Units)," dated June 13, 1997.
  - (2) Letter from J. Saric to J. W. Reising, "Area 2, Phase I Site Preparation Design Package," dated July 23, 1997.
  - (3) Letter from T. Schneider to J. W. Reising, "Comments 0U5 Area 2 Phase I Site Preparation Package," dated July 21, 1997.

The purpose of this letter is to transmit, for your review and approval, responses to comments received from both the U. S. Environmental Protection Agency (U.S. EPA) and the Ohio Environmental Protection Agency (OEPA) on the Site Preparation Plan documents for Area 2, Phase I, which were submitted to the EPAs on June 13, 1997 (Reference 1). The U.S. EPA comments on the Area 2, Phase I Site Preparation Plan documents were received on July 23, 1997, (Reference 2); whereas OEPA comments on the same documents were received on July 21, 1997, (Reference 3). In support of the Area 2, Phase I response-to-comments (RTC) document, this letter also transmits the following:

- (1) Evaluation of the potential peak stages in Paddy's Run during storm events at the cross-sections close to the proposed Retention Basin 1, and, a comparison of Brown & Root Environmental (B&RE) HEC-1 Model and Parsons TR-55 Model.
- (2) Cross-sections and plan view drawings through inactive Flyash Pile (IFP) and Retention Basin 1 at Paddy's Run (Sketches 1, 2, and 3).
- (3) Earthwork calculations for Southern Waste Units.
- (4) Tables 1 4 from Sitewide Excavation Plan.
- (5) revised Site Preparation technical specifications.
- (6) revised Site Preparation construction drawings.
- (7) Revised Surface Water Management Plan.

Some of these deliverables have already been provided to you informally. They are provided here in order to ensure a complete package is obtained and to better facilitate your review. As you are aware, efforts are continuing to analyze and evaluate the field sampling data obtained through the Project Specific Plan (PSP) supporting the site preparation excavation activities. This PSP was the subject of discussions with both the U.S. EPA and the OEPA on the teleconference which took place on August 14, 1997. Additional pre-design information, namely in the identification of sub-areas or regions within Area 2, Phase I which potentially contain concentrations of contaminants which exceed Waste Acceptance Criteria (WAC), will be collected through the implementation of the second PSP for Area 2, Phase I, titled, "Delineation of Areas Exceeding WAC in Area 2, Phase I." The sampling activities (including their associated analytical results) for these two PSPs should be complete by the anticipated start of site preparation activities (September 14, 1997). As a result, site preparation-based (and the eventual waste unit-based excavations, which are scheduled to start in the spring of 1998) will be conducted in a manner ensuring that any WAC concerns are properly handled.

The Integrated Remedial Design Package (IRDP) for Area 2, Phase I, scheduled to be submitted to the U.S. EPA and OEPA by October 20, 1997, will include the following documentation:

- o Implementation Plan (Work Plan)
- o Surface Water Management Plan for waste materials excavations
- o Earthwork calculations for excavation of waste materials
- o Excavation Technical Specifications
- o Excavation Construction Drawings
- o Excavation Criteria Package

I hope the enclosed documentation concerning the Site Preparation activities in Area 2, Phase I satisfactorily answers your concerns. If you should have any questions or concerns,

Page 3

please contact Robert Janke at (513) 648-3124. Finally, we are looking forward to further discussing these planned site preparation activities with you at our upcoming meeting on September 9, 1997.

Sincerely,

FEMP:R.J. Janke

Johnny W. Reising Fernald Remedial Project Manager

**Enclosures: As Stated** 

cc w/enc:

- N. Hallein, EM-42/CLOV
- G. Jabionowski, USEPA-V, 5HRE-8J
- R. Beaumier, TPSS/DERR, OEPA-Columbus
- M. Rochotte, OEPA-Columbus
- T. Schneider, OEPA-Dayton (total of 3 copies of enc.)
- F. Bell, ATSDR
- D. S. Ward, GeoTrans
- R. Vandegrift, ODOH
- R. Geiger, PRC
- M. Davis, ANL
- AR Coordinator/78

#### cc w/o enc:

- D. Carr, FDF/52-5
- J. D. Chiou, FDF/52-5
- T. Hagen, FDF/65-2
- J. Harmon, FDF/90
- R. Heck, FDF/2
- EDC, FDF/52-7

Technical Specifications
for
Waste Units Remediation Project
Southern Waste Units
Site Preparation Package
Subcontract No. FSC607

August 26, 1997 Revision 2

Environmental Remedial Action Project
Fernald Environmental Management Project
Fernald, Ohio
FDF Project No. 20400



25 Merchant Street Cincinnati, Ohio 45246

Technical Specifications
for
Waste Units Remediation Project
Southern Waste Units
Site Preparation Package
Subcontract No. FSC607

WBS No. 1.1.1.1.2.3.6 August 26, 1997 Revision 2

Environmental Remedial Action Project
Fernald Environmental Management Project
Fernald, Ohio
FDF Project No. 20400



25 Merchant Street Cincinnati, Ohio 45246

#### U.S DEPARTMENT OF ENERGY

#### FERNALD ENVIRONMENTAL MANAGEMENT PROJECT

Subcontract No. FSC607

# WASTE UNITS REMEDIATION PROJECT SOUTHERN WASTE UNITS TECHNICAL SPECIFICATIONS

**PARSONS** 

Approved by:

. Michael Usher, Project Manager

27 Augus 197

Date

## U.S. DEPARTMENT OF ENERGY FERNALD ENVIRONMENTAL MANAGEMENT PROJECT SUBCONTRACT NO. FSC607

### WBS NO. 1.1.1.1.2.3.6 TECHNICAL SPECIFICATIONS

#### TABLE OF CONTENTS

SECTION	TITLE	REV.	DATE
DIVISION 1			
01000	GENERAL REQUIREMENTS	0	05/30/97
01011	SUBMITTALS LISTING	0	05/30/97
01012	SCHEDULE OF DRAWINGS	2	08/26/97
01050	SURVEYING	0	05/30/97
01450	MATERIAL DOCUMENTATION	1	08/26/97
DIVISION 2			
02100	SITE PREPARATION	ii.	08/26/97
02200	NON IMPACTED MATERIAL EARTHWORK		08/26/97
02205	IMPACTED MATERIAL EXCAVATION AND HANDLING	1	08/26/97
02225	TRENCHING	1	08/26/97
02270	EROSION AND SEDIMENT CONTROL	2	08/26/97
02506	AGGREGATE SURFACE	1	08/26/97
02510	ASPHALTIC CONCRETE PAVING	1	08/26/97
02667	DRINKING WATER LINES	0	05/30/97
02668	TRANSFER LINE	0	05/30/97
02669	DISCHARGE LINE AND TREATMENT LINE	0	05/30/97
02713	GEOMEMBRANE LINER	1	08/26/97

Date: 08/26/97 WBS No: 1.1.1.1.2.3.6
Rev.: 2 RE: WM i SCEP/165/SWU/SITE

02720	SITE DRAINAGE AND WATER MANAGEMENT	0	05/30/97
02831	CHAIN LINK FENCES	0	05/30/97
02900	SOIL PREPARATION AND SEEDING	1	08/26/97
02999	MISCELLANEOUS AND SPECIALTY ITEMS	0	05/30/97
DIVISION 3			
03001	CONCRETE	1	08/26/97
DIVISION 13	3		
13125	MODULAR RADIOLOGICAL CONTROL FACILITY	1	08/26/97
13126	MODULAR FIELD OFFICE FACILITY	#	08/26/97
DIVISION 15	5		
15060	PIPE, FITTINGS, VALVES, AND ACCESSORIES	0	05/30/97
15090	PIPING SUPPORTS AND ANCHORS	0	05/30/97
15160	LIFT STATION PUMPS	0	05/30/97
15170	MOTORS	0	05/30/97
15250	INSULATION	0	05/30/97
DIVISION 16	5		
16050	BASIC ELECTRICAL MATERIALS AND METHODS	0	05/30/97
16118	UNDERGROUND DUCTBANKS	0	05/30/97
16121	MEDIUM VOLTAGE CABLES	0	05/30/97
16170	GROUNDING AND BONDING	0	05/30/97
16311	PRIMARY SWITCHGEAR	0	05/30/97
16370	OVERHEAD POWER DISTRIBUTION	0	05/30/97
16462	DRY-TYPE TRANSFORMER/PANELBOARDS	0	05/30/97

Date: 08/26/97 Rev.: 2 RE: WM

# **1120**

16470	PANELBOARDS	0	05/30/97
16500	LIGHTING	0	05/30/97
16855	HEATING CABLES	0	05/30/97

Date: 08/26/97 Rev.: 2 RE: WM

## Specification Revision Record Sheet

Project Order 165

## Waste Units Remediation Project Southern Waste Units Site Preparation Package

Spec. No.	Description	RE Approval	Tech. Lead Approval	PM Approval	Date
01012 01450 02100 02200 02205 02225 02270 02506 02510 02713 02900 13125 13126	Incorporation of USEPA and OEPA comments provided per Design Change Notice (DCN) 20401-005 and FDF comments provided in DCNs 20401-001, 002, 003, 004, 006, 007, and 008.	Juff	Fuff	Jun	8/27/97

Note: Shaded areas in specification indicate current

revision (e.g., date)

Date: 08/26/97 Rev.: 2 RE: WM

#### U.S DEPARTMENT OF ENERGY

#### FERNALD ENVIRONMENTAL MANAGEMENT PROJECT

Subcontract No. FSC607

# WASTE UNITS REMEDIATION PROJECT SOUTHERN WASTE UNITS TECHNICAL SPECIFICATIONS

Division 1

**PARSONS** 

Prepared by:

Wayne Moore (by Stev Velon) 8/27/97 Fumpli M. Karton (01050,01450) 8/27/97 Date

Checked by:

ennet T- General de 9/27/97
Date

FRANKLIN

PARTON, JR.

NO. E-57614

O/STEREO

01000

WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

Date: 08/26/97

# SECTION 01000 GENERAL REQUIREMENTS

#### PART 1 GENERAL

#### 1.1 SCOPE

- A. This specification and accompanying construction documents describe all work for the site preparation phase of the Southern Waste Units (SWU) portion of the Waste Units Remediation Project (WURP). The SWUs consist of the Inactive Flyash Pile (IFP), South Field (SF), and the Active Flyash Pile (AFP). The site preparation phase includes, but is not limited to:
  - Tapping an existing water line in three locations and installation of three new drinking water lines.
  - Installation and construction of erosion sediment control facilities including runon and runoff control ditches and silt fence and berm.
  - 3. Construction of three retention basins and installation of associated lift stations and double-walled transfer line.
  - Clearing trees and brush and stump grinding.
  - 5. Surveying for construction layout and as-built drawings.
  - 6. Excavation, removal, and stockpiling of materials.
  - Construction of a support area and installation of two trailers.
  - Chipping trees and brush and stockpiling wood chips.
  - 9. Preparation of subgrade and placement of geomembrane liner in ditches, basins, and stockpile areas.
  - 10. Development, operation, and reclamation of a borrow area to provide clay material for lining three retention basins.
  - 11. Hauling (from the borrow area), placement, and compaction of the clay materials as a bottom liner in the three retention basins, followed by placement of an overlying goemembrane liner.

Date: 05/30/97 Rev.: 0 RE: WM 01000 1 of 11

- 12. Removal/installation/relocation of chain link fencing, installation of construction fencing, and removal of plastic chain fencing.
- 13. Construction of a wheel wash facility.
- 14. Installation and extension of drainage pipes.
- 15. Installation of a new electric power line and associated electrical work for project facilities.
- 16. Operation and maintenance of constructed facilities until turnover to the excavation subcontractor.
- 17. Construction of stockpiles.
- 18. Relocating a rip-rap stockpile.
- 19. Preparation of a FDF approved Safe Work Plan for performing the site preparation work.
- 20. Geotechnical sampling and testing.
- 21. Dust control and associated FDF approved plan.
- 22. Placement and installation of dumped rock fill.
- 23. Relocation of gravel roadway (located west of Retention Basin #2).
- 24. Material tracking.
- 25. Installation of SFES discharge and treatment lines.
- B. In all cases where the words "Fluor Daniel Fernald, Incorporated" or "FDF" appear in these specifications, it shall be understood to refer to Fluor Daniel Fernald, Incorporated (FDF) Construction Manager.
- C. In all cases where the words "A/E Subcontractor" or "Engineer" appear in these specifications, it shall be understood to refer to PARSONS or to such other individuals or organizations acting within the scope of the specific duties entrusted to them.
- D. In all cases where the terms "Vendor" or "Seller" or "Manufacturer" or similar terms appear in these specifications or in the appendices to these specifications, they shall be understood to refer to an individual or firm(s) providing materials, equipment, or services.

01000 2 of 11

- E. In all cases where the term "Subcontractor" appears in these specifications, it shall be understood to refer to the Site Preparation Construction Subcontractor.
- F. The Subcontractor shall provide written procedures for FDF's review and approval of all plans and tests to be performed as identified in the drawings and specifications. These procedures shall provide detailed step-by-step operations with sign-off columns and shall be submitted and approved prior to testing. Generally, all field test instruments shall have been calibrated, prior to use on this subcontract, by an independent calibration laboratory whose calibration equipment and instruments are fully traceable to National Institute of Science and Technology (NIST) The Subcontractor shall maintain individual standards. certification of calibration which evidences traceability to NIST standards for all field test instruments used on this subcontract.
- G. Work shall be accomplished in accordance with the following code requirements:
  - 1. Ohio Basic Building Code (OBBC) 1995.
  - 2. Uniform Building Code (UBC) 1994.
  - 3. Code for Safety to Life from Fire in Buildings and Structures (NFPA 101, Life Safety Code) - 1994.
  - 4. All other National Fire Protection Association (NFPA) Codes - All inclusive, including 1996 revisions.
  - 5. Occupational Safety and Health Administration (OSHA) 29 CFR 1910 and 29 CFR 1926.
  - 6. FDF Lockout/Tagout Procedure OP-0004.
  - 7. Ohio Plumbing Code 1993.

#### 1.2 SITE AND SCOPE

- A. The intent of these specifications is to provide all technical information required and necessary to perform and complete the work as required by the Contract.
- B. The Subcontractor shall provide all labor, services, materials, and equipment, and shall do all work

Date: 05/30/97
Rev.: 0 RE: WM

The state of the s

01000 3 of 11

necessary to accomplish this within the limits of work as defined in the accepted bid and Contract.

# 1.3 LISTS OF MATERIALS, MANUFACTURERS, OR EQUIPMENT SUPPLIERS

The listing of materials, equipment, manufacturers' A. names, or equipment suppliers in these specificationsin no way precludes the offerer from proposing alternate materials, equipment, manufacturers' names, or equipment suppliers of any of the items to be furnished within the scope of these specifications, except where specifically precluded by these These lists are intended to identify specifications. the types and general quality of those items that will be included in the offerer's proposal. It is the offerer's responsibility to propose the materials, manufacturers' names, or equipment that is best suited for this project in combined terms of quality and price.

#### 1.4 SUBMITTALS - SHOP DRAWINGS, SAMPLES, AND OTHER DATA

- A. Section 01011 has the submittal listing. Refer to Part 6, Statement of Work and Part 7, technical specifications, and drawings for additional submittal requirements. The Subcontractor is responsible for providing all submittals required in the subcontract whether listed in Section 01011 or not. Any submittals not in conformance with these requirements will be returned without review for correction and resubmittal:
  - Safe Work Plan. The Safe Work Plan shall include general information and approach and will include specific documents described in the technical specifications.
  - 2. Assemble and submit, if required, in logically arranged folders, the following:

All instruction bulletins, diagrams, lubrication schedules, operating instructions, parts lists, and pamphlets for equipment and apparatus furnished, including vendor's or manufacturer's recommended

Date: 05/30/97 Rev.: 0 RE: WM

1, 3.

01000 4 of 11

procedure for lifting, handling, and installing equipment.

- 3. Submittals for equipment shall include manufacturer's catalog "cut sheets" or similar information bulletins indicating the model number or catalog number, ratings, size, weight, and performance curves and data. Indicate operating point on curves and tabular data for each piece of equipment that curves or data represent.
- 4. Submit wiring diagrams or connection diagrams for equipment items, accompanied by adequately defined symbols list. Schematic and wiring diagrams must be prepared in accordance with ANSI/IEEE Publication Y32E, "Electrical and Electronics Graphics Symbols and Reference Designations." Individual 8-1/2 by 11-inch elementary and wiring drawings are not acceptable.
- 5. Indicate all performance data, construction material finishes, and modifications to manufacturer's standard design specified.
- 6. Locate termination points for all required external wiring.
- 7. Indicate roughing-in, foundation, and support point dimensions.
- 8. Submit written test procedures for all required testing. Include criteria for acceptable performance. Submit test reports after completion of tests.
- 9. Submit Material Safety Data Sheets (MSDSs), for all cutting oils, caulks, sealants, lubricants, paints, etc., and all other similar compounds.
- 10. The Engineer's review of such submittals shall not relieve the Subcontractor from any responsibility for deviations from contract drawings or specifications, unless the Subcontractor has in writing called FDF's attention to such deviations at the time of submission, nor shall it relieve the Subcontractor from responsibility for errors of any sort in the submittals nor from responsibility for the proper fitting and construction of the work.
- 11. Submittals will be reviewed with respect to such factors as quality of draftsmanship, legibility,

Date: 05/30/97 Rev.: 0 RE: WM 01000 5 of 11

and evidence that the Subcontractor is aware of the necessity and importance of adequately detailing and illustrating special features and conditions relating to the work. Dimensions, sizes, construction details, and directive notes shown will be reviewed for accuracy, compliance with the specifications, adequacy, interferences, etc., on a spot check or incomplete basis to establish that the Subcontractor has given such factors careful attention.

- 12. Any changes marked on submittals during review will be for the purpose of indicating the requirements of the contract documents, and no change in the contract amount is authorized by such markings.
- 13. When submittals are found to be satisfactory with respect to the above factors and within the scope of the review outlined above, they will be returned by FDF to the Subcontractor bearing certificate attachment permitting the Subcontractor to employ them in the furtherance of the Subcontractor's work under the contract. Subcontractor shall understand that such permission shall not relieve the Subcontractor of the responsibilities for the full performance of the work required under the contract in conformance with the contract documents governing such performance, nor for any other deficiencies in the submittals such as inaccuracies, discrepancies, omissions, interferences in the work itself, or with the work of other contractors, whether or not such deficiencies were observed or noted in the course of the review of the shop drawings.
- 14. The Subcontractor shall verify all field dimensions required for shop drawings.

#### 1.5 REFERENCES

A. The publications listed in the technical specifications form part of this specification. Each publication shall be the latest revision and addendum in effect at the time of issue of contract and of issue of the

Date: 05/30/97 Rev.: 0 RE: WM 01000 6 of 11

specification unless notified otherwise. Except as modified herein or by the details of the drawings, work included in this specification shall conform to the applicable provisions of these publications.

#### 1.6 MANUALS AND SPARE PARTS LISTS

- A. Copies of manufacturers recommended spare parts list (including critical long-lead time spare parts) shall be submitted prior to the shipment of any item of equipment.
- B. A Systems Implementation Manual shall be prepared so as to provide optimum readiness of the equipment and systems being furnished. The Systems Implementation Manual shall be coordinated with the requirements as noted in the accompanying Systems Plan.
- C. The cover of the Systems Implementation Manual shall include the following information:
  - 1. Project Title Waste Units Remediation Project Southern Waste Units Site Preparation Package
  - 2. WBS No. 1.1.1.1.2.3.6
  - 3. Engineer PARSONS
  - 4. Construction Manager FDF
  - 5. Subcontractor Name.
- The Systems Implementation Manual shall be bound into D. one or more volumes for ease of handling and shall have The manual shall include descriptive an index. literature, drawings, performance curves and rating data, test reports, and spare parts lists. maintenance section shall divide maintenance procedures into two categories, "Preventive Procedures" and "Corrective Procedures," and a subsection for "Safety Precautions." Preventive maintenance shall include cleaning and adjustment instructions. Corrective Maintenance shall include instructions and data arranged in the normal sequence of corrective maintenance (i.e., troubleshooting) (logical effect to cause), then repair and replacement of parts, then the parts list. Safety Precautions shall comprise a list of safety precautions and instructions to be followed

Date: 05/30/97 01000 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: WM 7 of 11 SCEP/165/SWU/SITE

Buch William

before, during, and after making repairs, adjustments, or routine maintenance.

E. Submit complete sets of the final approved manual prior to the shipment of the equipment or system.

#### 1.7 SPECIFICATION EXPLANATION

A. General: The technical specifications are of the abbreviated, simplified, or streamlined type and include incomplete sentences. Omissions of words or phrases such as "the Subcontractor shall," "in conformity therewith," "shall be," "as noted on the drawings," "according to the plans," "a," "the," and "all" are intentional. Omitted words or phrases shall be supplied by inference in the same manner as they are when a "note" occurs on the drawings.

The Subcontractor shall provide all items, articles, materials, operations, or methods listed, mentioned, or scheduled either on the drawings, or specified herein, or both, including all labor, materials, equipment, and incidentals necessary and required for their completion and installation unless stated otherwise.

For convenience of reference and to facilitate the letting of contracts, the specifications may be separated into titled divisions. Such separations, however, shall not operate to make the Engineer an arbitrator to establish the limits of subcontracts in any manner. The following defines the separations referred to in the specifications.

Division: Separate numbered division of specifications (e.g., Div. 16)
 Section: Separate numbered section of a division (e.g., Sec. 16020)

3. Article: Separate numbered article of a section (e.g., Article 2.1)

B. Definitions: Certain terms and words as used throughout the specifications shall be defined as follows, unless otherwise particularly specified:

Date: 05/30/97 01000 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: WM 8 of 11 SCEP/165/SWU/SITE 1. "Provide": Furnish and install, complete, in

place.

2. "Indicated": As shown on the drawings and/or

specified.

3. "Directed,"

"Authorized,"

"Permitted": Shall be as directed, authorized,

or permitted by FDF.

4. "Selected": Shall be as selected by the

Engineer or FDF.

5. "Satisfactory,"

"Acceptable": Satisfactory or acceptable to FDF.

6. "Necessary,"

"Required,"

"Suitable": As necessary, required, or suitable

for the intended purpose as

determined by FDF.

7. "Submit": Submit to FDF unless otherwise

specified

# 1.8 ABBREVIATIONS FOR REFERENCED STANDARDS AND SPECIFICATIONS

A. The following list denotes abbreviations used in these technical specifications:

<u>Abbreviation</u>	<u>Authority</u>
AASHTO	American Association of State
	Highway and Transportation
	Officials.
ACI	American Concrete Institute
ADC	Air Diffusion Council
AFP	Active Flyash Pile
AGC	Associated General Contractors of
	America
AISC	American Institute of Steel
	Construction
AISI	American Iron and Steel Institute
AMCA	Air Movement and Control
	Association
ANSI	American National Standards
	Institute
APA	American Plywood Association

Date: 05/30/97 Rev.: 0 RE: WM 01000 9 of 11 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000019

Abbreviation Authority API American Petroleum Institute ARI Air Conditioning and Refrigeration Institute ASCE American Society of Civil Engineers American Society of Heating, **ASHRAE** Refrigerating, and Air Conditioning Engineers **ASME** American Society of Mechanical Engineers American Society for Testing and **ASTM** Materials AWS American Welding Society American Water Works Association AWWA CFR Code of Federal Regulations DHI Door and Hardware Institute Fluor Daniel Fernald, Incorporated FDF **FGMA** Flat Glass Marketing Association FM Factory Mutual System FRL Final Remediation Level GA Gypsum Association **ICBO** International Conference of Building Officials TEEE Institute of Electrical and Electronics Engineers IFP Inactive Flyash Pile **IMIAC** International Masonry Industry All-Weather Council Metal Building Manufacturers **MBMA** Association National Association of **NAAMM** Architectural Metal Manufacturers **NCMA** National Concrete Masonry Association National Electrical Code NEC NEMA National Electrical Manufacturers Association National Fire Protection NFPA

Date: 05/30/97 Rev.: 0 RE: WM

NIST

01000 10 of 11

Association

Technology

WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE 000020

National Institute of Science and

<u>Abbreviation</u>	Authority
NPCA	National Paint and Coatings
	Association
OBBC	Ohio Basic Building Code
ODOT	Ohio Department of Transportation
OSDF	On-Site Disposal Facility
PACM	Presumed Asbestos Containing
	Material
PCA	Portland Cement Association
PCI	Prestressed Concrete Institute
PDCA	Painting and Decorating Contractors
	of America
PIV	Post Indicator Valve
PS	United States Department of
	Commerce, Voluntary Products
	Standards
SDI	Steel Deck Institute
SF	South Field
SIGMA	Sealed Insulating Glass
	Manufacturers Association
SJI	Steel Joist Institute
SMACNA	Sheet Metal and Air Conditioning
	Contractors National Association
SSPC	Steel Structures Painting Council
SWU	Southern Waste Units
UL	Underwriters Laboratories, Inc.
WURP	Waste Units Remediation Project

END OF SECTION

8/27/97, 4:04pm

### SECTION 01011 SUBMITTALS LISTING

- A. Submittal Requirements: Submittals required include drawings and/or data for all items listed below:
  - 1. "AA" designates that these items are special requirements as defined in detail in the applicable technical specification section.
  - 2. "BB" designates that shop drawings are required.
  - 3. "CC" designates that catalog cuts are required.
  - 4. "DD" designates that Material Certificates are required.
  - 5. "EE" designates that Certificates of Conformance are required.
  - 6. "FF" designates that engineering calculations are required.
  - 7. "GG" designates that spare parts list is required.
  - 8. "HH" designates that Systems Implementation Manuals are required.
  - 9. "II" indicates that manufacturer's material safety data sheets (MSDSs) are required.
  - 10. "JJ" indicates that wiring diagrams for power, signal, and control wiring are required.
  - 11. "KK" indicates that tests, which are to be witnessed by FDF, are required.
  - 12. "LL" indicates that test reports are required.
  - 13. "NN" indicates to be included in the Safe Work Plan.
- B. See the accompanying sheets for submittal schedules.

END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\01011

08/27, 4:05pm

Date: 05/30/97 Rev.: 0 RE: WM 01011 1 of 11 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000022

## **PARSONS** ERA PROJECT

## Section 01011 **Submittals Listing**

Material/Equipment/ Item/Description	Special Reqts	Shop Dwgs BB	Catalog Cuts CC	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS II	Wiring Diagram JJ	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
SECTION 01000														
Safe Work Plan												-		х
SECTION 01050			:											
Surveyor Qualifications	х													
As-Built Record Drawings	х													
Surveying Field Notes	Х													
SECTION 01450														
Material Documentation Work Plan	х					х								х
SECTION 02100														
Traffic Control Plan			<u> </u>			Х								х
Dust Control Plan				Х			•		Х					х
Site Clearing Work Plan														х
Monitoring/Extraction Well Protective Barrier	х													

Date: 05/30/97 Rev.: 0 RE: WM

01011 2 of 11

- Material/Equipment/ Item/Description	Special Reqts	Shop Dwgs BB	Catalog Cuts	Material Certif	Certif Conform EE	Eng'g Calcs	Spare Parts	Systems Implem Manual	MSDS	Wiring Diagram	Witness Tests	Test Rpt	Samples	Safe Work Plan
SECTION 02200	AA	ВВ	CC	DD	EE	FF	GG	HH	II	JJ	KK	LL	MM	NN
Excavation Work Plan			· <del></del>											
Material Source/Test Data				х								X		X
Construction QC Data											x	<u>x</u>		
Geotechnical Lab	Х										^			
SECTION 02205							·-·				:			
Impacted Material Work Plan														х
Competent Persons Training Certificate (Asbestos and Rad Worker II)	х													
Material Source/Test Data				х							х	Х		
Construction QC Data											Х	х		
SECTION 02225														
Sheeting and Shoring Plan		Х				х								х
Material Source/Test Data		******		Х								X		
Construction QC Data											Х	X		
SECTION 02270														
Silt Fence			х				-					X		
Dumped Rock Fill (Riprap)				х										
Geotextile Fabric			х		х									
Erosion Control Blanket			х		Х									
QA/Program/Inspection														х

01011 3 of 11

Material/Equipment/ Item/Description	Special Reqts AA	Shop Dwgs BB	Catalog Cuts CC	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS II	Wiring Diagram JJ	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
SECTION 02506														
Aggregate Source	х													
Aggregate				х							Х	X		
Geotextile			X		х									
Material Testing Laboratory	X							_						
SECTION 02510														
Bituminous Aggregate				Х					Х			-		
Aggregate Base	Х			Х	Х	х					х	X		
Tack Coating		-	X		Х				Х					
Prime Coating			Х		Х				Х					
Joint Sealant			Х		Х				<b>X</b> ·					
SECTION 02667														
Pipe/Fittings/Valves/Accessories			х	х							х	х		
Pipe Joining Compounds			Х		Х				Х					
Hydrostatic Test Report										· · · · · · · · · · · · · · · · · · ·		Х		
Performance Certificate					Х									
Disinfection Report												Х		
Bacteriological Report												Х		
Verification of Personnel Experience	Х													

000025

Date: 05/30/97 Rev.: 0 RE: WM 01011 4 of 11

Material/Equipment/ Item/Description	Special Reqts	Shop Dwgs BB	Catalog Cuts CC	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS II	Wiring Diagram JJ	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
SECTION 02668	-		!					•			-			
Pipe/Fittings/Valves/ Accessories			х	х							х	х		
Pipe Joining Compounds			X		X				X					
Hydrostatic Test Report												X		
HDPE Manholes		X									Х	X		
Verification of Personnel Experience	х													
SECTION 02669														
Pipe/Fittings/Valves/Accessori es			x	х							х	х		
Pipe Joining Compounds			Х		х				Х					
Hydrostatic Test Report												X		
Verification of Personnel Experience	х													
SECTION 02713										_				
Geomembrane Liner				Х	Х								х	
Geomembrane Liner Installation	Х	х								1		х	х	
			_											
SECTION 02720														5
Water Management Plan	х													х
Culvert Pipe- CMP			х											
Riser Assembly	Х	X		X								Х		

01011 5 of 11 WBS No: 1.1.1.1.2.3

Material/Equipment/ Item/Description	Special Reqts	Shop Dwgs BB	Catalog Cuts	Material Certif DD	Certif Conform EE	Eng'g Calcs	Spare Parts GG	Systems Implem Manual HH	MSDS	Wiring Diagram	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
Inspection Reports											х	Х		
Corrugated HDPE Pipe			Х	Х		-				-				
HDPE Pipe			Х	Х								_		
Construction QC Data											Х	Х		
SECTION 02831							· · · · · · · · · · · · · · · · · · ·							
Products and Materials		Х	х						х					
SECTION 02900														
Seed			·- <del></del>	Х					-					
Mulch			,	х					_					
Plant Nutrients			Х		Х				х					
SECTION 02999			<u>-</u>		-									
Construction Fence			Х	Х								-		
Caution Signs		Х								-				
Buoys			Х	Х										
SECTION 03001		· · · · · · · · · · · · · · · · · · ·												
Concrete Mix/Supplier	X			X	-					-		Х		
Channel Grating			х											
Oil/Water Separator			Х											
Curing Compound			Х						Х					
Joint Sealer			х						х			-		

01011 6 of 11

Material/Equipment/ Item/Description	Special Reqts	Shop Dwgs BB	Catalog Cuts	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS II	Wiring Diagram	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
Water Stops			Х									<del> </del>		
Placement Records (Concrete)	х													
Placement of Reinforcing		х												
SECTION 13125		· · · · · · · · · · · · · · · · · · ·												
Shop Drawings		Х	Х											
Support Location Plan		Х	Х											_
Wall and Roof System Dimensions and Construction Details		х	х											
Down Spout/Splash Block Locations		х	х											
Tie-Down Location Plan and Details		Χ.	х	·										
Product Data- Mechanical Components		Х	х					х		х		Х		
Manufacturers Installation Instructions	х	х	х		İ			х		х			i	
Connection of Fire and Evac Alarm to Site System										х	х	х		
·														
SECTION 13126														
Support Location Plan		X	X											
Tie-Down Location Plan and Details		х	х											
Connection of Fire and Evac Alarm to Site System										х	х	х		

01011 7 of 11

Material/Equipment/ Item/Description	Special Reqts	Shop Dwgs BB	Catalog Cuts	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS II	Wiring Diagram JJ	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
SECTION 15060														
Product Data for Pipe Fittings, Valves, and Accessories		х	х		х			х			х	х		
Test Procedures	х													
Welding	Х								х					
SECTION 15090										İ				
Piping Supports/Anchors		Х	х											
Welding	х				•	1			х					
SECTION 15160					<u> </u>									
Product Data for Pumps	х	Х	X		Х		Х	X		Х		Х		
SECTION 15170														
Motors			Х		х					Х		Х		
SECTION 15250														!
Product Data for Insulation Materials			Х		Х				Х					
SECTION 16050													<u> </u>	
Combination Magnetic Motor Starters			х		х					х		:		
Selector Switches			х		Х									
Conquit Receptacles			х		. X									-

**Dobb 29**Date: 05/30/97
Rev.: 0 RE: WM

01011 8 of 11

Material/Equipment/ Item/Description	Special Reqts	Shop Dwgs BB	Catalog Cuts CC	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS II	Wiring Diagram	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
Wire and Cable	1		х		X									
Instrument Cable			X		Х									
Nameplates			Х		Х									
Wire Markers			Х		Х									
Wireway and Aux. Cutters			Х		Х									
Splicing and Term. Components			х		х									
Boxes			х		Х								177.00	
Cabinets			Х		Х									
Supporting Devices			х		Х									
Underground Warning Tape			Х		Х									
Inspection and Testing											Х	X		
SECTION 16118									:					
Conduit and Fittings			Х		Х									
Warning Tape			Х		Х									
SECTION 16121								i 						
Medium Voltage Cable			х		Х							Х		
Cable Terminations			Х		Х							Х		
SECTION 16170														
Grounding Electrodes and Conductors			х	Х										

01011 9 of 11

Material/Equipment/ Item/Description	Special Reqts AA	Shop Dwgs BB	Catalog Cuts	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS II	Wiring Diagram JJ	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
Equipment Grounding Conductors			х	х										
Testing Equipment Certification	х								:					
Ground System Testing											X	X	<u> </u>	
SECTION 16311	·		<del></del>											
15 kV Fused Switch		Х	Х		X			х		х		X		
Bus Connection Kit		х	Х		Х					Х		Х		
SECTION 16370												···		
Poles			Х		Х									
Crossarms		X	Х		Х				·					
Pole Hardware			х		х							_		
Insulators			х		х			Х						
Line Conductors			Х		x									
Arresters and Cut-Outs			х		X					X				
Pole Mtd. Disc. Switches		X	X		Х			х		х				
Fuses			X		X			х						
Pole Mounted Transformers			х		X					Х				
Anchors			X		Х									
SECTION 16462														
Transformer/Panelboards		Х	Х		Х		Х	Х		х	Х	Х		

01011 WBS No: 1 10 of 11 SCEP/

Material/Equipment/ Item/Description	Special Reqts AA	Shop Dwgs BB	Catalog Cuts CC	Material Certif DD	Certif Conform EE	Eng'g Calcs FF	Spare Parts GG	Systems Implem Manual HH	MSDS	Wiring Diagram	Witness Tests KK	Test Rpt LL	Samples MM	Safe Work Plan NN
SECTION 16470														- 1111
Panelboards		х	Х		х		х	Х		Х	х	х		
SECTION 16500								:						
Luminaires and Lampholders	х		Х		Х									
Ballasts			X		х									
Lamps	Х		X		Х									
Exit Signs			Х		х									
Emergency Lighting Units			Х		х									
Photoelectric Control			Х		Х									
SECTION 16855														
Heating Cable and Accessories		X	X		X							Х		

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\01011

19-10-5

8/27/97, 4:05pm

20000

112

Date: 05/30/97 Rev.: 0 RE: WM 01011 11 of 11

## SECTION 01012 SCHEDULE OF DRAWINGS

#### 1.1 DRAWINGS

The following drawings are hereby made a part of this contract:

Draw	ing Number	<u>Sheet Number</u>	<u>Rev.</u>	<u>Drawing Title</u>
			2000	
1.	92X-5900-X-003			Project Title Sheet
2.	92X-5900-X-0032		2	Drawing Index
3.	92X-5900-X-003		1	Legend and General Notes
4.	92X-5900-G-003	50 G0001	1	Traffic Flow Plan
5.	92X-5900-G-0028	31 G0002	1	Master Site/Utility Plan
6.	92X-5900-G-0034	48 G0003	1 2 1 1 1	Existing Conditions Plan
7.	92X-5900-G-0040	00 G0004	1	Survey Information and
			••••	Soil Stripping Plan
8.	92X-5900-G-0028	32 G0005	1	Site Plan
9.	92X-5900-G-0028	34 G0006	1	Site Plan- Support Area
10.	92X-5900-G-0028	33 G0007	1	Site Plan- Wheel Wash
			****	Area
11.	92X-5900-G-0039	90 G0008	ı	Site Plan- Paddys Run
			3000	Area
12.	92X-5900-G-0030	03 G0009	1	Enlargement- Retention
			9000	Basin #1
13.	92X-5900-G-003	71 G0010	1	Enlargement- Retention
			2000	Basin #2
14.	92X-5900-G-003	72 G0011	1	Enlargement- Retention
			4000	Basin #3
15.	92X-5900-G-003	l1 G0012	1	Erosion and Sediment
			****	Control- Sheet 1 of 2
16.	92X-5900-G-0036	68 G0013	1	Erosion and Sediment
			2000	Details- Sheet 2 of 2
17.	92X-5900-G-0030	04 G0014	1	Transfer Line- Plan and
			***************************************	Profile- Sheet 1 of 3
18.	92X-5900-G-0030	05 G0015	1	Transfer Line- Plan and
			2000	Profile- Sheet 2 of 3
19.	92X-5900-G-0030	06 G0016	1	Transfer Line- Plan and
			2000	Profile- Sheet 3 of 3

Date: 08/26/97 01012 WBS No: 1.1.1.1.2.3.6 Rev.: 2 RE: WM 1 of 3 SCEP/165/SWU/SITE

Drawi	ng Number	Sheet	Number	Rev.	<u>Drawing Title</u>
20.	92X-5900-G-003:	12	G0017	1	Wheel Wash Pad-
20.	, <u>, , , , , , , , , , , , , , , , , , </u>			<b>**</b>	Structural Details
21.	92X-5900-G-003:	10	G0018	1	Wheel Wash Sump
2.	, <u></u>			***	Discharge- Profile and
					Details
22.	92X-5900-G-0030	07	G0019	1	Water Line Details
23.	92X-5900-G-0030	09	G0020	Ö	Miscellaneous Details-
					Sheet 1 of 2
24.	92X-5900-G-0030	80	G0021	0	Miscellaneous Details-
					Sheet 2 of 2
25.	92X-5900-G-004	11	G0022	1	Material Documentation
				*****	Plan
26.	92X-5900-G-004	52	G0023	0 ·	Miscellaneous Details-
					Sheet 3 of 3
27.	92X-5900-G-004!	53	G0024	1	Site Plan - Borrow Area
					VOID Drawing
28.	92X-5900-N-0029	95	N0001	0	Piping and
					Instrumentation Diagram-
					Symbols and Legend
29.	92X-5900-N-0029	90	N0002	0	Piping and
					Instrumentation Diagram-
					Wastewater Collection and
		_		200	Transfer
30.	92X-5900-N-0029	91	N0003	1	Piping and
					Instrumentation Diagram-
			70001	•	Drinking Water System
31.	92X-5900-E-004		E0001	0	Symbols and Legend
32.	92X-5900-E-004	04	E0002	1	Single Line Diagram - West Side 13.2 kV Feeders
	00T 5000 E 0031		<b>7</b> 0003	-	
33.	92X-5900-E-003	7 /	E0003	1	Single Line Diagrams / Elevations - Lift Station
					No's. 1,2 & 3
2.4	92X-5900-E-003	70	E0004	0	Single Line Diagrams /
34.	92X-5900-E-003	70	E0004	U	Elevations - Wheel Wash
					Facility & Support Area
25	92X-5900-E-003	70	E0005	1	Overall Site Power Plan
	92X-5900-E-003		E0005	0	Panel Schedules
	92X-5900-E-003		E0007	1	Elementary Diagrams
	92X-5900-E-003		E0007	1	Cable and Conduit
55.	721 3700 H 004			_	Schedules
39	92X-5900-E-003	82	E0009	1	Details - Sheet 1
				_	<del> </del>

01012 2 of 3

Date: 08/26/97 Rev.: 2 RE: WM

**600003** 

Draw	ing Number	Sheet Number	Rev.	Drawing	<u>Title</u>
40.	92X-5900-E-004	07 E0010	1	Details	- Sheet 2
41.	92X-5900-E-004	08 E0011	1	Details	- Sheet 3
42.	92X-5900-E-004	09 E0012	1	Details	- Sheet 4
43.	92X-5900-E-003	76 E0013	1	Details	- Sheet 5
44.	92X-5900-E-004	54 E0014	0	Details	- Sheet 6

#### END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\01012

08/29 4:05

Date: 08/26/97 Rev.: 2 RE: WM

01012 3 of 3

# SECTION 01050 SURVEYING

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Survey.
- B. Submittals.
- C. Project record documents.

# 1.2 QUALITY ASSURANCE

- A. Employ a Land Surveyor registered in the State of Ohio to oversee and certify survey work as required of this section.
- B. Survey work shall be under the direct supervision of a person with at least 5 years of experience in construction surveying.
- C. Submit the Ohio Registered Land Surveyor's name, license number, and qualifications/experience of the person who will be supervising the actual field work within 15 days from the Notice to Proceed. Approval must be granted from FDF prior to starting survey work.

# 1.3 SUBMITTALS FOR REVIEW

- A. Provide submittals as required by Section 01011 and by Part 6 of the Contract Documents.
- B. Submit Surveyor qualifications to FDF and receive approval before starting survey work.
- C. On request, submit documentation verifying accuracy of survey work.
- D. Submit scaleable copies of completed as-built site drawings and certificate signed and sealed by the Land

Date: 05/30/97 Rev.: 0 RE: BP 01050 1 of 4

Surveyor. As a minimum, surveys shall be performed and submitted within 15 days at the following intervals:

- 1. Prior to commencement of work.
- 2. At completion of retention basin excavation, prior to placement of infiltration barrier.
- 3. At completion of placement of infiltration barrier in retention basins.
- 4. At completion of construction work. This shall also include topographical data of the borrow area, impacted material stockpile and non-impacted material stockpile.
- E. Drawings are to follow format and symbology as furnished by FDF in Intergraph Microstation files. Surveyor is to furnish scaleable hard copy as well as electronic files of completed survey drawings.
- F. Submit copy of all field notes. Field notes shall be legibly recorded on standardized field note forms. Notation shall be consistently applied to all project survey work; the stake marking format and the field book notation shall be compatible.

#### 1.4 PROJECT RECORD DOCUMENTS

- A. Maintain a complete and accurate log of control and survey work as it progresses.
- B. Maintain an accurate and current set of red-line drawings with as-built locations. Data shall be incorporated within one week of construction.

#### 1.5 EXAMINATION

- A. Verify locations of survey control points prior to starting work. Identify control used on submittals.
- B. Promptly notify FDF of any discrepancies discovered.

#### 1.6 SURVEY REFERENCE POINTS

A. Locate and protect survey control and reference points as shown on the construction drawings.

Date: 05/30/97 Rev.: 0 RE: BP 01050 2 of 4

- B. Control datum for survey is established by FDF, as indicated on construction drawings.
- C. Protect survey control points prior to starting site work; preserve permanent reference points during construction.
- D. Promptly report the loss or destruction of any reference point or relocation required because of changes in grades or other reasons. Damaged or destroyed survey monuments shall be reestablished by FDF at Subcontractor's expense.

# 1.7 SURVEY REQUIREMENTS

A. All survey shall be performed to Class 3 standards and specification of ACSM (American Congress on Surveying and Mapping) as defined below. Elevation shall be referenced to NGVD of 1929 and horizontal coordinate to NAD 1983.

Position Closure 1:5,000
Angles Accurate to 14 sec.
Distance Accurate to 0.007 ft.
(per 100 feet) (1:15,000)

Rejection limit or spreads

between D & R and sets 10 sec.

Number of positions or sets

1" Instrument 2 Pos.
10" Instrument 1 Set 2DR
20" Instrument 1 Set 4DR
30" Instrument 1 Set 6DR
1' Instrument 1 Set 8DR

Azimuth Closure per

Azimuth Closure

angle point 10 Sec.

Number of Repetitions

(distance measurements)

Taping Criteria<sup>2</sup>

Temperature Accurate to  $+6^{\circ}$  F
Tension Accurate to +3# of

standard

30" N 1

Calibration

Type of Target Plumb Bob String or

**Fixed** 

Date: 05/30/97 01050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: BP 3 of 4 SCEP/165/SWU/SITE

- 1. N = Number of angle stations carrying azimuth. The smallest value for the azimuth closure criteria will apply.
- Properly calibrated electronic distance measuring equipment may be used in place of metal tapes.
- •• Standardized tape or one calibrated with a standardized tape.
- B. Establish elevations, lines and levels. Locate and lay out by instrumentation and similar appropriate means:
  - 1. All proposed utilities including underground and overhead shall be shown with coordinates.

    Utilities shall include spot elevations at 100 ft intervals and location data including curve data.

    Surface features (i.e., manholes, PIVs, lift stations, utility poles) are to be included.
  - 2. All proposed roadways, parking, and gravel areas shall be identified. The principal points of definitions shall be shown including road intersections, centerline, and curve information. Pavement width, culverts, other surface features shall be shown from point of definition.
  - 3. Topographic contours shall be shown to nearest foot. Field run data shall be taken to adjacent existing undisturbed area (100 ft minimum) to create a smooth contour transition.
  - 4. Structures (i.e., wheel wash facility, trailers) shall be located by a minimum of two coordinates and outside dimensions.
- C. Perform surveys to determine quantities for partial payment.

#### PART 2 PRODUCTS

Not used.

#### PART 3 EXECUTION

Not used.

# END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\01050

08/27 4:06

Date: 05/30/97 Rev.: 0 RE: BP 01050 4 of 4

# SECTION 01450 MATERIAL DOCUMENTATION

#### PART 1 GENERAL

#### 1.1 SCOPE

A. This section presents material documentation requirements. The subcontractor shall document (monitor, record, and report) movement of all impacted and non-impacted material moved between Material Tracking Locations (MTLs) and Grids in the SWUs as described herein. Material documentation shall include the type, quantity, and location of all material moved in the SWUs. This documentation is only required for materials moving into or out of the MTLs or Grids. Materials handled but retained in a given MTL or Grid are not included.

# 1.2 RELATED SECTIONS

- A. Section 01050 Surveying.
- B. Section 02200 Non Impacted Material Earthwork.
- C. Section 02205 Impacted Material Excavation and Handling.
- D. Section 02225 Trenching.
- E. Section 02270 Erosion and Sediment Control.

#### 1.3 REFERENCE DRAWING

A. Drawing Index No. 92X-5900-G00411 (Sheet No. G0022)
Civil - Material Documentation Plan.

#### 1.4 TERMINOLOGY

A. Material Tracking Locations - The specific areas identified in this specification and as shown on the Civil - Material Documentation Plan (Sheet No. G0022)

Date: 08/26/97 01450 WBS No: 1.1.1.2.3.6 Rev.: 1 RE: BP 1 of 4 SCEP/165/SWU/SITE

delineate select geographic areas in the SWUs. MTLs include:

- Impacted Material Stockpile.
- 2. Non Impacted Material Stockpile #1.
- Non Impacted Material Stockpile #2.
- 4. Retention Basin #1.
- 5. Retention Basin #2.
- 6. Retention Basin #3.
- 7. North Area.
- 8. Support Area.
- 9. Wheel Wash Area.
- 10. Ditch 1.
- 11. Ditch 2.
- 12. AFP Ditches.
- 13. Non Impacted Material Stockpile Ditches.
- 14. Ditch 8.
- 15. OSDF Designated Borrow Area.
- B. Grids are identified 200 ft by 200 ft areas in the SWUs. Grids correspond to areas that will be used to document material not contained within MTLs. An example Grid is L12-42 as shown on the Material Documentation Plan (Sheet No. G0022).

# 1.5 SUBMITTALS

A. Submit for approval a Material Documentation Work Plan as part of the safe work plan which describes the detailed procedures that will be used to implement this specification.

#### 1.6 QUALITY

A. Material documentation reports shall be provided to FDF at the end of each working day. Quantities shall be estimated to the nearest 10 cubic yards for material moved into or out of each MTL or Grid during that day.

#### 2.0 PRODUCTS

Not Used

Date: 08/26/97 Rev.: 1 RE: BP 01450 2 of 4

# 3.0 EXECUTION

A. Provide all personnel and equipment to document material movement as described herein.

#### 3.1 PREPARATION

- A. Field stake and/or adequately delineate all MTLs and Grids in the field.
- B. Subcontractor shall educate and familiarize all appropriate competent personnel (minimum of 3) with the material documentation requirements.

# 3.2 REPORTING REQUIREMENTS

Report type, quantity and location of all material moved into or out of all MTLs and/or Grids on a daily basis.

- A. Describe type of material, based on visual observation in accordance with the criteria presented in Sections 02200, 02205, 02225, and herein. Present a general description such as "soil and soil-like material (including flyash, gravel, etc.)", "debris", "mixed", or "special material".
  - 1. Examples of general descriptions of mixed material include:
    - a. 10 percent concrete debris/90 percent soil.
    - b. 25 percent ground wood stumps/75 percent soil.
  - 2. Special material will include atypical items such as buried drums or other unusual items.
- B. Estimate quantities of material by volume moved based on visual observations. Use number of trucks/haul vehicles and their capacity and estimate volumes in approximate cubic yards.
- C. Report material movement to and from each MTL and/or Grid worked in each day. Use MTLs to the extent possible. Use Grid if no MTL is available.

Date: 08/26/97 Rev.: 1 RE: BP 01450 3 of 4

#### 3.3 PROCEDURES

- A. Comply with detailed procedures contained in subcontractors approved Material Documentation Work Plan.
- B. Provide a written summary of material documentation to FDF field personnel every day that material is moved.
- C. Material transported to any location shall use a IIMS
  Transfer Paper for documentation purposes, included in
  Part 4 of the Contract Documents, Exhibit 1A.
- D. FDF may spot check and work with Subcontractor to assist with implementation of this specification.

END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\01450

08/27 12:09

Date: 08/26/97 Rev.: 1 RE: BP 01450 4 of 4

# U.S DEPARTMENT OF ENERGY

# FERNALD ENVIRONMENTAL MANAGEMENT PROJECT

Subcontract No. FSC607

# WASTE UNITS REMEDIATION PROJECT SOUTHERN WASTE UNITS TECHNICAL SPECIFICATIONS

Division 2

**PARSONS** 

Prepared by:

*8/27/97* Daxe

Checked by:

William L. Crowder

8/27/97

Date

FRANKLIN & M.
M.
PARTON, JR.
NO. E-57614

SOISTERES OF THE CHARMAN AND THE CHA

Date: Rev.: 08/26/97 2 RE: WM 02000

# SECTION 02100 SITE PREPARATION

#### PART 1 GENERAL

# 1.1 SECTION INCLUDES

- A. Clearing and chipping.
- B. Traffic Control.
- C. Removal of fencing.
- D. Installation of fencing.

# 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 01050 Surveying.
- D. Section 02200 Non-impacted Material Earthwork.
- E. Section 02205 Impacted Material Excavation and Transportation.
- F. Section 02270 Erosion and Sediment Control.
- G. Section 02720 Site Drainage and Water Management.
- H. Section 02831 Chain Link Fences.
- I. Section 02999 Miscellaneous and Specialty Items

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

Date: 08/26/97 Rev.: 1 RE: BP 02100 1 of 5

#### 1.4 REFERENCES

A. State of Ohio, Department of Transportation (ODOT):
Construction and Material Specifications, January 1,
1997. Except as supplemented or otherwise modified
herein and/or shown on the construction drawings, the
entire work under this section shall be in compliance
with the provisions of ODOT.

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011 and by Part 6 of the Contract Documents.
- B. Submit a Traffic Control Plan to be approved by FDF prior to any site clearing or earth-moving operations. The plan should include as a minimum; planned traffic routes, planned crossings of major utilities (i.e., gas line, drinking water line, and groundwater line), and a plan to protect the existing utilities at the crossings. The crossing protection at a minimum should be a one-inch thick steel plate (length and width sized to accommodate the trenches and equipment to be used) or an equivalent alternative. Provide calculations for all crossing protection and all alternatives to the one-inch thick steel plate.
- C. Submit a Dust Suppression Plan in accordance with Part 6 of the Contract Documents prior to initiating site clearing or earthmoving operations. The Dust Suppression Plan shall be approved by FDF prior to any site clearing or earth-moving operations. Along with the plan, the manufacturer's Material Safety Data Sheets' (MSDS) recommendations for material handling and usage for any applicable proposed dust suppressant agents or crusting agents along with the MSDS, shall be submitted. FDF approval is required prior to application of any dust suppressant agent or crusting agent.

Date: 08/26/97 Rev.: 1 RE: BP 02100 2 of 5

- D. Submit a site clearing work plan to be approved by FDF prior to initiating site clearing operations. The plan shall describe equipment, safety procedures, scheduling, personnel protective equipment, tree handling and transportation, and prevention of cross contamination.
- E. Monitoring/extraction well protective barrier detail.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS

- A. Dust suppression materials shall be nonhazardous and biodegradable. Water shall be potable.
- B. Crusting agent shall be Pine Sap Emulsion by Cousins Dust Control Environmental Services or an approved equivalent.
- C. Materials for traffic control.
- D. Materials for monitoring/extraction well protective barrier.

# PART 3 EXECUTION

#### 3.1 PREPARATION

- A. Verify that existing utilities in the work area and all monitoring/extraction wells designated to remain are staked, flagged, and identified.
- B. Install an approved protective barrier around existing monitoring wells and extraction wells designated to remain as indicated on the construction drawings. If excavation is to occur in proximity to monitoring wells and/or extraction wells designated to remain, hand excavate the area within the protective barrier. If damage to existing monitoring wells occurs, all repairs will be completed by FDF at the Subcontractor's expense.

Date: 08/26/97 Rev.: 1 RE: BP 02100 3 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000047

- C. Verify that all utilities to be removed, or tapped to, have been properly isolated and drained (valve turned closed and locked) prior to commencement of work. FDF is to properly isolate and/or drain utilities (to empty pipe) that are to be abandoned or connected to, unless hot tap is specified on construction drawings.
- D. Install perimeter erosion and sediment control measures prior to any major grading activities in accordance with Section 02270.
- E. Notify FDF 2 days prior to need for required permits. Provide specific information necessary for permit application. FDF is responsible for obtaining all FEMP permits.

# 3.2 Clearing and Chipping

- A. Clear all trees and brush in accordance with this specification within the limits of work except as noted on the construction drawings.
- B. All trees and other vegetation shall be cut a foot above grade and handled as a clean material, chipped, shredded, and placed in the Wood Chip Stockpile as shown on the construction drawings. Minimize contact with ground to prevent contamination of fallen trees. The stockpile is to be turned over as necessary to prevent combustion.
- C. During site clearing and earthmoving operations, fugitive emissions, principally dust, shall be controlled using water misting/spraying techniques and/or dust suppressant agent as described in Part 6 of the Contract Documents. Water is not to be used for misting/dust suppression directly from hydrant. Water from hydrant for misting is to be a supply only. The subcontractor is to provide for means of pressure and spraying.
- D. During site clearing and earth-moving operations use a crusting agent on any disturbed flyash material to minimize dust and/or erosion.

Date: 08/26/97 Rev.: 1 RE: BP

02100 4 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000043

# 3.3 REMOVAL OF FENCING

Remove existing yellow plastic chain, tee posts and signs at perimeter of SWUs and turn over to FDF.

# 3.4 INSTALLATION OF FENCING

- A. Install chain link fence and gates at locations indicated on the construction drawings and in accordance with Section 02831.
- B. Install construction fence in accordance with Section 02999 and at the locations indicated on the construction drawings. Construction fence shall be field located.
- C. FDF will delineate with fencing the Lead Contaminated Soil Area, and the Above WAC Excavation Area, and the potential above WAC areas (SWU-1 through SWU-4). Comply with all training requirements and site controls when working in the Above WAC Excavation Area. The subcontractor is prohibited from working in the Lead Contaminated Soil Area and above WAC Excavation Area.

# 3.5 PROTECTION

- A. Verify and protect from damage all utilities, monitoring wells, extraction wells, structures, survey monuments, and survey control points that remain (shown on the construction drawings). If the subcontractor damages existing monitoring well, extraction wells, structures, and/or survey monuments, repairs will be completed by FDF at the subcontractor's expense.
- B. Maintain existing roadways at the construction site and provide dust suppression as per the approved dust suppression plan.

#### END OF SECTION

 ${\bf OUDATA}\backslash {\bf OU-2}\backslash {\bf PO-165}\backslash {\bf WBS11236}\backslash {\bf SWU}\backslash {\bf SITE}\backslash {\bf 02100}$ 

08/27 2:06

Date: 08/26/97 Rev.: 1 RE: BP

02100 5 of 5 WBS No: 1.1.1.2.3.6

SCEP/165/SWU/SITE

# SECTION 02200 NON IMPACTED MATERIAL EARTHWORK

# PART 1 GENERAL

#### 1.1 SECTION INCLUDES

This specification section describes excavation and placement of all non impacted material necessary to complete the site preparation phase of the Southern Waste Units (SWUs) Project. Impacted material is addressed in Section 02205. It shall include all associated geotechnical testing. The work to be performed in accordance with this section shall include, but is not limited to the following:

- A. Erosion and sediment control facilities.
- B. General grading for roads.
- C. Other facilities constructed from non-impacted material, as shown on the construction drawings and as required to perform the work.
- D. Borrow area development.
- E. Infiltration Barrier placement.

# 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 01050 Surveying.
- D. Section 02100 Site Preparation.
- E. Section 02205 Impacted Material Excavation and Handling.
- F. Section 02270 Erosion and Sediment Control.

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 1 of 11 SCEP/165/SWU/SITE

- G. Section 02506 Aggregate Surface.
- H. Section 02713 Geomembrane Liner.
- Section 02720 Site Drainage and Water Management.
- J. Section 02900 Soil Preparation and Seeding.

# 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

# 1.4 REFERENCES

- A. State of Ohio, Department of Transportation (ODOT):
  Construction and Material Specifications, January 1,
  1997. Except as supplemented or otherwise modified
  herein and/or shown on the construction drawings, the
  entire work under this section shall be in compliance
  with the provisions of ODOT.
- B. American Society for Testing and Materials (ASTM):
  - 1. ASTM D698-91 Test Method for Laboratory

    Compaction Characteristics of Soil

    Using Standard Effort (12,400 ft
    lbf/ft³ [600 kN-m/m]).
  - 2. ASTM D2216-92 Test Method for Laboratory
    Determination of Water (Moisture)
    Content of Soil and Rock.
  - 3. ASTM D2487-93 Standard Classification of Soils for Engineering Purposes (Unified Soil Classification System).
  - 4. ASTM D2922-91 Standard Test Methods for Density of Soil and Soil-Aggregate in Place by Nuclear Methods (Shallow Depth).
  - 5. ASTM D3017-88 Standard Test Method for Water Content of Soil and Rock in Place by Nuclear Methods (Shallow Depth) (R 1993).
  - 6. ASTM D4643-93 Test Method for Determination of Water (Moisture) Content of Soil by Microwave Oven Method.

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 2 of 11 SCEP/165/SWU/SITE

#### 1.5 SUBMITTALS

Provide the following submittals as required in Section 01011 and Part 6 of the Contract Documents.

- A. Excavation Work Plan will be a part of the Safe Work Plan: The Excavation Work Plan will address both impacted and non-impacted material and shall address the following:
  - 1. List of equipment to be used.
  - 2. Methods for water management and equipment to be used (if any).
  - 3. Sequencing and construction of stockpiles shown on the construction drawings.
  - 4. Method of coordination of survey work with construction.
  - 5. Schedule of excavation activities showing sequencing, production, and time.
  - 6. Plan for controlling fugitive emissions during construction activities.
  - 7. Identifying, moving, and placing Presumed Asbestos Containing Material (PACM).
  - 8. Working in Contamination Areas using Radiological Worker II trained personnel.
  - 9. Material Tracking Procedures.
  - 10. Method and technique to prevent cross contamination of stockpiles.
  - 11. Borrow Area Development and Hauling Plan.
  - 12. Infiltration Barrier Placement Plan.
- B. Qualification Summary of Independent Off-Site
  Geotechnical Laboratory: Submit a summary of
  qualifications meeting the license requirements Part
  8.B.2.4.3.2 of the Contract Documents for an independent
  off-site geotechnical laboratory for approval by FDF.
  The laboratory must be approved by FDF before earthwork
  activities can begin. A qualification summary is not
  required for on-site laboratory.

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 3 of 11 SCEP/165/SWU/SITE

- C. On-site Material Sources: To the extent possible, use on-site material for required fill. Submit, as a part of the excavation work plan, a plan to use/reuse on-site material to perform the work.
- D. Off-site Material Sources: Submit name of off-site material suppliers and detailed descriptions of proposed material. All sources and proposed material must be approved by FDF. Change of source requires approval by FDF.
- E. Geotechnical Test Results: Submit results of all geotechnical tests by the approved independent geotechnical lab including:
  - 1. Standard Proctor moisture density tests.
  - Sieve analysis.
  - Density tests.
  - 4. Proctor curves for each type material used for approval by FDF prior to use.

# 1.6 QUALITY ASSURANCE PROGRAM

- A. Survey Verification and Layout: Verify the existing utilities, topography, and drainage features shown on the construction drawings and inform FDF of any differences or conflicts with proposed work. Stake the locations of all earthwork in the field and review all proposed work with FDF in the field. Assure that all work is laid out and built in accordance with the requirements on the construction drawings and these specifications. Survey work shall be performed under the direction of a professional licensed surveyor in accordance with Section 01050 Surveying.
- B. Independent Geotechnical Laboratory: Arrange and pay for the services of a qualified, independent geotechnical testing laboratory. The qualifications of the laboratory, meeting Part 8 of the Contract Documents, must be submitted to FDF and approved in writing prior to initiating excavation activities. The laboratory must provide documentation of compliance with this specification.

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 4 of 11 SCEP/165/SWU/SITE

# PART 2 PRODUCTS

#### 2.1 MATERIALS

Non-impacted Material consists of non-fill material and any material which is not contaminated by previous FEMP practices. This material includes, but is not limited to soil and debris. To the extent practical on-site materials shall be used. Use of any off-site material must be approved in writing by FDF prior to bringing any material onto the FEMP site. The types of non-impacted material addressed by this section shall include:

- A. Unclassified Material: For the purposes of this project, unclassified material is defined as soil removed from a trench prior to the placement of pipe. The removed soil (unclassified material) will be placed back into the trench following the pipe placement. When the pipe is removed from service and physically excavated, the soils from the trench will be characterized as impacted or non-impacted.
- B. General Excavation/Fill Material: This material shall include all excavation (below any impacted material), soil stockpile, and all earthwork not otherwise certified by FDF as below FRLs.
- C. Coarse Aggregate: Conforming to ODOT Item 304 Aggregate Base as modified herein. No slag materials will be allowed for use on site. Aggregate shall be crushed carbonate, crushed gravel, or other types of suitable materials. meeting the following gradation requirements:
- D. Infiltration Barrier: Clay and clay like soil material obtained from the designated OSDF borrow area Sediment Basin Stockpile with a maximum rock size of 3 inches in any direction.

# 2.2 Other Materials

A. HDPE Geomembrane Liner per Section 02713.

#### PART 3 EXECUTION

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 5 of 11 SCEP/165/SWU/SITE

000054

Trackbook

A. Contact between and/or mixing of impacted material and non-impacted material shall be prevented. Material that is commingled with impacted material shall be designated as impacted material and managed in accordance with Section 02205 at no additional cost to FDF. Equipment and materials used in impacted material areas shall be kept separate from other equipment and materials until it is approved for release by FDF in accordance with Part 4 of the Contract Documents.

#### 3.1 PREPARATION

- A. Establish site boundaries and access controls.
- B. Survey and layout all earthwork in accordance with Section 01050 - Surveying.
- C. FDF will flag existing utilities in the field. Maintain markings as described in Section 02100.
- D. Notify FDF when the actual conditions differ in any manner from those specified in the contract documents, or when soft or spongy areas or other unusual soil conditions are encountered.
- E. Install appropriate erosion and sediment control measures in accordance with Section 02270 and as indicated on the construction drawings.
- F. Clear areas in accordance with Section 02100.
- G. Dewater excavations as required.

#### 3.2 PROTECTION

- A. Prevent surface water runoff from entering into excavation or to adjacent properties.
- B. Protect excavations by methods required to prevent cave-in or loose soil from falling into excavation.
- C. Protect bottom of excavations and soil adjacent to and

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 6 of 11 SCEP/165/SWU/SITE

beneath foundation from freezing.

- D. Reshape and recompact fills subjected to vehicular traffic to final grade and to compaction requirements.
- E. Protect finished work and existing features which will remain.
- F. Seed and mulch in accordance with Section 02900.
- G. Protect existing groundwater monitoring wells and extraction wells in the area and in the vicinity of the work area.
- H. FDF will identify and delineate the areas with above WAC material and lead contaminated soil. Prevent traffic and potential cross-contamination in these areas.

#### 3.3 GENERAL EXCAVATION

- A. Classification of excavation material (impacted or nonimpacted) and subsequent disposition shall be as indicated on the construction drawings. Any deviations from the construction drawings shall be determined and approved by FDF.
- B. Excavate non-impacted material to the lines and grades indicated on the construction drawings.
- C. Perform grading and other operations to maintain site drainage. Accumulated water shall be removed promptly. No material shall be placed in standing water or on spongy soils. Water is to be handled in accordance with the water management component of the Safe Work Plan. See Section 02720 for water management requirements.

#### 3.4 FILLING AND EMBANKMENT

and the second second

A. Prepare subgrade as follows:

 Compact exposed subgrade to density requirements for subsequent fill materials. When existing ground surface has a density of less than the

Date: 08/26/97 02200 WBS No: 1.1.1.2.3.6

Rev.: RE: BP 7 of 11 SCEP/165/SWU/SITE

density specified, break up the ground surface, pulverize, adjust moisture content to specified limits, and compact to specified density.

- 2. Cut out soft areas of subgrade not capable of in situ compaction. Fill with unclassified borrow material and compact to density equal to or greater than requirements for subsequent fill material.
- B. Do not fill over porous, wet, frozen, spongy, or other unsatisfactory subgrade surfaces. Where unsatisfactory subsurface conditions in an area of fill are observed, excavate unsatisfactory material to satisfactory subgrade as approved by FDF.
- C. Fill areas to contours and elevations shown. Place and compact fill materials in continuous level layers not exceeding 6 inches compacted depth. Do not use frozen or saturated materials.
- D. Slope grade away from pads at a minimum 1/4-inch per foot, unless noted otherwise.
- E. Dust Suppression: See Section 02100 and Part 6 of the Contract Documents.
- F. Stockpile non impacted soil from the three retention basins in the non impacted material stockpile areas as indicated on the construction drawings. Non impacted material shall be placed on the non impacted material stockpile in lifts no more than 12 inches thick and compacted with two passes of a tamping foot or mesh/grid foot roller or equivalent. Maximum height of the stockpile shall be 20 feet with maximum side slopes of 2H:1V. Non-impacted material shall be segregated by point of origin.

# 3.5 COMPACTION

A. The minimum density requirements shall be 95 percent of Standard Proctor Maximum Dry Density. Maintain optimum moisture content within ±4 percent of fill materials

Date: 08/26/97 02200 WBS No: 1.1.1.2.3.6

Rev.: RE: BP 8 of 11 SCEP/165/SWU/SITE

except stockpiles to attain required compaction or as otherwise required for effective dust suppression.

### 3.6 FINISH OPERATIONS

- A. Grading and Tolerances: Grading shall be performed within 0 to +0.5 feet of the grades shown on the construction drawings.
- B. House Keeping: Leave the area in a clean and neat condition. Grade and stabilize site surface to prevent free standing surface water.
- C. Seed all disturbed areas in accordance with Section 02900. Surface controls (crusting agents, e.g., pine sap emulsion, shall be applied to and maintained on nonimpacted stockpiles to minimize erosion.
- D. Seed all disturbed areas not associated with the nonimpacted stockpiled material in accordance with Section 02900.

### 3.7 BORROW AREA

- A. Install erosion and sediment control structures.
  Existing OSDF Sedimentation Basin Stockpile was placed with two materials separated by a geotextile; only borrow material above the geotextile.
- B. Excavate material to provide positive drainage to erosion and sediment control structures.
- C. After completion of borrow operation, seed and mulch in accordance with Section 02900.

#### 3.8 INFILTRATION BARRIER

A. Place infiltration barrier material in 8-inch loose lifts to obtain a total compacted thickness of 1-foot minimum.

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6

Rev.: 1 RE: BP 9 of 11 SCEP/165/SWU/SITE 000058



- B. The minimum density requirements of the infiltration barrier shall be 95 percent of Standard Proctor Dry Density. Maintain moisture content between -1 and +2 percent of optimum to attain required compaction.
- C. Roll Infiltration Barrier with steel smooth drum roller prior to geomembrane placement.

# 3.9 FIELD QUALITY-CONTROL

- A. In-place density testing will be performed in accordance with ASTM D2922. Nuclear density gauge (ASTM D2922) will be calibrated in accordance with the manufacturer's requirements. Documentation of this calibration will be provided to FDF. Register any nuclear or radiological sources brought on site in accordance with Part 8 of the Contract Documents.
- B. Moisture tests will be performed in accordance with ASTM D3017, ASTM D2216 or ASTM D4643 as applicable.
- C. Moisture-density curves will be determined in accordance with ASTM D698 (Standard Proctor). The test results must be reviewed and approved by FDF prior to use.
- D. If in-place density and/or moisture tests indicate that work does not meet specified requirements, remove work and replace or recompact to specified requirements. If visual inspection indicates that work has not been performed as specified, correct work to comply with the requirements.
- E. Soil classification shall be performed in accordance with ASTM D2487.
- F. Frequency of Tests: Frequency of in-place density and moisture testing shall be whichever of the following requires the greatest number of tests:
  - Once each day of work filling.
  - Once every lift of material.

Date: 08/26/97 02200 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 10 of 11 SCEP/165/SWU/SITE

3. Once every 500 cubic yards of fill.

Frequency may be lessened only by FDF.

G. Notify FDF of activities that will require testing/ inspection prior to the start of such activities.

END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\02200.RV1

08/26/97 02200 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 11 of 11 SCEP/165/SWU/SITE

000060

08/27/97

A SA SAS

Date:

# SECTION 02205 IMPACTED MATERIAL EXCAVATION AND HANDLING

# PART 1 GENERAL

#### 1.1 SECTION INCLUDES

This section provides requirements for excavation and handling of impacted material encountered during the site preparation phase of the SWUs Project. For excavating and placement of non-impacted material, see Section 02200. Impacted material excavation and handling shall also include all associated geotechnical testing. Classification of excavation material (impacted or non impacted) and subsequent disposition shall be as indicated on the construction drawings. Any deviations from the construction drawings shall be determined and approved by FDF. The work described by this specification shall include, but is not limited to:

- A. The excavation of the top <del>12-inch</del> layer of material in the retention basin areas as designated on the construction drawings.
  - B. Grinding the stumps in place in the borrow area stockpile area and the retention basin areas.
  - C. Presumed Asbestos Containing Material (PACM).
  - D. Other impacted material and debris encountered during excavation.

Subcontractor personnel working in the impacted materials area shall comply with the FEMP's Health and Safety requirements, including PPE. Personnel shall also comply with all applicable site training requirements and in accordance with Part 8 of the Contract Documents. All personnel working with impacted material in a Contamination Area shall be FEMP Radiological Worker II trained. A minimum of one subcontractor work crew shall be FEMP Radiological Worker II trained. A minimum of one OSHA

Date: 08/26/97 02205 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 1 of 7 SCEP/165/SWU/SITE

asbestos competent person (Ohio Department of Health Certified) and two persons with FEMP asbestos O&M training (or equivalent), shall be on site during excavation.

# 1.2 RELATED SECTIONS

- A. Section 01050 Surveying.
- B. Section 02100 Site Preparation.
- C. Section 02200 Non Impacted Material Earthwork.
- D. Section 02270 Erosion and Sediment Control.

# 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

# 1.4 REFERENCES

- A. State of Ohio, Department of Transportation (ODOT):
  Construction and Material Specifications, January 1,
  1997. Except as supplemented or otherwise modified
  herein and/or shown on the construction drawings, the
  entire work under this section shall be in compliance
  with the provisions of ODOT.
- B. American Society for Testing and Materials (ASTM):
  - 1. ASTM D698-91 Test Method for Laboratory
    Compaction Characteristics of Soil
    Using Standard Effort (12,400 ftlbf/ft³ [600 kN-m/m]).
  - 2. ASTM D2216-92 Test Method for Laboratory
    Determination of Water (Moisture)
    Content of Soil and Rock.
  - 3. ASTM D2487-93 Standard Classification of Soils for Engineering Purposes (Unified Soil Classification System).
  - 4. ASTM D2922-91 Standard Test Methods for Density of Soil and Soil-Aggregate in Place by Nuclear Methods (Shallow Depth).

Date: 08/26/97 02205 WBS No: 1.1.1.2.3.6

Rev.: RE: BP 2 of 7 SCEP/165/SWU/SITE

- 5. ASTM D3017-88 Standard Test Method for Water Content of Soil and Rock in Place by Nuclear Methods (Shallow Depth) (R 1993).
- 6. ASTM D4643-93 Test Method for Determination of Water (Moisture) Content of Soil by Microwave Oven Method.

#### 1.5 SUBMITTALS

Provide the following submittals in accordance with the requirements of Section 01011.

- A. Excavation Work Plan See requirements in Section 02200
- B. Qualification summary of independent geotechnical laboratory meeting Part 8 of the Contract Documents.
- C. Geotechnical Test Results.

# PART 2 PRODUCTS

# 2.1 MATERIALS

Impacted material consists of all material placed in the area by previous DOE operations and any material above FRL and includes soil, debris, and flyash. Impacted material addressed by this section includes:

- A. Surface soil and other debris not certified being below FRLs by FDF.
- B. Ground stumps and surface soil.
- C. Flyash in the former running track area.
- D. PACM.
- E. Other impacted materials.

Date: 08/26/97 02205 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 3 of 7 SCEP/165/SWU/SITE

# 2.2 Other Materials

A. Geotextile, see Section 02270.

#### PART 3 EXECUTION

Perform work in accordance with the requirements in this specification and as further described in the Safe Work Plan.

- A. Subcontractor is to maintain visual observation of excavation and shall notify FDF of any change in material.
- B. FDF shall furnish all materials, equipment, and personnel for impacted material characterization.

#### 3.1 PREPARATION

- A. Establish site boundaries and access controls.
- B. Survey and layout all impacted material work in accordance with Section 01050.
- C. Clear all trees and brush from the retention basin areas in accordance with Section 02100.
- D. Notify FDF when conditions differ from those in the contract documents.
- E. Install appropriate erosion and sediment control measures as shown on the construction drawings.
- F. Complete non impacted material excavation in the areas proposed for initial installation of geomembrane liner. (Retention basins and ditches).

Date: 08/26/97
Rev.: 1 RE: BP

02205

WBS No: 1.1.1.1.2.3.6

4 of 7 SCEP/165/SWU/SITE

G. Prior to excavation perform the following process for PACM detection: 1) walk the site, 2) identify PACM, 3) encapsulate (water down), 4) double bag or wrap in two layers of poly material, 5) label, 6) stockpile separately, and 7) banner the PACM stockpile within the impacted material stockpile area.

#### 3.2 EXCAVATION

- A. Remove top 12 inches of soil in area of basins not certified by FDF. Grind (with FDF approved stump grinder) all stumps within stockpile and retention basin areas to a minimum depth of 12 inches or to the bottom of the root-mass within 18 inches of the stump in all horizontal directions. Grind to pieces generally smaller than 6 inches in length.
- B. Strip material and ground stump wood chips in the retention basin areas to the following depths:

  Retention Basin 1 North Area 18 inches
  Retention Basin 1 South Area 12 inches
  Retention Basin 2 42 inches
  Retention Basin 3 12 inches

Place in the impacted material stockpile on the South Field in the area designated on the construction drawings.

- C. Upon discovery of PACM during excavation follow the requirements of Article 3.1.G of this specification.
- D. Upon discovery of materials requiring contamination posting or other additional control, stop work in that area until FDF establishes proper controls for the area. FDF may require 7 working days to address the problem. During that time, work in another location at no additional cost.
- E. Equipment and material used in the excavation of the impacted material shall remain in the impacted material area until decontaminated, if necessary, and approved

Date: 08/26/97 02205 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 5 of 7 SCEP/165/SWU/SITE

for release by FDF in accordance with Part 4 of the Contract Documents.

F. Unexpected discovery of cultural resources: Upon the unexpected discovery of historic, prehistoric, or archeological sites, features, or objects, immediately cease ground disturbing activities at the find and contact FDF.

#### 3.3 PLACEMENT OF MATERIAL

- A. Stockpile impacted material (top 12 inches) from the retention basin areas in the impacted material stockpile designated on the South Field.
- B. Stockpile the remainder of the excavation from the retention basin areas in the non impacted material stockpile.
- C. FDF will perform monitoring of construction activities for occupational exposure purposes; this monitoring will not relieve the Subcontractor of regulatory responsibilities.

#### 3.4 COMPACTION

A. Impacted material stockpiled on the South Field shall be placed in lifts no more than 12 inches thick and compacted with two passes of a tamping foot or mesh/grid foot roller or equivalent. Maximum height of the stockpile shall be 20 feet with maximum side slopes of 2H:1V.

#### 3.5 FINISH OPERATIONS

A. Grading and Tolerances:
Plus or minus 0.25 feet of the grades shown on
construction drawings, except for the retention basins
which shall be 0.1 feet.

Date: 08/26/97 02205 WBS No: 1.1.1.2.3.6

Rev.: RE: BP 6 of 7 SCEP/165/SWU/SITE

- B. Seeding and Mulching: Seeding and mulching shall be per Section 02900, Soil Preparation and Seeding.
  Surface controls (crusting agents, e.g., pine sap, emulsion) shall be applied to and maintained on non-impacted stockpiles to minimize erosion.
- C. Seed all distributed areas not associated with the nonimpacted stockpiled material in accordance with Section 02900.

END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\02205.RV1

08/27/97

Date: 08/26/97
Rev.: 1 RE: BP

7 of 7

02205 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

# SECTION 02225 TRENCHING

#### PART 1 GENERAL

# 1.1 SECTION INCLUDES

A. Excavation of trenches, compaction of bedding and backfill over storm culverts, drinking water line, transfer line, wheel wash discharge line, discharge line, treatment line, electrical conduits and associated fittings, and appurtenances to elevation.

# 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 01050 Surveying.
- D. Section 02100 Site Preparation.
- E. Section 02200 Non Impacted Material Earthwork.
- F. Section 02205 Impacted Material Excavation and Handling.
- G. Section 02270 Erosion and Sediment Control.
- H. Section 02667 Drinking Water Lines.
- I. Section 02668 Transfer Line.
- J. Section 02669 Discharge Line and Treatment Line.
- K. Section 02720 Site Drainage and Water Management.
- L. Section 02900 Soil Preparation and Seeding.

Date: 08/26/97 Rev.: 1 RE: BP 02225 1 of 9 WBS No: 1.1.1.1.2.3.6

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. State of Ohio, Department of Transportation (ODOT):
  Construction and Material Specifications, January 1,
  1997. Except as supplemented or otherwise modified
  herein and/or shown on the construction drawings, the
  entire work under this section shall be in compliance
  with the provisions of ODOT.
- B. American Society for Testing and Materials (ASTM):
  - 1. ASTM D698-91 Test Method for Laboratory
    Compaction Characteristics of Soil
    Using Standard Effort (12,400 ftlbf/ft³ [600 kN-m/m]).
  - 2. ASTM D2216-92 Test Method for Laboratory
    Determination of Water (Moisture)
    Content of Soil and Rock.
  - 3. ASTM D2487-93 Standard Classification of Soils for Engineering Purposes (Unified Soil Classification System).
  - 4. ASTM D2922-91 Standard Test Methods for Density of Soil and Soil-Aggregate in Place by Nuclear Methods (Shallow Depth).
  - 5. ASTM D3017-88 Standard Test Method for Water
    Content of Soil and Rock in Place
    by Nuclear Methods (Shallow Depth)
    (R 1993).
  - 6. ASTM D4643-93 Test Method for Determination of Water (Moisture) Content of Soil by Microwave Oven Method.

#### 1.5 SUBMITTALS

Provide the following submittals as required in Section 01011 and Part 6 of the Contract Documents.

A. Shoring and Sheeting Plan: Provide a shoring and sheeting plan as a part of the Safe Work Plan. The sheeting and shoring plan shall address removal of

Date: 08/26/97 02225 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 2 of 9 SCEP/165/SWU/SITE

utilities deeper than 4 feet and all locations where cut slopes shall be steeper than 2H:1V. Describe materials of shoring system to be used. Provide plans, sketches, manufacturer's tabulated data or details, along with calculations by a registered professional engineer. All custom engineered systems shall be approved by an engineer registered in the State of Ohio. Indicate sequence and method of installation and removal.

- B. Geotechnical Test Results: Submit results of all geotechnical tests by the approved geotechnical lab including:
  - 1. Standard Proctor moisture density tests.
  - 2. Sieve analysis.
  - Density tests.
  - 4. Proctor curves for each type material used for approval by FDF prior to use.
- C. As-built Drawings: Provide as-built drawings in accordance with Section 01050.

# 1.6 QUALITY ASSURANCE PROGRAM

- A. Survey Layout: Assure that all work is laid out and built in accordance with the requirements on the construction drawings and these specifications. Survey work shall be in accordance with Section 01050.
- B. Independent Geotechnical Laboratory: Arrange and pay for the services of a qualified, independent geotechnical testing laboratory. The qualifications of the laboratory, meeting Part 8 of the Contract Documents, must be submitted to FDF and approved in writing prior to initiation of excavation activities. The laboratory must provide documentation of compliance with this specification.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS

On-site materials shall be used for earthwork activities during excavation, bedding and backfilling for utilities

Date: 08/26/97 02225 WBS No: 1.1.1.2.3.6 Rev.: 1 RE: BP 3 of 9 SCEP/165/SWU/SITE

(C.N.)... OOOO'70

unless approved in writing by FDF prior to bringing any material onto the FEMP site.

- A. Unclassified Material: Material excavated for utility installation shall be reused for backfill of the trenches. For the purposes of this project, unclassified material is defined as soil removed from a trench prior to the placement of pipe. The removed soil (unclassified material) will be placed back into the trench following the pipe placement. When the pipe is removed from service and physically excavated the soils from the trench will be characterized as impacted or non impacted.
- B. Coarse Aggregate: Conforming to ODOT Item 304 Aggregate Base as modified herein. No slag material will be allowed for use on site. Aggregate shall be crushed carbonate, crushed gravel, or other types of suitable materials meeting the following gradation requirements.
- C. Pipe Bedding: Sand natural river or bank sand; free of loam, friable or soluble materials, organic matter; graded in accordance with ASTM D2487; within the following limits:

Sieve Size	Percent Passing
No. 4	70-100
No. 40	20-90
No. 200	0-40

On-site material excavated from the Great Miami Aquifer (from the retention basins) shall be used as pipe bedding provided it meets the above requirements.

### PART 3 EXECUTION

Contact between and/or mixing of impacted material and nonimpacted material shall be prevented. Material that contacts impacted material shall be treated as an impacted material in accordance with Section 02205 at no additional cost to FDF. Equipment and materials used in impacted material areas shall be

Date: 08/26/97 02225 WBS No: 1.1.1.1.2.3.6

Rev.: 1 RE: BP 4 of 9 SCEP/165/SWU/SITE

kept separate from other equipment and materials until it is properly decontaminated. Impacted material shall be addressed in accordance with Section 2205.

#### 3.1 PREPARATION

- A. Verify all backfill/bedding materials to be reused are acceptable. Verify areas to be backfilled are free of debris, snow, ice or water and that surfaces are not frozen.
- B. Survey and layout all work in accordance with Section 01050.
- C. Maintain, identify, and protect existing utilities and features to remain.
- D. Notify FDF when the actual conditions differ in any manner from those specified in the contract documents, or when soft or spongy areas or other unusual soil conditions are encountered.
- E. Install appropriate erosion and sediment control measures in accordance with Section 02270 prior to start of any earthmoving operations.
- F. Immediately stop work and notify FDF if other utility lines not shown on the construction drawings and/or reference drawings are encountered during trenching.

#### 3.2 PROTECTION

- A. Grade excavation and trench top perimeter to prevent surface water runoff from entering into excavation or to adjacent properties.
- B. Protect excavations by methods required to prevent cave-in or loose soil from falling into excavation.
- C. Protect finished work and existing features which will remain.
- D. Protect denuded areas in accordance with Section 02270.

Date: 08/26/97 Rev.: 1 RE: BP

الراب والمحاولين فلأوادان

02225 5 of 9 WBS No: 1.1.1.2.3.6 SCEP/165/SWU/SITE E. Protect existing groundwater monitoring wells and extraction wells in the area and in the vicinity of the work area.

#### 3.3 EXCAVATION

- A. Trenches and excavations shall be in accordance with OSHA 29 CFR 1926, Subpart P Excavations.
- B. Excavate trenches to a width necessary for proper installation of pipe to be accommodated as shown on the construction drawings.
- C. Grade bottom of trench to provide uniform bearing and support pipe on properly compacted bedding throughout length of pipe except where necessary to hand excavate for coupling for proper sealing of pipe joints.
- D. Keep trench bottom free of standing water. Provide dewatering pumps as required.
- E. Notify FDF immediately of unexpected subsurface conditions.
- F. Hand excavate for coupling after trench has been fine graded to ensure uniform bearing is provided for pipe.
- G. Remove soft, spongy, or otherwise unstable materials encountered at elevation of pipe which will not provide a firm foundation for the pipe. Extend bedding depth as necessary to reach firm materials.
- H. Backfill unauthorized excavation at Subcontractor's expense with compacted earth as stipulated by FDF.

#### 3.4 PIPE BEDDING

- A. Place bedding in level layers not exceeding 6 inches compacted depth to the depths as shown on the drawings.
- B. Compact bedding by five passes of compaction equipment. Each pass shall overlap each preceding pass by at least 2 inches. Compaction equipment shall be vibratory and

Date: 08/26/97 02225 WBS No: 1.1.1.1.2.3.6

Rev.: 1 RE: BP 6 of 9 SCEP/165/SWU/SITE

impart at least 2,000 foot-pounds of impact energy with a frequency of 500 bpm, which is similar to a medium size excavator mounted tamping plate/ram.

- C. Employ a placement method that does not disturb or damage pipe or trench.
- D. Support pipe during placement and compaction of bedding fill.
- E. When proposed utilities cross the existing 6-inch gas line, the existing 6-inch drinking water line, and/or the existing 20-inch groundwater line, place compacted bedding material to an elevation one foot above the highest utility. Backfill from this point to the original ground elevation with coarse aggregate as specified herein for vehicle crossing locations.

#### 3.5 BACKFILLING

- A. Prepare subgrade as follows:
  - Compact exposed subgrade to density requirements for subsequent backfill materials. When existing ground surface has a density of less than the density specified, break up the ground surface, pulverize, adjust moisture content to specified limits, and compact to specified density.
  - Cut out soft areas of subgrade not capable of in situ compaction. Backfill with material and compact to density equal to or greater than requirements for subsequent fill material.
- B. Do not backfill over porous, wet, frozen, spongy, or other unsatisfactory subgrade surfaces. Where unsatisfactory subsurface conditions in an area of backfill are observed, excavate unsatisfactory material to satisfactory subgrade as approved by FDF.
- C. Backfill trenches in non-traffic areas with unclassified material to contours and elevations shown. Place and compact fill materials in level layers not exceeding 12 inches loose depth. Do not use frozen or saturated

Date: 08/26/97 Rev.: 1 RE: BP 02225 7 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE materials. Compact backfill to 90 percent Standard Proctor as determined by ASTM D2922.

- Backfill trenches in traffic areas with coarse aggregate. D. Place and compact in 6-inch lifts and compact to 95 percent Standard Proctor as determined by ASTM D2922.
- Maintain optimum moisture content as determined by ASTM Ε. D3017, ASTM D2216 or ASTM D4643, as applicable, (within +4 percent) of backfill materials to attain required compaction density.
- F. Seed all disturbed areas in accordance with Section 02900.
- G. Dust Suppression: See Section 02100 and Part 6 of the Contract Documents.
- H. Install underground warning tape.

#### 3.7 FIELD QUALITY CONTROL

- Moisture-density curves will be determined in accordance A. with ASTM D698 (Standard Proctor).
- В. If in-place density and/or moisture tests indicate that work does not meet specified requirements, remove work and replace or recompact to specified requirements. visual inspection indicates that work has not been performed as specified, correct work to comply with the requirements.
- C. Frequency of Tests (Backfill only): Frequency of inplace density and moisture testing shall be whichever of the following requires the greatest number of tests:
  - Once each day of work filling. 1.
  - 2. Once every layer of fill.
  - 3. Once every 500 cubic yards of fill.
  - 4. Once every 200 feet of trench.
- D. Notify FDF Manager of activities that will require testing/inspection prior to the start of such activities.

Date: 08/26/97 WBS No: 1.1.1.1.2.3.6 02225 Rev.:

1 RE: 8 of 9 SCEP/165/SWU/SITE



E. Register any nuclear or radiological sources brought on site in accordance with Part 8 of the Contract Documents.

END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\02225

08/27 1:18

Date: 08/26/97 Rev.: 1 RE: BP 02225 9 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

## SECTION 02270 EROSION AND SEDIMENT CONTROL

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Soil erosion and sedimentation control for areas of the Subcontractor's work area which are graded or disturbed as a part of the contract work.
- B. Installation and maintenance of all temporary erosion and sediment control facilities and measures.
- C. Installation of erosion control blankets.
- D. Dumped rock fill for ditches, erosion control areas, SWRB overflow, and swale repair as indicated on the construction drawings.
- E. Geotextile fabric underneath geomembrane liner impacted material stockpile.
- F. Geotextile (geosynthetic fabric) for Silt Berm and Sediment Barrier installation.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02100 Site Preparation.
- D. Section 02200 Non Impacted Material Earthwork.
- E. Section 02205 Impacted Material Excavation and Handling.
- F. Section 02720 Site Drainage and Water Management.

Date: 08/26/97 02270 WBS No: 1.1.1.1.2.3.6
Rev.: 2 RE: BP 1 of 7 SCEP/165/SWU/SITE

G. Section 02900 - Soil Preparation and Seeding.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. State of Ohio, Department of Transportation (ODOT):
  Construction and Material Specifications, January 1,
  1997.
- B. State of Ohio, Department of Natural Resources (ODNR):
  Rainwater and Land Development, Ohio's Standard for
  Stormwater Management, Land Development, and Urban Stream
  Protection 1996.
- c. American Society for Testing and Materials (ASTM): ASTM D1777-96 Standard Test Method for Measuring Thickness of Textile Materials (R 1975). Standard Test Method for Mass ASTM D3776-96 2. Per Unit Area (Weight) of Woven Fabric (R 1990). Standard Test Method for ASTM D3786-87 3. Hydraulic Bursting Strength of Knitted Goods and Nonwoven Fabrics - Diaphragm Bursting Standard Test Method for Water 4. ASTM D4491-95 Permeability of Geotextiles by Permissivity. Standard Test Method for ASTM D4533-91 5. Trapezoid Tearing Strength of Geotextiles. Standard Test Method for Grab 6. ASTM D4632-91 Breaking Load and Elongation of Textiles. Standard Test Method for 7. ASTM D4751-95 Determining Apparent Opening Size of a Geotextile. Standard Test Method for Index ASTM D4833-88 8.

Date: 08/26/97 02270 WBS No: 1.1.1.1.2.3.6

Rev.: 2 RE: BP 2 of 7 SCEP/165/SWU/SITE

Puncture Resistance of

Geotextiles, Geomembranes, and Related Products.

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.
- B. Provide as a part of the Excavation Work Plan the types of materials, equipment and installation procedures to be used for the construction and installation of the Silt Berm and Sediment Barrier. Include the types and frequency of fasteners to be used and a procedure to prevent damage to the geomembrane liner during installation. Submit for approval by FDF.

#### 1.6 QUALITY ASSURANCE PROGRAM

A. Inspect sediment control measures weekly and after each rain exceeding 0.5 inches to evaluate the effectiveness of the control measures and for maintenance of the control measures. Records of inspections shall be kept on file at Subcontractor's site office and shall be submitted monthly to FDF.

#### PART 2 PRODUCTS

## 2.1 MATERIALS

" Same

- A. Stakes: Stakes shall be hardwood with a minimum length of 2 feet, 8 inches in height and 2 inches by 2 inches in width.
- B. Silt Fence: Materials shall conform to ODOT Item 712.09, Type C for material as described in ODOT Section 207.02 and as specified in the construction drawings.
- C. Dumped Rock Fill: Dumped rock fill shall meet the requirements of ODOT Item 601.07 for the type specified on the construction drawings.

Date: 08/26/97 02270 WBS No: 1.1.1.2.3.6

Rev.: 2 RE: BP 3 of 7 SCEP/165/SWU/SITE

- D. Non-woven geotextile fabric for dumped rock fill and geomembrane liner bedding impacted material stockpile bedding similar to Trevira No. 1125™ or approved equivalent.
- E. Non-woven geotextile fabric for Silt Berm and Sediment Barrier similar to Trevira No.  $1125^{\text{TM}}$  or approved equivalent.
- F. Silt Berm / Sediment Barrier shall be constructed using equipment manufactured by MBW Inc. or approved substitute.
- G. Fill material for the Silt Berm/Sediment Barrier shall be ODOT Item 703.01, #57 stone.
- H. Fasteners for Silt Berm/Sediment Barrier.
- I. Erosion Control Blankets: Similar to North American Green Type C125 or approved equal. The erosion control blanket shall be constructed of 100 percent coconut fiber stitch bonded between a heavy duty UV stabilized bottom net and a heavy duty UV stabilized top net. The cuspated (crimped) netting shall form prominently closely spaced ridges across the entire width of the mat. The nettings shall be stitched together on 1.5 inch centers with UV stabilized polyester thread to form a permanent three dimensional structure. The mat shall have the following physical properties and rated for two years service life for use on slopes of 1:1.
  - Material Content
    - a. Coconut fiber: 100 percent; 0.5 lb/yd2
    - b. Nettings: Top Heavy UV stabilized; polypropylene; 3 lbs per 1,000 ft². Bottom -Heavy UV stabilized; polypropylene; 3 lbs per 1,000 ft².
    - c. Thread: UV stabilized polyester.
  - Physical Specifications (Roll)
    - a. Width: 6.5 feet
    - b. Length: 83.5 feet
    - c. Weight: 30 lbs ±10 percent
    - d. Area:  $60 \text{ yd}^2$

Date: 08/26/97 02270 WBS No: 1.1.1.2.3.6 Rev.: 2 RE: BP 4 of 7 SCEP/165/SWU/SITE

#### PART 3 EXECUTION

Construct protective devices as specified herein, and as required on the construction drawings.

#### 3.1 SILT FENCES

A. Install in accordance with ODNR and manufacturer's recommendations. Place at locations shown on construction drawings prior to start of earthwork. Remove accumulated silts when deposition reaches one-half the height of the silt fence or sooner if accumulated sediment prevents proper performance of silt fence.

## 3.2 EROSION CONTROL BLANKETS

A. Install in accordance with manufacturer's recommendations in the ditches shown on the construction drawings. All blankets shall be properly anchored with wire staples in patterns and sizes recommended by manufacturer.

#### 3.3 GEOTEXTILE

A. Install geotextile on prepared subgrade underneath the geomembrane liner impacted material stockpile in accordance with the manufacturer's recommendations.

## 3.4 INACTIVE EXPOSED EXCAVATION & CONSTRUCTION AREAS

A. All exposed denuded (i.e., no vegetation) construction and impacted material excavation/stockpile areas that are inactive shall be stabilized by means of temporary seeding in accordance with Section 02900. Forty-five days is the maximum time that an area can be left in a exposed denuded state. If the exposed area will not be worked for a period of 45 days, the soils must be stabilized within 7 days.


Date: 08/26/97
Rev.: 2 RE: BP

02270

WBS No: 1.1.1.2.3.6

5 of 7

SCEP/165/SWU/SITE



B. All stockpiles that are inactive shall be stabilized by means of crusting agents (e.g., pine sap emulsion). Forty-five days is the maximum time that an area can be left in a exposed denuded state. If the exposed area will not be worked for a period of 45 days, the soils must be stabilized within 7 days.

#### 3.5 RETENTION BASINS

- A. Vegetation/grass is to be established on slopes of all retention basins from the sediment clean out elevation to the top of slope.
- B. Slopes and bottom of retention basin are to be maintained. The area is to be kept free of any erosion rills and gullies.
- C. See Section 02900 for seeding.
- D. Remove accumulated sediments, debris, and obstructions. In no case shall sediment build up to a depth greater than levels indicated on the drawings.
- E. All sediments removed shall be transported to the impacted material stockpile located within South Field as indicated on the construction drawings.
- F. Inspect and maintain infiltration barrier as required to maintain the one-foot of barrier material over the GMA. After placement of the infiltration barrier but prior to placement of the HDPE liner, proofroll and recompact the infiltration barrier as necessary to re-establish the original thickness and compaction. Proofrolling of the ditches and retention basin side slopes is not required.

#### 3.6 DUMPED ROCK FILL

A. Install in accordance with ODOT Item 601.07 in ditches where indicated on the construction drawings.

Date: 08/26/97 02270 WBS No: 1.1.1.1.2.3.6

Rev.: 2 RE: BP 6 of 7 SCEP/165/SWU/SITE

B. Install geotextile with dumped rock fill in accordance with ODOT Item 601.08 in ditches where indicated on the construction drawings.

### 3.7 INSTALLATION OF SILT BERM/SEDIMENT BARRIER

- A. Install Silt Berm/Sediment Barrier in locations as indicated on the construction drawings.
- B. Use caution during installation to prevent damage to exposed geomembrane liner.
- C. Fasteners used for closing openings of Silt Berm/Sediment Barrier shall be spaced to prevent spillage of fill materials in accordance with manufacturer's recommendations.
- D. If visual inspection indicates that work has not been performed as specified, correct work to comply with the requirements.

#### 3.8 REMOVAL OF TEMPORARY EROSION CONTROL FACILITIES

- A. Proposed sediment control facilities on the construction drawings are placed as a minimum. Install additional temporary facilities as required to maintain control of erosion and sedimentation.
- B. Temporary erosion control facilities installed shall be removed at the direction of FDF after the disturbed areas are stabilized with grass or other measures approved by FDF.

#### END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\02270

08/27/97

Date: 08/26/97
Rev.: 2 RE: BP

The party of

02270 7 of 7

SCEP/165/SWU/SITE

WBS No: 1.1.1.1.2.3.6

# SECTION 02506 AGGREGATE SURFACE

#### PART 1 GENERAL

### 1.1 SCOPE

A. Installation and compaction requirements for aggregate surfaces for roads and the support area. Section also addresses geotextile fabric.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non-impacted Material Earthwork.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

A.	Americ	an Society for	Testing And Materials (ASTM):
	1.	ASTM D698-91	Test Method for Laboratory
			Compaction Characteristics of Soil
			Using Standard Effort (12,400 ft-lbf/ft <sup>3</sup> ).
	2.	ASTM D2216	Standard Test Method for Laboratory
		<b>-</b> 92	Determination of Water (Moisture)
			Content of Soil and Rock.
	3.	ASTM 2922-91	Standard Test Methods for Density
			of Soil and Soil-Aggregate in Place
			by Nuclear Methods (Shallow Depth).
	4.	ASTM D3017-88	Standard Test Method for Water
	***************************************		Content of Soil and Rock in Place
			by Nuclear Methods (Shallow Depth).

Date: 08/26/97 02506 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 1 of 5 SCEP/165/SWU/SITE B. State of Ohio, Department of Transportation (ODOT), Construction and Material Specifications, January 1, 1997: Except as supplemented or otherwise modified herein and/or shown on the construction drawings, the entire work under this section shall be in compliance with the provisions of ODOT.

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.
- B. Materials Source: Submit names of imported materials suppliers. Change of source requires FDF's approval.
- C. Material suppliers shall be required to certify that supplied materials meet specifications prior to use.
- D. Submit name and address of testing laboratory for approval. Provide FDF with copies of all lab/field test results.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS

- A. Aggregate materials shall meet the requirements of ODOT Item 304. Aggregate: The aggregate shall be crushed carbonate stone, crushed gravel, or other types of suitable materials meeting the requirements of this item. No slag materials will be allowed for use on site.
- B. Geotextile fabrics shall conform to ODOT Item 712.09, Type D.
  - The fabric shall consist of a woven polyester or polypropylene fibers formed into a woven fabric.
  - 2. Product and manufacturers.
    - a. 500X by Nicolon/Mirifi Group.
    - b. 2002 by Amoco Fabrics and Fibers Co.
    - c. Or approved equal.

Date: 08/26/97 02506 WBS No: 1.1.1.2.3.6

Rev.: RE: BP 2 of 5 SCEP/165/SWU/SITE

#### PART 3 EXECUTION

#### 3.1 SURVEY AND CONSTRUCTION STAKEOUT

A. Verify grades and elevations of subgrade are correct.

#### 3.2 SUBGRADE PREPARATION

A. Verify that compacted subgrade is dry and not frozen, soft, or spongy.

#### 3.3 GEOTEXTILE INSTALLATION

Place geotextile on subgrade in accordance with manufacturer's installation instructions and as follows:

- A. Geotextile fabric shall be placed directly over the subgrade. The geotextile fabric shall be placed and temporarily anchored in such a manner that placement of overlying materials will not excessively stretch or tear the fabric.
- B. Geotextile fabric shall be installed to limits and grades indicated on plans for all new work. The geotextile shall not be dragged across the subgrade. The geotextile fabric shall be unrolled as smooth as possible on the prepared subgrade. Wrinkles and folds in the geotextile shall be removed by stretching and placing of sod staples or small aggregate piles as required. The fabric shall be installed according to the manufacturer's suggestion at curve locations.
- C. The geotextile shall be field joined, factory seamed, or manufactured in seamless width. Methods of field joining shall include overlapping of adjacent edges and ends of geotextile or sewing of adjacent edges and ends of geotextile. Sand bags or other weights may be used for temporary anchoring. Overlap at edges and ends of geotextile shall be per Manufacturer's Installation Instructions.

Date: 08/26/97 02506 WBS No: 1.1.1.2.3.6

Rev.: RE: BP 3 of 5 SCEP/165/SWU/SITE



- D. The geotextile fabric shall extend to the edges of the road aggregate surface.
- Exposure of geotextiles to elements between lay down and E. cover shall be a maximum of 7 days to minimize damage potential by ultraviolet light.
- Construction traffic shall not be permitted directly on F. the geotextile\_fabric.\_\_

#### AGGREGATE INSTALLATION 3.4

End dumping or tailgate dumping shall not be permitted Α. directly onto the geotextile fabric. The aggregate shall be dumped adjacent to the fabric or on previously placed The aggregate shall be spread from the backdumped stone. pile using a bulldozer, loader, track hoe, or grader, with care being taken to avoid damage to the fabric by blades, tracks, tires, or buckets. The initial lift of aggregate on the geotextile fabric shall be a minimum thickness of 6 inches after compaction and shall be compacted with a smooth drum roller to the required density.

#### 3.5 COMPACTING AGGREGATE

- Compact aggregate surface to 95 percent of optimum Α. density in accordance with ASTM D698. Maintain within ±4 percent of optimum moisture content of fill materials to attain required compaction density.
- If in-place density and/or moisture tests indicate that work does not meet specified requirements, remove work and replace or recompact to specified requirements. If visual inspection indicates that work has not been performed as specified, correct work to comply with requirements.

#### FIELD QUALITY CONTROL 3.6

Work shall be performed in accordance with ODOT Item 304 Α. requirements.

Date: 08/26/97 02506 WBS No: 1.1.1.1.2.3.6

### B. Tolerances

- 1. The top of the aggregate surface shall be a uniformly smooth grade surface without high or low points and shall not be more than 0.25 feet above or below specified grades.
- The thickness of the finished aggregate course shall be no less, at any point, than the thickness indicated on the construction drawings.
- C. Frequency of Tests: Frequency of in-place density and moisture testing shall be whichever of the following requires the greatest number of tests:
  - Once each day of work filling.
  - Once every lift of material.
  - 3. Once every 500 cubic yards of fill.
- D. Maintain all aggregate surfaces to the minimum requirements of this specification and the construction drawings.

#### END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\02506.RV1

08/27/97

Date: 08/26/97 Rev.: 1 RE: BI

3 3 y 3

02506 5 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE 1

# SECTION 02510 ASPHALTIC CONCRETE PAVING

#### PART 1 GENERAL

#### 1.1 SCOPE

A. This section describes the asphaltic concrete paving and aggregate base that will be used to pave the access roads to and from the wheel wash pad.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non-impacted Material Earthwork.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American Society for Testing And Materials (ASTM):

  1. ASTM D698-91 Test Method for Laboratory

  Compaction Characteristics of Soil

  Using Standard Effort (12,400 ft-lbf/ft<sup>3</sup>).
- B. State of Ohio, Department of Transportation
  Construction and Material Specifications, January 1,
  1997 (ODOT). Except as supplemented or otherwise
  modified herein and/or shown on the construction
  drawings, the entire work under this section shall be
  in compliance with the provisions of ODOT.

Date: 08/26/97 02510 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 1 of 5 SCEP/165/SWU/SITE

## 1.5 ENVIRONMENTAL REQUIREMENTS

A. Weather Limitations: Shall be in accordance with ODOT Item 401.05.

#### 1.6 QUALITY ASSURANCE

A. Materials and workmanship specified herein with the referenced State-Standard specifications shall be in accordance with the referenced articles, sections, and paragraphs of the standard except that contractual and payment provisions do not apply. Where the term "Engineer" is used, it shall mean FDF. Where the term "State" is used, it shall mean DOE.

#### 1.7 SUBMITTALS

- A. Submit the following in accordance with Section 01011 and Part 6 of the Contract Documents.
  - 1. Mix Design: Develop mix design and submit results of laboratory tests performed on each mix design in accordance with ODOT Item 441.
  - Certificates: Submit certificates, signed by the producer, that paving materials conform to mix design and specification requirements.

#### PART 2 PRODUCTS

#### 2.1 EQUIPMENT

A. Equipment used in paving operations shall be in accordance with ODOT Item 401.

#### 2.2 MATERIALS

- A. Bituminous aggregate base shall meet the requirements of ODOT Item 301.
- B. Aggregate base shall meet the requirements of ODOT Item 304.

Date: 08/26/97 02510 WBS No: 1.1.1.1.2.3.6

Rev.: RE: BP 2 of 5 SCEP/165/SWU/SITE

- Aggregate: The aggregate shall be crushed carbonate stone, crushed gravel, or other types of suitable materials meeting the requirements of this item. No slag materials will be allowed for use on site.
- C. Asphalt concrete shall meet the requirements of ODOT Item 403.
  - 1. Composition: Coarse aggregate (No. 8) and fine aggregate shall be combined in such proportions that the resulting blend shall be as directed by the approved design mix.
- D. Tack coat shall meet the requirements of ODOT Item 407.
  - 1. Material: The bituminous material shall meet the applicable requirements of 702 and shall be one of the following: 702.02 RC-70, RC-250, or 702.04 RS-1, SS-1, SS-1h, CRS-1, CSS-1, or CSS-1h. Cut-back asphalt 702.02 may be used only after September 15 and before May 15.
- E. Prime coat shall meet the requirements of ODOT Item 408.
  - 1. Material: The bituminous material shall meet the applicable requirements of 702 and shall be one of the following: 702.02 RC-70, RC-250, MC-30, MC-70, MC-250, or 702.03 Primer 20.
- F. Joint sealant shall meet the requirements of ODOT Item 407.
  - 1. Material: The bituminous material shall be one of the following:
    - a. SS-1.
    - b. CSS-1.

#### PART 3 EXECUTION

#### 3.1 EXAMINATION AND PREPARATION

- A. Verify gradients and elevations of base.
- B. Verify that compacted subgrade is dry.

Date: 08/26/97 02510 WBS No: 1.1.1.1.2.3.6

Rev.: 1 RE: BP 3 of 5 SCEP/165/SWU/SITE

## 3.2 AGGREGATE BASE CONSTRUCTION

- A. Fill areas to contours and elevations using unfrozen materials.
- B. Place base materials in continuous layers not exceeding 6 inches compacted depth.
- C. Compact to 95 percent of optimum density in accordance with ASTM D698.
- D. Maintain within ±4 percent of optimum moisture content of fill materials to attain required compaction density.

## 3.3 PLACING ASPHALT PAVEMENT

- A. Apply prime coat to finished base surface in accordance with manufacturer's instructions.
- B. Place bituminous asphalt base course within 8 hours of priming aggregate base surface.
- C. Clean bituminous surface and apply tack coat as required prior to placing succeeding courses of asphalt.
- D. Spread, compact, and finish each course of asphalt pavement by rolling to achieve even and smooth finish, without roller marks in accordance with ODOT Item 401. Hand-compact in areas inaccessible to rolling equipment.

#### 3.4 TOLERANCES

- A. Flatness: Maximum variation of 1/4 inch measured with 10-foot straight edge.
- B. Compacted Scheduled Thickness: Within 1/4 inch of design thickness.
- C. Variation from True Elevation: Within 1/2 inch.

Date: 08/26/97 02510 WBS No: 1.1.1.1.2.3.6 Rev.: I RE: BP 4 of 5 SCEP/165/SWU/SITE

S.60000

## 3.5 FIELD QUALITY CONTROL

- A. Perform work in accordance with ODOT requirements.
- B. Coordinate and pay for all testing which shall be performed by an independent testing laboratory.
- C. All inspections and test results shall be provided to FDF within 24-hours of completion.
- D. Notify FDF of testing/inspection activities at least 24-hours prior to the start of all tests or inspections.
- E. If in-place density and/or moisture tests indicate that work does not meet specified requirements, remove work and replace or recompact to specified requirements. If visual inspection indicates that work has not been performed as specified, correct work to comply with requirements.

#### END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\02510.RV1

Date: 08/26/97

Rev.:

RE: BP

02510 5 of 5 WBS No: 1.1.1.2.3.6

SCEP/165/SWU/SITE

08/27/97

# SECTION 02667 DRINKING WATER LINES

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Pipe and fittings for drinking water lines (DW).
- B. Disinfection of drinking water lines and subsequent testing and reporting of those lines.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non-impacted Material Earthwork.
- D. Section 02225 Trenching.
- E. Section 03001 Concrete.
- F. Section 15060 Pipe Fittings, Valves, and Accessories.
- G. Section 16050 Basic Electrical Materials and Methods.

### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American Society for Testing and Materials (ASTM):
  - 1. ASTM A36/A36M-96 Carbon Structural Steel.

2. ASTM A53-96 Sta

Standard Specification for Pipe, Steel, Black and Hot Dipped, Zinc Coated, Welded and Seamless.

Date: 05/30/97 Rev.: 0 RE: BP 02667 1 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000094

3.	ASTM A325-96	Structural Bolts, Steel, Heat- Treated, 120/105 ksi Minimum Tensile Strength.
4.	ASTM D3035-95	Standard Specification for Polyethylene (PE) Plastic Pipe
		(DR-PR) Based on Controlled Outside Diameter.
5.	ASTM D3261-95	Standard Specification forButt_Heat Fusion Polyethylene
		(PE) Plastic Fittings for
		Polyethylene (PE) Plastic Pipe and Tubing.
6.	ASTM D3350-96	Standard Specification for
		Polyethylene Plastic Pipe and
		Fittings Material.

## B. American Water Works Association (AWWA):

		• ·
1.	AWWA B300-92	Standard for Hypochlorites.
2.	AWWA B301-92	Standard for Liquid Chlorine.
3.	AWWA B302-95	Standard for Ammonium Sulfate.
4.	AWWA B303-95	Standard for Sodium Chlorite.
5.	AWWA C104/	Cement-Mortar Lining for
	A21.4-95	Ductile-Iron Pipe and Fittings
		for Water.
6.	AWWA C105/	Polyethylene Encasement for
	A21.5-93	Ductile-Iron Pipe Systems.
7.	AWWA C110/	Ductile-Iron and Gray-Iron
	A21.10-93	Fittings, 3 inch through 48
		inch, for Water and Other
		Liquids.
8.	AWWA C111/	Rubber-Gasket Joints for
	A21.11-95	Ductile-Iron Pressure Pipe and
		Fittings.
9.	AWWA C115/	Flanged Ductile-Iron Pipe with
	A21.15-94	Ductile-Iron or Gray-Iron
		Threaded Fittings.
10.	AWWA C150/	Thickness Design of Ductile-
	A21.50-91	Iron Pipe.
11.	AWWA C151/	Ductile-Iron Pipe,
	A21.51-91	Centrifugally Cast, for Water
		or Other Liquids.
		- •

Date: 05/30/97 Rev.: 0 RE: BP 02667 2 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

Metal-Seated Gate Valves for 12. AWWA C500-93 Water Supply Service. Protective Epoxy Interior 13. AWWA C550-90 Coatings for Valves and Hydrants. Installation of Ductile-Iron 14. AWWA C600-93 Water Mains and Their Appurtenances. 15. AWWA C651-92 Standards for Disinfecting Water Mains. Polyethylene (PE) Pressure 16. AWWA C906-90 Pipe and Fittings, 4-inch through 63-inch, for Water Distribution. Simplified Procedure for Water 17. AWWA M12-75 Examination.

- C. Ohio Revised Code (ORC):
  - 1. ORC 3745-83 Operational Requirements.
- D. American Welding Society, Inc. (AWS):
   1. AWS D1.1-96 Structural Welding Code Steel.
- E. State of Ohio, Department of Transportation (ODOT), Construction and Materials Specifications, January 1, 1997.
- F. Steel Structures Painting Council (SSPC):

  1. SSPC SP 6-94 Surface Preparation

  Specification No. 6 
  Commercial Blast Cleaning.

#### 1.5 SUBMITTALS

1. 3 th 1. 27 th 3

- A. Product Data: Provide data on all pipe materials, pipe fittings, valves, accessories, and the methods and equipment for HDPE fusion welding.
- B. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.

Date: 05/30/97 02667 WBS No: 1.1.1.2.3.6 Rev.: 0 RE: BP 3 of 9 SCEP/165/SWU/SITE

- C. Provide As-Built information in accordance with Section 01050 - Surveying.
- D. Certificate: Certify that cleanliness of water lines meets or exceeds specified requirements.
- E. Verification of a minimum of five years experience in HDPE pipe installation and fusion/extrusion welding.
- F. Project Record Documents: Provide data below.
  - Disinfection report; record:
    - a. Type and form of disinfectant used.
    - b. Date and time of disinfectant injection start and time of completion.
    - c. Test locations.
    - d. Initial and 24-hour disinfectant residuals (quantity in treated water), in ppm, for each outlet sampled.
    - e. Date and time of flushing start and completion.
    - f. Disinfectant residual after flushing, in ppm, for each outlet sampled.
  - 2. Bacteriological report: Submit to FDF.

#### 1.6 OUALITY ASSURANCE

- A. Piping and Valves: Manufacturer's name and pressure rating marked on valve body and side of pipe.
- B. Perform work in accordance with AWWA C651.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS

- A. Pipe
  - 1. High-Density PE Pipe: AWWA C906 (PE 3408), ASTM D3035, ASTM D3350, SDR and pressure rating as indicated on drawings.
    - a. Fitting: AWWA C906, molded, butt fusion weld to pipe.

Date: 05/30/97 Rev.: 0 RE: BP 02667 4 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

- b. Joints: Butt fusion, flanged gasket joints, and molded adapter pipe at interface connections with ductile iron or carbon steel pipe and valves, bolts per ASTM A325.
- c. Trace Wire: Magnetic detectable conductor, blue colored plastic covering.
- 2. Ductile Iron Pipe: AWWA C151, Class 55:
  - a. Fittings: AWWA C110, Ductile iron cement lined, standard thickness per AWWA C150. All fittings and pipe at valves shall be flanged per AWWA C115, bolts per ASTM A325.
  - b. Jackets: AWWA C105, PE encasement.
  - c. Cement Lined: AWWA C104, cement mortar lined.
  - d. Joints: AWWA C111, push-on, rubber gasket.
  - e. Welding: Shop welding AWS D1.1.
- 3. Carbon Steel: See Section 15060 for materials and installation.
- B. Gate Valves (Underground)
  - 1. AWWA C500, iron body, bronze trim, non-rising stem with square nut, single wedge, Class 125 flanged ends, control rod, extension box, and valve key.
- C. Bedding Materials
  - 1. Bedding: As specified in Section 02225 of this specification package.
- D. Backfill Materials
  - 1. Backfill: As specified in Section 02225 of this specification package.
- E. Backflow Preventer: As specified on the construction drawings.
- F. Post Hydrant: See Section 15060 for materials and installation.
- G. Backflow Preventer Assembly: AWWA approved reduced pressure principle backflow preventer similar to Conbraco Industries, Inc., Model 40-208-02 with ball valves, flanged ends and 1/4-inch test cocks.

Date: 05/30/97 Rev.: 0 RE: BP

Commence of the second

02667 5 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000098

- H. Guard Posts: Steel pipe, ASTM A53, Schedule 40.
- I. Protective Coatings for Valves:
  - 1. Interior Factory applied heat-cured epoxy coating conforming to AWWA C550.
  - 2. Exterior Two coats of factory applied zinc chromate primer and two coats finish coating in accordance with metal painting specifications in Part 3.3.E.
- J. Tapping Sleeves: JCM 412 Flanged Outlet Tapping Sleeve by JCM Co. or approved equivalent.
- K. Disinfection Chemicals:
  - Chemicals: AWWA B300, Hypochlorite; AWWA B301, Liquid Chlorine; AWWA B302, Ammonium Sulfate; and AWWA B303, Sodium Chlorite.
  - The above listed chemicals will be considered hazardous by FEMP standards if they become waste or if allowed to spill.

#### 2.2 ACCESSORIES

A. Concrete: See Section 03001.

#### PART 3 EXECUTION

#### 3.1 EXAMINATION

- A. Verify existing conditions. Any discrepancies should be brought to FDF's attention in a written statement immediately upon discovery.
- B. Verify that service connection and site utility water main size, location, and invert are as indicated.
- C. Regulatory Requirements for Disinfection:
  - 1. Conform to applicable code or regulation for performing the work of this section, to include US Public Health Service Drinking Water Standards identified in AWWA M12 as well as ORC 3745-83.

Date: 05/30/97 Rev.: 0 RE: BP 02667 6 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

#### 3.2 PREPARATION

- A. Ream pipe and tube ends and remove burrs.
- B. Remove scale and dirt, on inside and outside, before assembly.
- C. Excavate pipe trench in accordance with Section 02225 of this specification package for work of this section. Locate all existing utilities in the area and determine if they will interfere with the proposed utility.

## 3.3 ERECTION/INSTALLATION/APPLICATION

- A. Installation Pipe: HDPE
  - 1. Install pipe to indicated elevation to within tolerance of 5/8-inches at structures.
  - Install HDPE piping and fittings to AWWA C906 (by butt weld fusion method, in accordance with ASTM D3261).
  - 3. Route pipe in line as shown on drawing. The minimum bending radius shall be as specified by the pipe manufacturer. Pipe shall be in a straight route at connections.
  - 4. Install pipe to allow for expansion and contraction without stressing pipe or joints as per manufacturer's recommendation.
  - 5. Establish elevations of buried piping to ensure not less than 3.5 feet of cover.
  - 6. Install trace wire continuous over top of pipe, 6 inches above pipe line; coordinate with Section 02225 of this specification package.
  - 7. Backfill trench in accordance with Section 02225 of this specification package.
- B. Installation of Pipe and Valves: Carbon Steel, Fittings and Post Hydrants
  - 1. See Section 15060 for materials and installation.
- C. Installation Guard Post
  - 1. Excavate for post and concrete in accordance with Section 02200.
  - 2. Hand trim and remove loose material in excavation.

Date: 05/30/97 Rev.: 0 RE: BP

A. Carrier

02667 7 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000100

- Position pipe in hole, maintaining clearances as specified on drawings.
- 4. Place concrete around and in pipe in accordance with Section 03001.
- 5. Paint post after concrete cures in accordance with ODOT Item 514.
- D. Installation Tapping Sleeves.
  - 1. Make a wet tap into existing water line using tapping sleeve and tapping valve. After completing wet tap, install balance of fittings and pipeline to complete the work.
- E. Shop and Field Painting Specification:
  For Steel Plate and Shapes, Pipe and Fittings
  - Prepare surfaces in accordance with Steel Structures Painting Council (SSPC) SP-6.
  - 2. Prime all bare metal not in contact with concrete/grout with one coat Tnemec Series 6 Epoxo Line Primer. Apply two-coats of Tnemec Series 66 Hi-Build Epoxoline for the finish coat. Follow SSPC Paint 13 and Paint 20.
- F. Excess Debris and Waste: Shall be stockpiled in either the impacted material stockpile or the non impacted material stockpile.
- G. For concrete installation see Section 03001.

#### 3.4 DISINFECTION

- A. Introduce treatment into piping system.
- B. Maintain disinfectant in system for 24 hours.
- C. Flush, circulate, and clean until required cleanliness is achieved; use potable water.
- D. Replace permanent system devices removed for disinfection.
- E. Seal the piping system immediately after disinfection to ensure that contaminants do not enter the system.

Date: 05/30/97 Rev.: 0 RE: BP 02667 8 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE F. Containerize all flush water. Water shall be dechlorinated or otherwise treated and disposed of per FDF.

## 3.5 FIELD QUALITY CONTROL

- A. Perform hydrostatic tests on all lines in accordance with AWWA C600. Notify FDF at least 24 hours in advance of planned testing.
- B. Provide analysis and testing of treated water in accordance with AWWA C651. Submit report to FDF within one week after completion of test.
- C. All testing and disinfection shall be complete and accepted by FDF prior to connecting existing water supply line.

END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\02667

08/27 4:06

Date: 05/30/97 Rev.: 0 RE: BP 02667 9 of 9 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000102

# SECTION 02668 TRANSFER LINE

## PART 1 GENERAL

## 1.1 SECTION INCLUDES

- A. Pipe and fittings for stormwater transfer force main.
- B. HDPE Manholes, frames, and lid.
- C. Clean-outs.
- D. Air Release Valves.
- E. Guard posts.

### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non-impacted Material Earthwork.
- D. Section 02225 Trenching
- E. Section 02720 Site Drainage and Water Management.
- F. Section 03001 Concrete.
- G. Section 15060 Pipe Fittings, Valves, and Accessories.
- H. Section 15160 Lift Station Pumps.
- Section 16050 Basic Electrical Materials and Methods.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

Date: 05/30/97 Rev.: 0 RE: BP 02668 1 of 8 WBS No: 1.1.1.1.2.3.6

## 1.4 REFERENCES

A.	Amer	ican Society for Tes	ting and Materials (ASTM):
	1.	ASTM A36/	Standard Specification for
		A36M-96	Carbon Structural Steel.
	2.	ASTM A53-96	Standard Specification for
			Pipe, Steel, Black and Hot-
			Dipped, Zinc Coated, Welded
			_and_Seamless.
	3.	ASTM A325-96	Structural Bolts, Steel, Heat-
			Treated, 120/105 ksi Minimum
			Tensile Strength.
	4.	ASTM D3035-95	Standard Specification for
			Polyethylene (PE) Plastic Pipe
			(DR-PR) Based on Controlled
			Outside Diameter.
	5.	ASTM D3261-95	Standard Specification for
			Butt Heat Fusion Polyethylene
			(PE) Plastic Fittings for
			Polyethylene (PE) Plastic Pipe
			and Tubing.
	6.	ASTM D3350-96	Standard Specification for
			Polyethylene Plastic Pipe and
			Fittings Material.
			-

## B. American Water Works Association (AWWA):

1.	AWWA C500-93	Metal-Seated Gate Valves for Water Supply Service.
2.	AWWA C550-90	Protective Epoxy Interior Coatings for Valves and
		Hydrants.
3.	AWWA C906-90	Polyethylene (PE) Pressure
		_
		Distribution.
4.	AWWA C600-93	Installation of Ductile-Iron
		· · · · · · · · · · · · · · · · · · ·
		Hydrants. Polyethylene (PE) Pressure Pipe and Fittings, 4-inch through 63-inch, for Water Distribution.

## C. American Welding Society, Inc. (AWS):

1. AWS D1.1-96 Structural Welding Code - Steel.

Date: 05/30/97 Rev.: 0 RE: BP 02668 2 of 8 WBS No: 1.1.1.2.3.6 SCEP/165/SWU/SITE

- D. State of Ohio, Department of Transportation (ODOT), Construction and Materials Specifications, January 1, 1997.
- E. Steel Structures Painting Council (SSPC):
  - 1. SSPC SP 6-94 Surface Preparation Specification No. 6 Commercial Blast Cleaning.
  - 2. SSPC Paint 13-91 Red or Brown One-Coat Shop Paint.
  - 3. SSPC Paint 20-91 Zinc Rich Primers (Type I, Inorganic and Type II, Organic).

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.
- B. Product Data: Provide data on all pipe materials, pipe fittings, valves, accessories, the methods and equipment for HDPE fusion welding, HDPE manholes, and manhole frame and cover.
- C. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.
- D. Verification of a minimum of five years experience in HDPE manhole installation and HDPE single and double contained pipe installation and fusion/extrusion welding.
- E. Provide as-built information in accordance with Section 01050.
- F. Provide detailed shop drawings for approval of all HDPE manholes. Drawings shall show plan and section view of manhole, invert of pipes, pipe sizes, pipe orientation, and weld types/details.

Date: 05/30/97 Rev.: 0 RE: BP

1. 1. 1. 1. 1.

02668 3 of 8 WBS No: 1.1.1.1.2.3.6

## 1.6 QUALITY ASSURANCE

A. Piping and Valves: Manufacturer's name and pressure rating marked on valve body and side of pipe.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS

## A. Pipe

- High-Density PE Pipe: AWWA C906 (PE 3408), ASTM-D3035, SDR and pressure rating as indicated on drawings.
  - a. Fitting: AWWA C906, molded, butt fusion weld to pipe.
  - b. Joints: Butt fusion for HDPE joints, flanged gasket joints, and molded adapter pipe at interface connections with ductile iron or carbon steel pipe and valves.
  - c. Trace Wire: Magnetic detectable conductor, green colored plastic covering.
  - d. Dual Containment Pipe: All dual containment pipe and fittings shall be prefabricated using carrier and containment sizes, and SDR ratings as indicated on drawings. Support spacers shall be used in the annular space between the pipes to ensure a continuous space between to accommodate possible leakage from the carrier pipe. The carrier pipe shall extend 6 inches beyond containment pipe on all prefabricated pipe sections and fittings. All joints shall be per the manufacturer's recommendation.
- Carbon Steel: See Section 15060 for materials and installation.

## B. Bedding Materials

 Bedding: Fill as specified in Section 02225 of this specification package.

## C. Backfill Materials

1. Backfill: Fill as specified in Section 02225 of this specification package.

Date: 05/30/97 02668 WBS No: 1.1.1.2.3.6 Rev.: 0 RE: BP 4 of 8 SCEP/165/SWU/SITE

- D. Manhole: HDPE, ASTM D3350. Pipe resin is cell classification 3454-34C and a plastic pipe Institute Rating of PE 3408. The manhole shall have lifting lugs capable of supporting manhole during placement and shipping. The cylinder and outlet shall be fabricated from HDPE pipe with SDR, same as pipe, as indicated on drawings. All components shall be joined by butt fusion, saddle fusion, socket fusion, or extrusion welding. Hot air welding is not acceptable. Each manhole shall be identified by appropriate manhole number visibly marked on interior and exterior. HDPE molded pipe stubs and ductile iron flanged backup rings in manholes shall be installed in manhole by shop fabrication.
- E. Manhole frame and lid shall be as noted on the construction drawings.
- F. For lift station pumps and guide rail see Section 15160. For lift station controls and electrical, see Section 16050.
- G. Guard Posts: Steel pipe, ASTM A53, Schedule 40.
- H. Protective Coatings for Valves:
  - 1. Interior Factory applied heat-cured epoxy coating conforming to AWWA C550.
  - 2. Exterior Two coats of factory applied zinc chromate primer and two coats finish coating in accordance with metal painting specifications in Part 3.3.D.
- I. Manhole Pipe Supports:

Material used shall meet the following specifications:

- 1. Structural Steel ASTM A36.
- 2. Bolts, Nuts, and Washers ASTM A325.
- Welding AWS D1.1 Class E70XX electrodes.
- 4. Expansion Anchors: Drilled expansion bolts for securing steel to concrete.
  - a. Kwik Bolt, by Hilti, Inc.
  - b. Parabolt, by Molly Fastener Group.
  - c. Wedge Anchors, by ITW Ramset/Red Head.

Date: 05/30/97 Rev.: 0 RE: BP

4.

02668 5 of 8 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000107

- J. Clean outs shall be as specified on the construction drawings.
- K. Air Release Valves shall be as specified on the construction drawings.

## 2.2 ACCESSORIES

A. Concrete: See Section 03001.

#### PART 3 EXECUTION

## 3.1 EXAMINATION

A. Verify existing conditions. Any discrepancies should be brought to FDF's attention in a written statement immediately upon discovery.

## 3.2 PREPARATION

- A. Ream pipe and tube ends and remove burrs.
- B. Remove scale and dirt, on inside and outside, before assembly.
- C. Excavate pipe trench in accordance with Section 02225 of this specification package for work of this section.

  Locate all existing utilities in the area and determine if they will interfere with the proposed utilities.

#### 3.3 ERECTION/INSTALLATION/APPLICATION

- A. Installation Manhole and Pipe: HDPE
  - Maintain separation of transfer line from potable water piping (18-inch vertical minimum).
  - 2. Install pipe to indicated elevation to within tolerance of 5/8 inches at structures.
  - 3. Install HDPE piping, manholes, and fittings to AWWA C906 (by butt weld fusion method, in accordance with ASTM D3261).

Date: 05/30/97 Rev.: 0 RE: BP 02668 6 of 8

- 4. Route pipe in line as shown on construction drawing. The minimum bending radius shall be as specified by the pipe manufacturer. Pipe shall be in a straight route at manhole connections.
- 5. Install pipe to allow for expansion and contraction without stressing pipe or joints as per manufacturer's recommendation.
- 6. Form and place concrete for thrust blocks at each "Tee" of pipe main.
- 7. Establish elevations of buried piping to ensure not less than 3.5 feet of cover.
- 8. Install trace wire continuous over top of pipe,6 inches above pipe line.
- 9. Backfill trench in accordance with Section 02225 of this specification package.
- B. Installation of Pipe and Valves: Carbon steel, fittings, valves in clean outs, air release valves and lift station.
  - 1. See Section 15060 for materials and installation.
- C. Installation Guard Post
  - 1. Excavate for post and concrete in accordance with Section 02200.
  - 2. Hand trim and remove loose material in excavation.
  - Position pipe in hole, maintaining clearances as specified on drawings.
  - 4. Place concrete around and in pipe in accordance with Section 03001.
  - 5. Paint post after concrete cures in accordance with ODOT Item 514.
- D. Shop and Field Painting Specification:

For Steel Plate and Shapes, Pipe and Fittings

- Prepare surfaces in accordance with Steel Structures Painting Council (SSPC) SP-6.
- 2. Prime all bare metal not in contact with concrete/grout with one coat Tnemec Series 6 Epoxo Line Primer. Apply two-coats of Tnemec Series 66 Hi-Build Epoxoline for the finish coat. Follow SSPC Paint 13 and Paint 20.

Date: 05/30/97 Rev.: 0 RE: BP

\* 1.10 M. W. W.

02668 7 of 8

E. For concrete installation at manholes, thrust blocks, and valves, see Section 03001.

# 3.4 FIELD QUALITY CONTROL

- A. Perform hydrostatic tests on carrier lines in accordance with AWWA C600. The allowable leakage rate for the carrier line testing is zero. Notify FDF at least 24 hours in advance of planned testing. Submit report to FDF within one week after completion of test.
- B. Perform pneumatic tests on all containment lines in accordance with manufacturer's recommendation. Subcontractor may perform hydrostatic testing on containment lines in lieu of pneumatic testing in accordance with the manufacturer's recommendation. Provide a mechanism to remove all trace water in the containment line if hydrostatic testing is chosen. The allowable leakage rate for the containment line testing is zero. Notify FDF at least 24 hours in advance of planned testing. Submit report to FDF within one week after completion of test.
- C. Each HDPE manhole shall be hydrostatically or pneumatic tested before and after installation by the following method:
  - 1. Hydrostatic:
    - a. The manhole filled with potable water to within 6 inches of top.
    - b. Monitor the water level for a four hour period. The water level should not drop during this time period. Retest manhole until acceptable and drain.
  - 2. Pneumatic: Tested in accordance with manufacturer's recommendation.

#### END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\02668

08/27 4:22

Date: 05/30/97 Rev.: 0 RE: BP 02668 8 of 8

# SECTION 02669 DISCHARGE LINE AND TREATMENT LINE

#### PART 1 GENERAL

## 1.1 SECTION INCLUDES

- A. Pipe and fittings for underground discharge line and treatment line.
- B. Valves and tap connections.
- C. Air-relief manholes, frames, and lid.
- D. Clean-outs.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non Impacted Material Earthwork.
- D. Section 03001 Concrete.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American Society for Testing and Materials (ASTM):
  - 1. ASTM D3035-95 Standard Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled

Outside Diameter.

2. ASTM D3261-95 Standard Specification for Butt Heat Fusion Polyethylene (PE) Plastic Fittings for

Polyethylene (PE) Plastic Pipe

and Tubing.

Date: 05/30/97 Rev.: 0 RE: BP

1 3 4 1 1 m

02669 1 of 7 WBS No: 1.1.1.1.2.3.6

3. ASTM D3350-96

Standard Specification for Polyethylene Plastic Pipe and Fittings Material.

в.	American	Water	Works	Association	(AWWA)	):
----	----------	-------	-------	-------------	--------	----

в.	Amer	ican Water Works Ass	ociation (AWWA):
	1.	AWWA C104/	Cement-Mortar Lining for
		A21.4-95	Ductile Iron Pipe and Fittings
			for Water.
	2.	AWWA-C105/	Polyethylene Encasement for
		A21.5-93	Ductile-Iron Pipe Systems.
	3.	AWWA C110/	Ductile-Iron and Gray-Iron
		A21.10-93	Fittings, 3-Inch through 48-
•			Inch, for Water and Other
			Liquids.
	4.	AWWA C111/	Rubber-Gasket Joints for
		A21.11-95	Ductile Iron Pressure Pipe and
			Fittings.
	5.	AWWA C115/	Flanged Ductile Iron Pipe with
		A21.15-94	Threaded Flanges.
	6.	AWWA C150/	Thickness design of Ductile
		A21.50-91	Iron Pipe.
	7.	AWWA C151/	Ductile-Iron Pipe,
		A21.51-91	Centrifugally Cast, for Water
			or Other Liquids.
	8.	AWWA C500-93	Metal-Seated Gate Valves for
•			Water Supply Service.
	9.	AWWA C504-94	Rubber-seated Butterfly
			Valves.
	10.	AWWA C512-92	Air-Release, Air/Vacuum, and
			Combination Air Valves for
			Waterworks Service.
	11.	AWWA C600-93	Installation of Ductile-Iron
			Water Mains and Their
			Appurtenances.
	12.	AWWA C906-90	Polyethylene (PE) Pressure
			Pipe and Fittings, 4-Inch
			through 63-Inch, for Water

Date: 05/30/97 Rev.: 0 RE: BP

02669 2 of 7

Distribution.

## 1.5 SUBMITTALS

- A. Product Data: Provide data on pipe materials, pipe fittings, valves, accessories, and the methods and equipment for HDPE fusion welding, HDPE manholes, and manhole frame and cover.
- B. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.
- D. As-built drawings in accordance with Section 01050.

## 1.6 QUALITY ASSURANCE

A. Piping and Valves: Manufacturer's name and pressure rating marked on valve body.

## 1.7 DELIVERY, STORAGE, AND HANDLING

- A. Deliver, store, protect, and handle products to construction site.
- B. Deliver and store valves in shipping containers or pallets with labeling in place.

# PART 2 PRODUCTS

#### 2.1 MATERIALS

- A. Pipe
  - Ductile Iron Pipe: AWWA C151, Class 55:
    - a. Fittings: AWWA C110, Ductile iron cement lined, standard thickness per AWWA C150. All fittings and pipe at valves shall be flanged per AWWA C115.
    - b. Jackets: AWWA C105, PE encasement.
    - c. Cement Lined: AWWA C104, cement mortar lined.
  - 2. High-Density PE Pipe: AWWA C906 (PE 3408), ASTM D3035, SDR 11 for 150 psi pressure rating (150 psi test pressure rating).
    - a. Fitting: AWWA C906, molded, butt fusion weld to pipe.

Date: 05/30/97 Rev.: 0 RE: BP

in wantly .

02669 3 of 7 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000113

- b. Joints: Butt fusion, flanged gasket joints, and molded adapter pipe at interface connections with ductile iron pipe and valves.
- c. Trace Wire: Magnetic detectable conductor, brightly colored plastic covering.

#### B. Gate Valves

- AWWA C500, iron body, bronze trim, non-rising stem with square nut, single wedge, Class 125 flanged ends, control rod, extension box, and valve key.
- C. Bedding shall be in accordance with Section 02225.
- D. Manhole: HDPE, ASTM D3350. Pipe resin is cell classification 3454-34C.
- E. Manhole frame and lid shall be heavy-duty cast iron as noted on the drawings.
- F. Air Release Valve: Valve shall be screwed inlet connection and shall be cast iron body, top, and inlet flange, stainless steel float and trim with BUNA-N seat to meet AWWA C512.
- G. Post Indicating Valves: Post Indicating Valves
  Assembly U.L. listed and FM approved.
  - Sizes 4 inches 14 inches, AWWA C500 gate valves, flanged ends Class 150, post assembly shall show open and shut, handcrank operator above ground, non-rising stem, and break-flange to separate the top works without removing the valve from the line.

## 2.2 ACCESSORIES

A. Concrete: 3,000 psi (minimum) as specified in Section 03001.

Date: 05/30/97 Rev.: 0 RE: BP 02669 4 of 7

#### PART 3 EXECUTION

#### 3.1 EXAMINATION

Verify existing conditions. Bring any discrepancies to FDF, in writing, for resolution prior to start of work.

#### 3.2 PREPARATION

- A. Ream pipe and tube ends and remove burrs.
- B. Remove scale and dirt, on inside and outside, before assembly.
- C. Prepare pipe connections to equipment by using flanges or unions.
- D. Excavate pipe trench in accordance with Section 02225.

  Locate existing utilities in the area and determine if
  they will interfere with the proposed utility. Notify
  FDF if there is an interference.
- E. Remove existing pipe to the extent necessary to make new tie ins. Tie-in locations shall be adjusted to conform to field conditions.

# 3.3 ERECTION/INSTALLATION/APPLICATION

- A. Installation Pipe: Ductile Iron Pipe
  - 1. Install pipe to indicated elevation to within tolerance of 5/8 inches at structures.
  - 2. Install ductile iron piping and fittings to AWWA C600.
  - 3. Route pipe in straight line except as shown on drawing.
  - 4. Install pipe to allow for expansion and contraction without stressing pipe or joints as per manufacturer's recommendations.
  - 5. Slope water pipe and position drain at low points.
  - 6. Form and place concrete for thrust blocks at each elbow or change of direction of pipe main, except large radii bends.

Date: 05/30/97 Rev.: 0 RE: BP

•

02669 5 of 7

- 7. Establish elevations of buried piping to ensure not less than 3.5 feet of cover.
- 8. Backfill trench in accordance with Section 02225.

# B. Installation - Pipe: HDPE

- 1. Install pipe to indicated elevation to within tolerance of 5/8 inches at structures.
- 2. Install HDPE piping and fittings to AWWA C906 (by butt weld fusion method, in accordance with ASTM D3261).
- 3. Route pipe in line as shown on drawing.
- 4. Install pipe to allow for expansion and contraction without stressing pipe or joints as per manufacturer's recommendation.
- 5. Install access fittings to permit cleanout.
- 6. Form and place concrete for thrust blocks at each elbow or change of direction of pipe main.
- 7. Establish elevations of buried piping to ensure not less than 3.5 feet of cover. Five feet of cover is required when pipe is within 100 feet of the toe of the active Fly Ash pile.
- 8. Install trace wire continuous over top of pipe, buried 6 inches below finish grade, above pipe line; coordinate with Section 02225.
- 10. Backfill trench in accordance with Section 02225.

# C. Installation - Valves:

- 1. Set valves on solid bearing of concrete.
- Center and plumb valve box over valve. Set box cover flush with finished grade.

# 3.4 FIELD QUALITY ASSURANCE

- A. Perform hydrostatic tests on water line in accordance with AWWA C600 and Section 15060. Notify FDF at least 24 hours in advance of planned testing. Submit report within 1 week after completion of test.
- B. The new pipes shall be hydrostatically tested prior to tie-in. The test shall be run at 50 psi above the working pressure of the water main and hold within specifications for 2 hours.

Date: 05/30/97 Rev.: 0 RE: BP 02669 6 of 7

# Allowable Leakage = $\frac{LD\sqrt{p}}{498,168}$

L = Length of Pipe in Test in Feet

D = Diameter of Pipe in Inches

p = Test Pressure (operating Pressure + 50 psi = 110
psi + 50 psi)

Answer = Allowable Leakage in Cubic Feet over a 2-Hour Period.

Unless otherwise instructed by FDF, use 100 psi as the operating pressure for testing purposes.

## END OF SECTION

08/27 4:31

and the second

# SECTION 02713 GEOMEMBRANE LINER

## PART 1 GENERAL

## 1.1 SECTION INCLUDES

- A. Geomembrane materials, manufacture, fabrication, and installation of a geomembrane liner on the stormwater retention basin bottom and side slopes, ditches and underneath the Non Impacted Material Stockpiles.
- B. Geotextile material as specified in Section 02270.
- C. Use of geosynthetics for erosion control is specified in Section 02270.

## 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non Impacted Material Earthwork.
- D. Section 02270 Erosion and Sediment Control.
- E. Section 02720 Site Drainage and Water Management.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American Society for Testing and Materials (ASTM):
  - 1. ASTM D638-96 Standard Test Method for Tensile Properties of

Plastics.

2. ASTM D746-95 Standard Test Method for

Brittleness Temperature of

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 1 of 23 SCEP/165/SWU

Plastics and Elastomers by Impact. ASTM D1004 REV A Standard Test Method for Initial Tear Resistance of -94 Plastic Film and Sheeting. Standard Test Method for ASTM D1204-94 4. Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperatures. 5. ASTM D1505-85 Standard Test Method for Density of Plastics by the Density-Gradient Technique. Standard Practice for 6. ASTM D4437-84 Determining the Integrity of Field Seams Used in Joining Flexible Polymeric Sheet Geomembranes. Standard Test Method for 7. ASTM D5321-92 Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic

B. Federal Test Method Standard (FTMS):

1. FTMS 101B-71 Method 2065, Puncture Resistance and Elongation Test.

Method.

Friction by the Direct Shear

C. United States Environmental Protection Agency (US EPA):

1. US EPA Technical Lining of Waste Containment Guidance Document and Other Impoundment EPA/600/2-88/052 Facilities, 1988.

2. US EPA Technical Inspection Techniques for the Guidance Document Fabrication of Geomembrane EPA/530/SW-91/051 Field Seams, May 1991.

D. Geosynthetics Research Institute (GRI):

1. GRI Test Method GM6 Standard Practice for
Pressurized Air Channel Test
for Dual Seamed Geomembranes,
latest revision.

Date: 08/26/97 02713 WBS No.: 1.1.1.2.3.6

Rev.: 1 RE: FP 2 of 23 SCEP/165/SWU

**ELLO00** 

- E. National Sanitation Foundation (NSF):
  - 1. Standard Number Flexible Membrane Liners. 54-93

#### 1.5 DEFINITIONS OF TERMS

- A. Manufacturer: The manufacturer is the firm or corporation responsible for production of the finished rolls of geomembrane material from raw material polymer to be used in the project. The manufacturer is responsible for the condition of the geomembrane until the material is accepted by the Construction Manager or his/her field representative upon delivery. The manufacturer shall produce a consistent product meeting the project specifications and shall provide quality control documentation for the product specified herein.
- B. Liner Subcontractor: The Liner Subcontractor is the firm responsible for installation of the geomembrane. The Liner Subcontractor shall be the manufacturer or an approved installer trained and certified to install the manufacturer's geomembrane. The Liner Subcontractor shall provide an Installation Supervisor responsible for the field crew.
- C. Film Tear Bond (FTB): A failure in the ductile mode of one of the bonded sheets by testing prior to complete separation to the bonded area as depicted in US EPA Technical Guidance Document EPA/600/2-88/052. A seam shall be classified as a FTB if no greater than 10 percent of the seam width peels (separates) at any point.
- D. Geomembrane: A synthetic lining material, also referred to as a flexible membrane liner (FML).

# 1.6 QUALITY ASSURANCE PROGRAM

A. A laboratory shall be maintained by the manufacturer of the geomembrane materials at the point of manufacture to ensure quality control in accordance with ASTM and FTMS testing procedures (referenced in Section 1.4, as

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6

Rev.: 1 RE: FP 3 of 23 SCEP/165/SWU

000120

applicable). That laboratory shall maintain records of its quality control results and provide to Flour Daniel Fernald (FDF), prior to shipment, a Certificate of Compliance stating that all rolls of geomembrane material supplied are in compliance with specification physical properties requirements.

- B. The certificate shall include the name of the manufacturer, chemical composition, product description, statement of compliance to specification physical properties requirements, and the signature of authorized official attesting to the information required.
- C. Testing of factory fabricated seams for geomembrane shall be performed by the manufacturer. The manufacturer shall inspect and test 100 percent of factory fabricated seams in accordance with these specifications.
- Testing of geomembrane materials during construction D. will be performed by subcontractor. Subcontractor shall achieve and maintain an angle of internal friction of 10 degrees or greater between the geomembrane liner and infiltration barrier. Confirmation of the internal angle of friction results shall be provided to FDF. A minimum of 3 tests shall be performed using representative material from the top third, middle third, and bottom third of the stockpile. Preparation of soils to be tested shall follow moisture and compaction requirements as specified per infiltration barrier material, Specification Section 02200. Rach test shall be performed at 3 loads (1, 2, and 4 psi) with a shearing rate of 0.040 inches per minute. Testing work shall be performed prior to ordering specified geomembrane.
- E. Geomembrane shall be randomly sampled and tested in accordance with the manufacturer's approved QC manual. Samples not meeting the minimum requirements specified shall result in the rejection of the applicable sheets.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6

Rev.: RE: FP 4 of 23 SCEP/165/SWU

- F. The Liner Subcontractor shall have installed a minimum of 1 million ft<sup>2</sup> of High-Density Polyethylene (HDPE) geomembrane.
- G. The Installation Supervisor shall have demonstrated experience in installing and seaming of a minimum of 500,000 ft<sup>2</sup> of HDPE geomembrane liner systems for similar applications. The Installation Supervisor shall remain on site and be responsible for the liner layout, seaming, patching, repairs, testing coordination with FDF, and all other activities associated with installation of the geomembrane.

#### 1.7 SUBMITTALS

1 man structure

- A. Provide submittals as required by Section 01011.
- B. Submit samples of the proposed geomembrane.
- C. Submit a Certificate of Compliance from the manufacturer in accordance with Part 6 of the Contract Documents for the geomembrane material.
- D. Submit quality control certificates issued by the producer of the raw materials used to manufacture the geomembrane. These certificates shall include the following.
  - 1. Origin, identification, and production plant location of the resin used to manufacture the geomembrane.
  - 2. Reports of testing conducted to verify the quality of the resin including the stabilization compounds used to manufacture the geomembrane, with signature of authorized official. Properties testing typically performed by the resin manufacturer shall be included in the reports.
- E. Shop Drawings: Submit shop drawings showing proposed geomembrane panel layout, panel size, shop and field seams, and location of test coupons. The drawings shall include number or letter or panels and cross-reference surrounding panels, details of seaming the geomembrane, connections, penetrations, pipe boot

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 5 of 23 SCEP/165/SWU

000122

fabrication, and other construction related details. Shop drawings shall be prepared in accordance with Part 6 of the Contract Documents.

- F. As-builts: Submit as-built drawings showing geomembrane panel layout, panels size, seam type and location, location of test coupons, and areas where repairs were made. Drawings shall be prepared in accordance with Part 6 of the Contract Documents.
- G. Submit inspection and testing data for factory fabricated seams.
- H. Submit geomembrane manufacturer's quality control manual including description of laboratory facilities.
- I. Submit results of the manufacturer's physical properties testing in accordance with the approved QA Manual. Testing shall include, but not be limited to, the typical properties outlined in Table 1.
- J. Submit test results for internal friction testing, ASTM D5321.

## 1.8 DELIVERY, STORAGE, AND HANDLING

- A. Each roll of geomembrane shall be marked to show the following minimum information:
  - 1. Name of manufacturer.
  - 2. Product type.
  - 3. Physical dimensions (length and width).
  - 4. Roll identification number.
- B. The Liner Subcontractor shall review, inspect, and place into proper storage all materials received on site until their installation. All such materials shall be inspected to verify their conformance with the requirements of these specifications and that they are free of defects. Any nonconforming or defective materials shall be clearly marked and promptly repaired per approved procedure or removed from the job site.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 6 of 23 SCEP/165/SWU

- C. When the geomembrane materials are delivered to the construction site, FDF, or designated representative, will inspect to confirm that the material is the material that was specified and that the material is not damaged. Inspection activities shall prevent, detect, and correct the following:
  - 1. Puncture from nails or splinters.
  - Tears from operation of equipment or inadequate packaging.
  - 3. Blocking (the bonding together of adjacent membrane layers), which may be caused by excessive heat.
  - 4. Crumpling or tearing from inadequate packaging support.

# D. Handling

- Palleted geomembrane panels shall be accordion folded width-wise and length-wise without causing damage to the geomembrane.
- 2. Banding straps around the geomembrane and pallet shall be properly cushioned so as not to cause damage to any part of the geomembrane panel.
- 3. The stacking of palleted geomembrane panels on top of one another is not permitted.
- 4. Damage shall be avoided by careful handling of the geomembrane material during preparation for shipment and of the packaged crates and rolls of material.
- 5. When damage to a crate or roll cover has occurred, careful examination of the underlying material is required. If damage is found, the Liner Subcontractor and FDF should carefully examine the entire shipment for damage.
- E. Storage: Sufficient quantities of materials shall be stockpiled to meet project schedule and requirements. Materials shall be stored on site at locations designated by FDF.
- F. The Liner Subcontractor shall be responsible for unloading, storage, and care of the geomembrane material until such material has been incorporated into the work. Materials shall be stored in a manner that

Date: 08/26/97 Rev.: 1 RE: FP

02713 7 of 23 WBS No.: 1.1.1.1.2.3.6 SCEP/165/SWU

1521000

prevents damage in accordance with the manufacturer's recommendations. The materials shall be stored on a prepared surface (excluding wooden pallets) and shall not be stacked more than two rolls high.

G. The Liner Subcontractor shall be responsible for replacing any damaged or unacceptable material at no expense to FDF.

# 1.9 SEQUENCING AND SCHEDULING

A. The Liner Subcontractor shall provide a sequence and schedule of work for the approval of FDF.

#### PART 2 PRODUCTS

#### 2.1 MANUFACTURERS

- A. HDPE liner shall be Frictionflex, by GSE Lining Technologies Systems Inc., equivalent products by SERROT Corp., POLY-FLEX Corp., National Seal Company, or other approved equal.
- B. Materials manufactured by others may be submitted to FDF for consideration.

#### 2.2 EQUIPMENT

- A. The Liner Subcontractor shall use appropriate installation and welding equipment per the manufacturer's instructions.
- B. Welding Equipment: The welding equipment used shall be capable of continuously monitoring and controlling the extrusion/fusion zone. The fillet-extrusion welding device provides continuous dynamic integration of the extrudate into the sheet material through the means of rotating tips in the nozzle. The composition of the extrudate (welding rod) is identical to the flexible membrane liner. This method of seaming is applied for all tees, patches, "fishmouths," and detail work. The fusion welding device employs a dual hot wedge (hot shoe) and compression. The system lifts both layers of

Date: 08/26/97 02713 WBS No.: 1.1.1.2.3.6

Rev.: 1 RE: FP 8 of 23 SCEP/165/SWU

# C. Typical Physical Properties:

Table 1 - Typical Geomembrane Physical Properties

Typical Properties	Test Method	Gage (Nominal) 60 mil (1.5 mm) HDPE
Density g/cc. (Min.)	ASTM D1505	0.94
Tensile Properties (Typical) 1. Tensile Strength at Break	ASTM D 638 Type IV Dumb Bell at 2 ipm	
(Pounds/inch width) 2. Tensile Strength at Yield	_	300
(Pounds/inch width) 3. Elongation at Break		144
(Percent) 4. Elongation at Yield		800
(Percent)		15
Tear Resistance Initiation, lbs. (Typical)	ASTM D1004 Die C	50
Low Temperature Brittleness, F (Typical)	ASTM D746 Procedure B	-120
Dimensional Stability, Percent Change Each Direction (Max.)	ASTM D1204 212 degrees F 1 hr.	±1
Puncture Resistance, Pounds (Typical)	FTMS 101B Method 2065	90

# 2.4 FACTORY FABRICATION

- A. Geomembrane liner shall be factory seamed into panels as large as possible for transportation and for the areas to be lined. Geomembrane liner for ditches should be factory seamed and transported as one piece if possible.
- B. Factory fabrication shall be performed under environmental conditions as recommended by the manufacturer.

Date: 08/26/97 Rev.: 1 RE: FP

J. T. 4713

02713 9 of 23 WBS No.: 1.1.1.2.3.6

SCEP/165/SWU

# C. Typical Physical Properties:

Table 1 - Typical Geomembrane Physical Properties

Typical Properties	Test Method	Gage (Nominal) 60 mil (1.5 mm) HDPE
Density g/cc. (Min.)	ASTM D1505	0.94
Tensile_Properties	ASTM D 638	
(Typical)	Type IV Dumb	
<ol> <li>Tensile Strength at Break</li> <li>(Pounds/inch width)</li> <li>Tensile Strength at Yield</li> </ol>	Bell at 2 ipm	300
(Pounds/inch width) 3. Elongation at Break		144
(Percent) 4. Elongation at Yield		800
(Percent)		15
Tear Resistance Initiation, lbs. (Typical)	ASTM D1004 Die C	50
Low Temperature Brittleness, F (Typical)	ASTM D746 Procedure B	-120
Dimensional Stability, Percent Change Each Direction (Max.)	ASTM D1204 212 degrees F 1 hr.	±1
Puncture Resistance, Pounds (Typical)	FTMS 101B Method 2065	90

#### 2.4 FACTORY FABRICATION

- A. Geomembrane liner shall be factory seamed into panels as large as possible for transportation and for the areas to be lined. Geomembrane liner for ditches should be factory seamed and transported as one piece if possible.
- B. Factory fabrication shall be performed under environmental conditions as recommended by the manufacturer.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6

Rev.: RE: FP 10 of 23 SCEP/165/SWU 00012/7

- C. The geomembrane material shall be continuously inspected for uniformity, damage, imperfections, holes, cracks, thin spots, foreign materials, tears, punctures, and blisters. Any imperfections shall be immediately repaired and reinspected.
- D. All seams shall be visually inspected and results documented.
- E. Nondestructive seam testing shall be performed on all fabricated seams over their full length in accordance with ASTM D4437 and the manufacturer's quality control manual. Test methods shall be vacuum chamber or pressurize air channel, except air lance may be used on inaccessible seams.
- F. All inspection and testing of factory seams shall be performed by the manufacturer's laboratory.
- G. Failure of the material and/or seams to meet all the requirements of these specifications may be cause for rejection of the geomembrane material and/or seams, as appropriate.
- H. In addition to visual inspection and nondestructive testing, a 48-inch sample shall be taken from each factory seam welding unit used in this work at the beginning of every work shift and every 4 hours of production thereafter. Samples shall be from the same production lot as the field panels (i.e., will not require patching of fabricated panels). Test specimens shall be cut at quarter points from each 48-inch seam sample (a total of three places) and tested for factory seam shear strength and peel adhesion. The seam shear strength shall be tested in accordance with ASTM D4437, as modified in Annex A of NSF 54, and shall have a tensile strength of at least 90 percent of the parent geomembrane strength. Failure of seam shall be classified as FTB. The peel adhesion shall be tested in accordance with ASTM D4437, as modified in Annex A of NSF 54, and shall provide a peel strength that is greater than 60 percent of the parent geomembrane yield strength. Failure of seam shall be classified as FTB.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 11 of 23 SCEP/165/SWU

ويرفان سيان

000123

## PART 3 EXECUTION

#### 3.1 PREPARATION

- A. The earthen surface shall be smooth and true to grade with no exposed rocks, stones, sticks, roots, or other sharp objects or debris of any kind larger than 2" in any direction.
- B. Before starting installation of the liner, the Liner Subcontractor shall inspect the substrate for suitability with the requirements of the liner. The liner installer shall certify in writing that the surface on which the membrane is to be installed is acceptable before commencing work.
- C. During the time of liner installation, the Liner Subcontractor shall be responsible for protection and maintenance of the exposed subgrade until final acceptance of the liner.

# 3.2 ERECTION/INSTALLATION/APPLICATION

- A. Verify gradients and elevation of sub-base.
- B. Verify that subgrade is dry.
- C. Install geotextile on prepared subgrade in Non Impacted Material Stockpile locations in accordance with the Construction Drawings prior to geomembrane liner installation. Geotextile installation shall be in accordance with the Construction Drawings and manufacturer's recommendations. Geotextile as specified in Section 02270.
- Geomembrane liner shall be placed and anchored in such a manner that fabric will not excessively stretch or tear.
- Appropriate measures shall be taken during installation to provide sufficient slack in the liner to avoid the generation of excessive stresses in the liner due to temperature changes.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 12 of 23 SCEP/165/SWU

Field seams shall be made using either the dual hot wedge (fusion) welding or the fillet-extrusion welding process (for areas not accessible with the dual hot wedge method). Field seams shall be made only when weather conditions are favorable. The contact surfaces shall be free of dirt, dust, moisture, or other foreign material. The contact surfaces shall be aligned with sufficient overlap and bonded in accordance with the liner manufacturer's recommended procedures. Wrinkles shall be smoothed out, and seams shall be inspected by nondestructive testing techniques to verify their integrity.

# F. Deployment

- The geomembrane shall be deployed following the manufacturer's recommendations so that, at the time of installation, it will contain a minimum of wrinkles and be under minimum stress.
- 2. Each panel/roll of the geomembrane shall be rolled out and installed in accordance with the approved shop drawings. The layout shall be designed to keep field joining of the geomembrane to a minimum and to be consistent with proper methods of geomembrane installation.
- 3. The geomembrane shall be unfolded or unrolled so as to prevent damage to the underlying or prepared subgrade or geotextile.
- 4. Should punctures, rips, or tears be encountered in the geomembrane material, the Liner Subcontractor shall immediately notify FDF and repair as necessary.

# G. Seaming Weather Conditions

- Normal Weather Conditions
  - a. The normal required weather conditions for seaming are as follows:
    - 1) Ambient temperature as recommended by the manufacturer.
    - No precipitation or other excessive moisture, such as fog, dew, or ponded water.
    - 3) No excessive winds.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 13 of 23 SCEP/165/SWU

- b. These weather conditions shall be fulfilled during seaming process.
- 2. Cold Weather Conditions
  - a. If the ambient temperature is below 40 degrees F, seaming of geomembrane shall not be permitted unless the Liner Subcontractor can demonstrate to FDF's satisfaction that geomembrane seam quality is not adversely impacted. The following conditions shall also be met to ensure a quality seaming process:
    - Preheating the surface of the geomembrane to achieve normal temperature range.
    - 2) Preheating may be waived by FDF if the Liner Subcontractor demonstrates that satisfactory welds of equivalent quality may be obtained without preheating at the expected temperature of installation.
    - 3) Preheating devices shall be approved by the manufacturer.
    - 4) Care shall be taken to ensure that surface temperatures are not lowered below the minimum required surface temperature for welding due to winds.
    - 5) Additional destructive test samples shall be taken at FDF's discretion.
    - 6) Trial seams shall be performed under the same ambient temperature conditions as the actual seams.
- Warm Weather Conditions
  - a. If the ambient temperature is above 104 degrees F, seaming of geomembrane shall not be permitted unless the Liner Subcontractor can demonstrate to FDF's satisfaction that geomembrane seam quality is not adversely impacted.
  - b. Test seams shall be performed under the same ambient temperature conditions as the actual seams.
  - c. Additional destructive test samples shall be taken at FDF's discretion.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 14 of 23 SCEP/165/SWU

# H Field Seaming

- 1. Panel field seaming shall be performed using the dual hot wedge welding techniques as outlined in Section 7 of US EPA Technical Guidance Document EPA/530/SW-91/051. Welding equipment and seaming temperatures shall be in accordance with the manufacturer's recommendations.
- 2. Field seams shall be oriented parallel to the line of maximum slope.
- 3. Unless directed otherwise by FDF, minimum overlap for field seams shall be in accordance with the manufacturer's recommendations.
- 4. The welding equipment used shall be capable of continuously monitoring and controlling the temperatures in the zone of contact where the machine is actually fusing the lining material to ensure that changes in environmental conditions will not affect the integrity of the weld.
- 5. Welding of field seams with an extrusion welder is only acceptable for repairing holes in the liner, repairing failed seams revealed by nondestructive testing, repairing areas where destructive testing is performed, at pipe/liner penetration boots, and other areas where the hot wedge welding machines cannot be used due to space restrictions.
- The liner shall be placed over the prepared surface in such a manner as to ensure minimum handling. The geomembrane shall not be dragged over rough subgrade surfaces. Any damage to the base surface resulting from liner installation or liner handling equipment shall be repaired by the Liner Subcontractor at its own expense prior to placement of the liner. Vehicular traffic across the geomembrane shall not be allowed. The panels shall be such lengths and widths and shall be placed in such a manner as to minimize field seaming.
- In areas where wind is prevalent, liner installation shall be started at the upwind side of the project and proceed downwind. The leading edge of the liner shall be secured at all times with sandbags or other means sufficient to hold it down during high winds.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 15 of 23 SCEP/165/SWU

- Sandbags shall be used as required to hold the liner in position during installation. Materials, equipment, or other items shall not be dragged across the surface of the liner nor be allowed to slide down slopes on the liner.
- Liner panels shall be closely fit and sealed around inlets, outlets, and other projections through the liner. All piping, structures, and other projections through the liner shall be sealed as shown on the Construction Drawings.
- All joints shall be tightly bonded on completion of the work. Any liner surface showing injury resulting from scuffing, penetration by foreign objects, or distress from rough subgrade shall be repaired or replaced as approved by FDF.
- Each suspect location shall be nondestructively tested using methods described in Section 1.4 as appropriate. The Liner Subcontractor shall not proceed with any materials which will cover locations that have been repaired until satisfactory test results have been obtained.
- O. Pipe/Liner Penetration Boots
  - The geomembrane boots shall be furnished and installed where indicated on the Construction Drawings.
  - 2. The geomembrane boots shall terminate in a skirt section suitable for welding to the geomembrane.
  - 3. Boots and skirts shall fit snugly around the pipe or power pole. Prefabricated material shall be designed to fit site-specific conditions for the intended size and slope of pipe.
  - 4. The geomembrane shall be secured to the pipe or power pole with clamps as shown on the Construction Drawings after pipe/liner penetration boots have been tested.
- Any wrinkles that can fold over shall be repaired either by cutting out excess material or, if possible, allowing the liner to contract due to temperature

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 16 of 23 SCEP/165/SWU

reduction prior to placing the overlying material. In no case shall material be placed over the geomembrane which could result in the geomembrane folding.

# Q. Destructive Seam Testing

- 1. Two types of samples shall be taken at each location, one for field tests and one for laboratory tests.
- 2. For the field tests, two seam samples, 1 inch wide by 12 inches long with the seam centered across the length shall be taken 42 inches apart. These sample coupons shall be removed by the Liner Subcontractor for every 500 feet of seam length. A minimum of three samples shall be tested, including at least one for each day's production seaming.
- 3. Upon obtaining each sample, assign a number to the sample and mark it accordingly. Record sample location on the layout drawing. Record the purpose of the sample (i.e., statistical, routing, or suspicious weld area).
- 4. These samples shall be tested in the field using a tensiometer capable of quantitatively measuring shear and peel strengths.
- 5. The sample coupon shall be divided into three equal parts: one part for laboratory testing, one part to the Construction Manager for archive storage, and one part to the Liner Subcontractor for field testing. The sample coupon shall be tested in the testing laboratory for shear strength and peel adhesion.

# R. Repair Procedures

- 1. Any portion of the geomembrane failing a destructive test, nondestructive test, or any damaged portion shall be repaired in accordance with this section and the manufacturer's recommendations.
- 2. All surfaces shall be clean and dry at the time of the repair.
- 3. The repair procedures, materials, and techniques shall be approved in advance of the specific

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 17 of 23 SCEP/165/SWU repair by FDF. Approved methods from which the selected repair shall be chosen are as follows:

- a. Patching used to repair large holes, tears, large panel defects, and destructive sample locations.
- b. Capping used to repair failed welds or to cover seams where welds cannot be nondestructively tested.
- c. Removal used to replace areas with large defects where the preceding methods are not appropriate. Also used to remove excess material (wrinkles) from the installed geomembranes.
- 4. If a sample fails one of the destructive tests, the seam shall be reconstructed using one of the following methods:
  - a. The seam shall be reconstructed between the location of the sample which failed and the location of the next passing sample in each direction.
  - b. The welding path is retraced to an intermediate location at least 10 feet from the location of the failed sample and a second sample is taken for additional testing. If the second test sample passes, the seam shall then be reconstructed between the location of the second test and the original sampled location. If the second test fails, this process shall be repeated.
- 5. All acceptable seams shall extend between two locations where samples passed the required test and shall include one test location along the reconstructed seam.
- 6. Each major repair requiring a patch or cap shall be identified on the as-built drawing.
- 7. Each repair shall be numbered and logged by the Liner Subcontractor. Each repair shall be nondestructively tested using methods described in this section. Repairs which pass the nondestructive test shall be taken as an indication of an adequate repair. Repairs more than 100 feet long may be sufficient to require destructive test sampling, at FDF's discretion.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6

Rev.: 1 RE: FP 18 of 23 SCEP/165/SWU

Failed tests indicate that the repair shall be redone and retested until passing test results are achieved. FDF shall observe all nondestructive testing of repairs. The Liner Subcontractor shall record the number of each repair, the test location, date, and test outcome.

# 3.3 QUALITY CONTROL

A. General: The Liner Subcontractor shall conduct a fully documented quality assurance/quality control program to ensure that all installation work is performed which will result in a secure, watertight liner. All quality control inspection and testing shall be performed by qualified personnel who are thoroughly knowledgeable about all installation procedures and techniques used. Three copies of all inspection and test reports generated by the Liner Subcontractor shall be submitted to FDF not later than the second work day following their generation. As a minimum, the Liner Subcontractor shall provide written verification of the results of all of the following inspections and tests.

# B. Weld Quality Control

- A trial seam, 3 feet long, from each welding machine shall be run each day prior to liner seaming and under the same conditions as exist for the liner seaming. Additionally, at least once every 4 hours during continuous operation.
  - a. Samples of seam shall be cut from the test weld 1/4 inch to 1/2 inch wide and tested by field tensiometer in the peel and shear modes.
  - b. Should failure of the seam occur, another trial seam shall be prepared and tested. If the additional sample fails, the seaming apparatus and seamer shall not be accepted until deficiencies are corrected.
  - c. The trial seam shall be marked with the time of day, date, ambient temperature, and welding machine used in its production.
  - d. The seam sample shall be kept for subsequent testing on laboratory tensiometer equipment

Date: 08/26/97 02713 WBS No.: 1.1.1.2.3.6 Rev.: 1 RE: FP 19 of 23 SCEP/165/SWU in accordance with the applicable ASTM D1004 and D4437 tests. If either sample fails through the weld, the welding machine shall be adjusted as appropriate and another test weld produced and tested until satisfactory results are achieved. A calibrated, hand-operable tensile testing machine shall be furnished by the Liner Subcontractor for the purpose of tensile testing.

- 2. All welds, on completion of the work, shall be tightly bonded. Any membrane area showing injury due to excessive scuffing, puncture, or distress from any cause shall be replaced or repaired with an additional piece of HDPE membrane.
- 3. A quality control technician, employed by the Liner Subcontractor, shall follow behind each seam crew and perform a visual inspection of the seamed area. Defective seams shall be marked and repaired in accordance with manufacturer's published repair procedure.
- 4. No "fishmouths" shall be allowed within the seam area. Where "fishmouths" occur, the material shall be cut and overlapped, and an overlapextrusion weld shall be applied.
- C. Nondestructive Testing: All field seams (100 percent) shall be tested nondestructively. Fillet-extrusion welds are tested with a vacuum chamber in accordance with ASTM 4437. Hot wedge welds shall be dual seam pressure tested, pressurizing the air channel created by the split face design of the hot wedge per GRI GM-6.
- D. Destructive Seam Testing
  - 1. Two types of samples shall be taken at each location, one for field tests and one for laboratory tests.
  - 2. For the field tests, two seam samples, 1 inch wide by 12 inches long with the seam centered across the length shall be taken 42 inches apart. These sample coupons shall be removed by the Liner Subcontractor for every 500 feet of seam length, unless more frequent testing is required by FDF. A minimum of three samples shall be tested,

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 20 of 23 SCEP/165/SWU

- including at least one for each day's production seaming. The seams shall not be covered by another material before they have been tested and accepted by FDF.
- 3. Upon obtaining each sample, assign a number to the sample and mark it accordingly. Record sample location on the layout drawing. Record the purpose of the sample (i.e., statistical, routing, or suspicious weld area).
- 4. These samples shall be tested in the field using a tensiometer capable of quantitatively measuring shear and peel strengths.
- 5. The sample coupon shall be divided into three equal parts: one part for laboratory testing, one part to the Construction Manager for archive storage, and one part to the Liner Subcontractor for field testing. The sample coupon shall be tested in the testing laboratory for shear strength and peel adhesion.

# E. Repair Procedures

- Any portion of the geomembrane failing a destructive test, nondestructive test, or any damaged portion shall be repaired in accordance with this section and the manufacturer's recommendations.
- 2. All surfaces shall be clean and dry at the time of the repair.
- 3. The repair procedures, materials, and techniques shall be approved in advance of the specific repair by FDF. Approved methods from which the selected repair shall be chosen are as follows:
  - a. Patching used to repair large holes, tears, large panel defects, and destructive sample locations.
  - b. Capping used to repair failed welds or to cover seams where welds cannot be nondestructively tested.
  - c. Removal used to replace areas with large defects where the preceding methods are not appropriate. Also used to remove excess material (wrinkles) from the installed geomembranes.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 21 of 23 SCEP/165/SWU 000138

- 4. If a sample fails one of the destructive tests, the seam shall be reconstructed using one of the following methods:
  - a. The seam shall be reconstructed between the location of the sample which failed and the location of the next passing sample in each direction.
  - intermediate—location\_at\_least 10 feet from the location of the failed sample and a second sample is taken for additional testing. If the second test sample passes, the seam shall then be reconstructed between the location of the second test and the original sampled location. If the second test fails, this process shall be repeated.
- 5. All acceptable seams shall extend between two locations where samples passed the required test and shall include one test location along the reconstructed seam.
- 6. Each major repair requiring a patch of cap shall be identified on the as-built drawing.
- 7. Each repair shall be numbered and logged by the Liner Subcontractor. Each repair shall be nondestructively tested using methods described in this section. Repairs which pass the nondestructive test shall be taken as an indication of an adequate repair. Repairs more than 100 feet long may be sufficient to require destructive test sampling, at FDF's discretion. Failed tests indicate that the repair shall be redone and retested until passing test results are achieved. FDF shall observe all nondestructive testing of repairs. The Liner Subcontractor shall record the number of each repair, the test location, date, and test outcome.

## 3.4 CLEANING

A. Remove and manage excess materials in accordance with the Subcontract, Part 6, Scope of Work.

Date: 08/26/97 02713 WBS No.: 1.1.1.1.2.3.6 Rev.: 1 RE: FP 22 of 23 SCEP/165/SWU

## 3.5 PROTECTION

A. Provide protection from damage until anchorage and welding of seams has been accomplished and all testing and inspections are completed and completion of subcontract final acceptance by FDF has been received.

END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\02713.RV1

08/27 1:35pm

Date: 08/26/97 Rev.: 1 RE: FP

02713 23 of 23 WBS No.: 1.1.1.1.2.3.6

SCEP/165/SWU

# SECTION 02720 SITE DRAINAGE AND WATER MANAGEMENT

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Site storm drainage piping, gravity conveyance piping, fittings, accessories, and bedding.
- B. Site surface drainage and stormwater retention basins.
- C. Control of surface water and removal of ponded water from construction areas.
- D. Requirements for Water Management Plan including surface water and perched groundwater

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non-impacted Material Earthwork.
- D. Section 02205 Impacted Material Excavation and Handling.
- E. Section 02270 Erosion and Sediment Control.
- F. Section 02667 Drinking Water Lines.
- G. Section 03001 Concrete.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

Date: 05/30/97 Rev.: 0 RE: BP 02720 1 of 6 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

#### 1.4 REFERENCES

A. State of Ohio, Department of Transportation,
Construction and Material Specifications, January 1,
1997 (ODOT). Except as supplemented or otherwise
modified herein and/or shown on the construction
drawings, the entire work under this section shall be
in compliance with the provisions of ODOT.

B. American Society for Testing and Materials (ASTM):

1. ASTM D1248-84 Standard Specification for Polyethylene Plastics Molding and Extrusion Materials.

2. ASTM D2321-89 Standard Practice for Underground Installation of Thermoplastic Pipe for Sewer and Other Gravity-Flow Application.

3. ASTM D3035-95 Standard Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter.

4. ASTM F405-96 Standard Specification for Corrugated Polyethylene (PE)
Tubing and Fittings.

5. ASTM F477-95 Standard Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe.

C. American Water Works Association (AWWA):

1. AWWA C901-88 Polyethylene (PE) Pressure
Pipe and Tubing 1/2-inch
through 3-inch, for Water
Systems.

2. AWWA C906-90 Polyethylene (PE) Pressure
Pipe and Fittings 4-inch
through 63-inch, for Water
Distribution.

D. American Association of State Highway and Transportation Officials (AASHTO):

1. AASHTO M36-91 Standard Specification for Corrugated Steel Pipe,

Date: 05/30/97 Rev.: 0 RE: BP 02720 2 of 6

Metallic-Coated, for Sewers and Drains.

2. AASHTO M294-94

Specification for Corrugated Polyethylene Pipe, 12 to 36 Inch Diameter Pipe.

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.
- B. Water Management Plan: Plans and details describing methods for storm water collection, run on control, points of discharge, and methods to protect exposed contaminated areas at end of day's work or during inclement weather for denuded slopes and excavations. The plan will be submitted to FDF for review and approval as part of the Safe Work Plan prior to initiation of construction.
- C. Provide as-built information in accordance with Section 01050.
- D. Test Reports: Test reports for all tests required under Field Quality Control.

#### PART 2 PRODUCTS

## 2.1 PIPE MATERIALS

- A. Corrugated HDPE for West Pump Station Culvert Diversion
  - 1. Smooth interior, corrugated exterior high-density polyethylene pipe conforming to AASHTO M294 Type S pipe and fittings shall be made of polyethylene compounds that meet or exceed the requirements of Type III, Category 4 or 5, Grade P33 or P34, Class C per ASTM D1248 and ASTM F405.
  - Fittings shall be factory made by the manufacturer of the pipe. No field fabricated fittings will be allowed.
  - 3. Coupling bands/sleeves shall be watertight, gasketed, bell type with an indentation in the center to ensure proper positioning of the pipe.

Date: 05/30/97 Rev.: 0 RE: BP

1. 建二基次 经基本基

02720 3 of 6

Coupling bands/sleeves shall be factory installed on one end of the pipe. Gaskets shall be a solid cross section ring conforming to ASTM F477.

4. Corrugated pipe, fittings, couplings bands/ sleeves, gaskets and gasket lubricant shall be supplied by the manufacturer of the pipe.

# B. Corrugated Metal Pipe

- Corrugated metal storm pipe shall be in accordance with AASHTO M36 and ODOT 707. Corrugated metal drain pipe shall be galvanized, of the size and type specified on the construction drawings.
- Storm drain pipe, culverts, and fittings as identified on drawing shall be corrugated steel, 14-gage thickness. Culverts shall have standard metal flared sections.
- 3. Coupling bands shall be corrugated, galvanized steel bands in accordance with AASHTO M36. Pipe sections with rerolled ends shall be joined with annular corrugated connecting bands. Helical corrugated pipe ends shall be joined using helical corrugated connecting bands.
- C. High-Density Polyethylene (HDPE) Pipe AWWA C906 (PE 3408), ASTM D3035 for wheel wash sump discharge line.
  - 1. Fitting: AWWA C901, molded.
  - Joints: Butt fusion, flanged gasket joints at interface connections with ductile iron pipe and valves.
  - Trace Wire: Magnetically detectable conductor, green.

#### 2.2 BEDDING AND COVER MATERIALS

- A. Bedding: As specified in Section 02225.
- B. Cover: As specified in Section 02225.

#### 2.3 CONCRETE AND CONCRETE ACCESSORIES

A. Materials: Refer to Section 03001.

Date: 05/30/97 Rev.: 0 RE: BP 02720 4 of 6

B. All precast concrete shall meet the requirements of ODOT 706.13 with 5 1/2 percent air void content in the hardened concrete.

#### PART 3 EXECUTION

#### 3.1 FIELD CONDITIONS

A. Verify that excavation trenches are ready to receive work.

#### 3.2 PREPARATION

A. Hand trim excavations. Correct over-excavation according to the requirements of Section 02225 of this specification package.

#### 3.3 INSTALLATION

#### A. General

- If rock is encountered, the excavation shall be carried no less than 6 inches and no more than 12 inches below the bottom of pipe materials.
   Approved compacted material shall be used to backfill from rock excavation prior to installation.
- 2. All compacted backfill shall meet the requirements of unclassified backfill in accordance with Section 02225. Backfill compaction shall conform to the requirements of Section 02225.
- 3. See Section 02225 for the frequency of samples.
- 4. Excavation shall conform to Section 02225.

# B. Installation of Corrugated Metal Pipe

- 1. The pipe and fittings shall be free of foreign inclusions and visible defects. The ends of the pipe shall be cut squarely and cleanly so as not to adversely affect joining.
- 2. All pipe shall be laid as shown in the drawings.
- 3. Joints for corrugated metal pipe shall be made with corrugated galvanized steel coupling bands in accordance with AASHTO M36.

Date: 05/30/97
Rev.: 0 RE: BP

02720 5 of 6

- 4. Paint welds, cuts and holes with a zinc based paint.
- C. The west pump station culvert diversion (north of the Inactive Flyash Pile) is to be extended as shown on the drawings. This extension is temporary. Subcontractor is to install extension and repair as necessary, including replacement if required.
- D. See Section 02667 for installation of HDPE pipe joined by fusion welding. Install in accordance with ASTM D2321.
- E. Stormwater that is encountered during or collects in excavations is to be conveyed to the retention basins for conveyance to SWRB.
- F. In other construction areas stormwater control shall be achieved by gravity or by pumps. All methods shall be of sufficient capacity to maintain excavation work in the dry. Runon into work areas is to be minimized (i.e., grading and diversions).

#### 3.4 FIELD QUALITY CONTROL

- A. Inspection:
  - Inspection shall include checking for proper alignment and location of all drainage pipe prior to backfill.
  - 2. All inspections shall have a report filed with FDF within one week after the test.
- B. Notify FDF of testing and/or inspection activities at least 24 hours prior to the start of all tests or inspections.
- C. Testing of backfill compaction shall be as specified in Section 02225.

#### END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\SWU\SITE\02720

08/27 4:35

Date: 05/30/97 Rev.: 0 RE: BP 02720 6 of 6

# SECTION 02831 CHAIN LINK FENCES

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Permanent fence framework, fabric, and accessories to be installed south of the South Field and near the Support Area as indicated on the construction drawings.
- B. Excavation for post bases; concrete foundation for posts and center drop for gates.
- C. Manual gates and related hardware.
- D. Fence repair, as needed, as a result of relocation or of Subcontractor's construction or site clearing activities.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02100 Site Clearing.
- D. Section 02200 Non-impacted Material Earthwork.
- E. Section 16170 Grounding and Bonding.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

A. American Society for Testing and Materials (ASTM):

1. ASTM A121 Standard Specification for Rev. A-92 Zinc-Coated (Galvanized) Steel

Barbed Wire.

Date: 05/30/97 02831 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: BP 1 of 6 SCEP/165/SWU/SITE

618 M. 64 M. 6

2.	ASTM A123	Standard Specification for
	Rev. A-89	Zinc (Hot-Dip Galvanized)
		Coatings on Iron and Steel
		Products.
3.	ASTM A153	Standard Specification for
	A153M-95	Zinc Coating (Hot-Dip) on Iron
		and Steel Hardware.
4.	ASTM A392	Standard Specification for
	<del>-</del> 96	Zinc-Coated Steel Chain-Link
		Fence Fabric.
5.	ASTM A570	Standard Specification for
	A570M-95	Steel, Sheet and Strip,
		carbon, Hot-Rolled, Structural
		Quality.
6.	ASTM F567-93	Standard Practice for
		Installation of Chain Link
		Fence.
7.	ASTM F669-92	Standard Specification for
		Strength Requirements of Metal
		Posts and Rails for Industrial
		Chain Link Fence.
8.	ASTM F1234-93	Standard Specification for
		Protective Coating on Steel
		Framework for Fences.

#### 1.5 SYSTEM DESCRIPTION

i

- A. Fence Height: 6 feet nominal (with three strands of barbed wire 1 foot high on extension arms, if applicable) as indicated on drawings.
- B. Line Post Spacing: At intervals not exceeding 10 feet.
- C. Fence Post and Rail Strength: Conform to ASTM F669.
- D. Gate Sizes: As shown on drawings.

#### 1.6 SUBMITTALS

A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.

Date: 05/30/97 Rev.: 0 RE: BP 02831 2 of 6

B. As-Built Drawings: Indicate plan layout, size, type, and swing of gates.

#### PART 2 PRODUCTS

## 2.1 MATERIALS

- A. Framing (Steel): ASTM A570 zinc coated hot rolled steel strip, cold formed to pipe configuration, longitudinally welded construction, minimum yield strength of 50 ksi. External surface triple coating per ASTM F1234, Type B and Type D with 1.01 ± 0.1 ounce zinc per square foot and 30±15 micrograms of chromate per square inch. Coat internal surface after welding with a zinc-rich based organic coating (91 percent min. zinc powder).
- B. Fabric Wire (Steel): ASTM A392 zinc-coated, 9-gage wire fabric, 2-inch diamond mesh interwoven wire, top salvage twisted tight, bottom salvage knuckle end closed. Fabric wire on-site can be reused if approved by FDF.
- C. Barbed Wire: ASTM A121 galvanized steel; 12-gage wire, to match existing fence.
- D. Concrete: See Section 03001.
- E. Gates: Swing gates internally braced to prevent sag.
  Fabric equivalent to that of fence; secure to frame with
  tension bars and hook bolts. Extend top frame of gates
  vertically to provide three rows of barbed wire, if
  applicable. Fence fabric and rails may be reused if in
  sound condition. Reuse existing fence fabric, posts and
  fence accessories where possible.

# F. Components

- 1. Corner and Terminal Posts: 2-7/8 inch, outside diameter.
- Top and Brace Rail: 1-5/8 inch, outside diameter, plain end, sleeve coupled.
- Tension Wire: 6-gage galvanized steel, single strand.
- 4. Tie Wire: 6-gage galvanized steel wire.
- 5. Line Posts: 2-3/8-inch outside diameter.

Date: 05/30/97 Rev.: 0 RE: BP

1 2000

02831 3 of 6

- 6. Gate Posts: 2-7/8-inch outside diameter.
- 7. Gate Frame: 1-7/8-inch diameter for welded fabrication.

#### 2.2 ACCESSORIES

- A. Caps: Cast steel galvanized; sized to post diameter, set screw retainer.
- B. Fittings: Sleeves, bands, clips, rail ends, tension bars, fasteners and fittings; galvanized steel.
- C. Extension Arms: Cast steel galvanized, to accommodate three strands of barbed wire, single arm, sloped to 45 degrees up from horizontal.
- D. Gate Hardware: Hinges shall be galvanized, malleable iron hinges. Ball and socket bottom hinge to sustain gate weight. Install gate with a positive type latching device and padlocking capabilities and double gates with center plunger rod catches. Secure gates in open position with semiautomatic outer catches to secure gates in open position.
- E. Drive Anchor: Two angles, 36-inch length, 1-1/4 inches by 1-1/4 inches by 1/4 inch.
- F. Fasteners: Galvanized steel.

#### 2.3 FINISHES

- A. Components and Fabric: Galvanized to ASTM A123; 2.0 ounces/square feet coating.
- B. Hardware: Galvanized to ASTM A153, 2.0 ounces/square feet coating.
- C. Accessories: Same finish as framing.

Date: 05/30/97 Rev.: 0 RE: BP 02831 4 of 6 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000150

# PART 3 EXECUTION

# 3.1 ERECTION/INSTALLATION/APPLICATION

- A. Install framework, fabric, accessories, and gates in accordance with the manufacturer's instructions and ASTM F567.
- B. Set all posts plumb in accordance with details on the drawings. Where concrete footings are used, top of footing shall be 2 inches above finish grade. Slope top of concrete for water runoff.
- C. Brace gate and corner post to adjacent line post with horizontal center brace rail and diagonal truss rods. Install brace rail, one bay from end.
- D. Provide top rail through line post tops and splice with 6-inch long rail sleeves.
- E. Stretch fabric between terminal posts or at intervals of 100 feet maximum, whichever is less, as per manufacturer's recommendations.
- F. Position bottom of fabric 1 inch above finished grade.
- G. Fasten fabric to top rail, line posts, braces, and bottom tension wire with tie wire at maximum 15 inches on centers.
- H. Attach fabric to end and corner posts with tension bars and tension bar clips.
- I. Install bottom tension wire stretched taut between terminal posts, as per manufacturer's recommendations.
- J. Install support arms sloped outward and attach barbed wire; tension and secure.
- K. Install gates plumb, level, and secure for full opening without interference. Adjust and lubricate hardware for smooth operation.

Date: 05/30/97 Rev.: 0 RE: BP

大多级·加州

02831 5 of 6 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000151

- L. Coat areas where the galvanized finish has been damaged, using zinc-enriched paint.
- M. Install grounding as noted on the details, in accordance with Section 16170.

## 3.2 FIELD QUALITY CONTROL

- A. Erection Tolerances
  - 1. Maximum Variation from Plumb: 1/4 inch.
  - 2. Maximum Offset from True Position: 1 inch.
- B. Patch, repair, or replace any material damaged by the Subcontractor to match undamaged material.

END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\02831

08/27 4:36

Date: 05/30/97 Rev.: 0 RE: BP 02831 6 of 6

# SECTION 02900 SOIL PREPARATION AND SEEDING

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

A. Temporary and permanent seeding, fertilizing, and mulching to stabilize soil stockpiles, disturbed areas, and denuded areas to remain undisturbed for more than 45 calendar days.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non-impacted Material Earthwork.
- D. Section 02270 Erosion and Sediment Control.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. State of Ohio, Department of Transportation (ODOT), Construction and Material Specifications, January 1, 1997.
  - 1. Except as supplemented or otherwise modified herein and/or shown on the construction drawings, the entire work under this section shall be in compliance with the provisions of ODOT.

#### 1.5 SUBMITTALS

A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.

Date: 08/26/97 Rev.: 1 RE: BP

The Robert Minter

02900 1 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000153

- B. Certificates: Provide written certification from supplier of seed to state that the seed delivered to the project complies with the following:
  - 1. Seed varieties and mixture comply with requirements of the specifications.
  - 2. Purity and germination rate comply with the requirements of the specifications.
- c. Provide written certification from supplier of fertilizer to state that the items delivered to the project comply with the requirements of this section.

# 1.6 DELIVERY, STORAGE, AND HANDLING

- A. Deliver grass seed mixture in original, sealed containers. Seed in damaged packaging will not be accepted. Containers shall show:
  - 1. Names and percentage of each seed variety.
  - Year of production, percentage of purity, minimum germination rate, and date of packaging.
  - 3. Net weight.
- B. Deliver plant nutrients in waterproof bags showing weight, chemical analysis, and name of manufacturer.
- C. Store materials in a dry area, free from wetting and physical damage.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS

- A. Seed
  - Varieties of grass involved in the work of this section shall be the following.
    - a. Permanent seeding:
      - 1) 40 percent Kentucky Bluegrass.
      - 2) 40 percent Creeping Red Fescue.
      - 20 percent Annual Ryegrass.
    - b. Temporary seeding: 100% Annual Ryegrass
  - 2. Mixture shall be clean, guaranteed 95 percent pure, and have a minimum germination rate of 85 percent within 1 year of test.

Date: 08/26/97 Rev.: 1 RE: BP

02900 2 of 5

- B. Soil Materials
  - 1. As specified in Section 02200.
- C. Plant Nutrients
  - 1. Fertilizer:
    - a. Fertilizer shall be VCOTE 34-0-14 (no substitution allowed).
- D. Water
  - 1. Potable, clean, and free of substances or matter which could inhibit vigorous growth of grass.
- E. Materials used for mulching shall be straw or hay.

  Mulch shall be reasonably free of weed seed and such
  foreign materials as may detract from their
  effectiveness as a mulch or injure desired plant
  growth.

#### PART 3 EXECUTION

#### 3.1 FIELD CONDITIONS

- A. Verify that the soil surface is ready to receive work of this section and that final dressing is within reasonably close conformity to lines, grades, and cross-sections as shown on the construction drawings.
- B. Prepare soil by tilling/cultivating to eliminate uneven areas and low spots. Maintain lines, levels, and contours. Make changes in grade gradual. Blend slopes into level areas.
- C. Remove debris, weeds, and undesirable plants and their roots.
- D. Repeat cultivation in areas where equipment used for hauling and spreading has compacted subsoil.

#### 3.2 APPLICATION

- A. Application of Plant Nutrients:
  - 1. Apply fertilizer at the rate of 4 pounds per 1000 square feet.

Date: 08/26/97 02900 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 3 of 5 SCEP/165/SWU/SITE

- 2. Mix thoroughly into upper 2 inches.
- 3. Lightly water to aid the distribution of fertilizer.

# B. Seeding:

- 1. Apply permanent seed mixture at a minimum rate of 130 lbs per acre in accordance with ODOT Item 659.09. When applying seed with a broadcast spreader, apply evenly in two intersecting directions.
- Do not seed areas in excess of that which can be mulched on same day.
- 3. Permanent seeding as specified above shall be performed between March 15 and October 15.
  - All seeding performed between October 15 and March 15 shall be temporary seeding in accordance with ODOT Item 207. Areas seeded with the temporary seed mix shall be reseeded with the permanent seed mixture during the specified application period.
- 4. Immediately following seeding, apply mulch.
- 5. Mulch shall be spread in a 1 to 2 inch layer.
- 6. Apply water with a fine spray immediately after each area has been mulched. Wet soil to approximately 4 inches deep, at a rate of 120 gallons per 1,000 square feet.
- C. Coordinate seeding with Section 02270 Erosion Control. Areas requiring additional measures after the application of seed shall be closely coordinated with this Section.

#### 3.3 TEMPORARY SEEDING

- A. All areas of temporary seeding, such as soil stockpiles and denuded areas to remain undisturbed for more than 45 days, shall be seeded with Annual Ryegrass sown at the rate of 2 pounds per 1000 square feet and mulched.
- B. Mulch for temporary seeding shall be as described herein for permanent seeding.

Date: 08/26/97 Rev.: 1 RE: BP 02900 4 of 5

#### 3.4 FIELD QUALITY CONTROL

- A. Notify FDF at least three working days prior to date of anticipated inspection.
  - 1. To qualify for acceptance, an area shall have a good clean stand of perennial grass. Within three weeks after sowing grass seed, germination shall have occurred over 95 percent of the seeded area. If, after three weeks, more than 5 percent of the seeded area is comprised of non-germinating areas (areas greater than 3 square feet without visible germination of grasses), reseeding will be required in the non-germinating areas. Within three months, 95 percent of the seeded area shall be covered with mature perennial grasses. If, after three months, more than 5 percent of the seeded area is not covered by mature perennial grasses, the barren areas must be reseeded.
  - 2. Coverage shall be at lease 95 percent of the area, and no bare spots shall exceed 3 square feet.
  - Areas that fail to meet requirements of the specifications shall be repaired or re-seeded as necessary to produce an acceptable stand of grass.

END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\02900.RV1

08/27/97

Date: 08/26/97 Rev.: 1 RE: BP

*f* 

02900 5 of 5

# SECTION 02999 MISCELLANEOUS AND SPECIALTY ITEMS

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Installation of construction fence at the limit of work and other locations as indicated on the construction drawings.
- B. Fabrication and installation of caution signs.
- C. Installation of ring buoys.

#### 1.2 RELATED SECTIONS

Not Used.

#### 1.3 REFERENCES

- A. ODOT Construction and Material Specifications, Item 603.
- B. OSHA 29 CFR Part 1926

#### 1.4 DELIVERY STORAGE AND HANDLING

A. Construction fence, signs, and buoys shall be delivered to the site and protected from damage. Damaged items will be removed from the site and replaced at the subcontractor's expense.

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.
- B. Twenty days prior to the start of work, submit for review and approval the following:
  - 1. Construction fence.
  - Caution signs, drawing to scale including color notations.

Date: 05/30/97 02999 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: BP 1 of 3 SCEP/165/SWU/SITE 3. Buoys.

#### PART 2 PRODUCTS

#### 2.1 PRODUCTS INCLUDED

A. Caution signs, flat sheet aluminum, 0.063-inch thick, 12inch minimum dimension in any one direction, yellow
reflective sheeting background, black lettering a minimum
of one inch in height, all capital letters, standard
block lettering. Signs shall read as follows:

CAUTION - DROWNING HAZARD, LIFE VEST REQUIRED WITHIN 5 FEET OF WATER

- B. Construction fence shall be yellow, high density polyethylene, 4-foot height, opening size approximately 4-inches by 1/2-half inch, minimum tensile strength of 2000 lbs/ft of width. Posts shall be steel "T" as indicated on the construction drawings. Rebar shall not be permitted.
- C. Buoys and line shall be U.S., Coast Guard approved, as required by OSHA in 1926.106.

#### PART 3 EXECUTION

#### 3.1 CONSTRUCTION FENCING

A. Install construction fence along the Limits of Work at the locations designated on the construction drawings. The construction fence shall be field located. The fence posts shall be driven. Secure and stretch the fence fabric to the posts in order to eliminate any sags horizontally and vertically. The bottom of the fence fabric shall be installed to a maximum of 2 inches above the finished grade.

Date: 05/30/97 Rev.: 0 RE: BP 02999 2 of 3

# 3.2 CAUTION SIGNS

A. Install caution signs on metal posts at 100 foot intervals (at a minimum per side) along the perimeter of the basins. Metal posts shall be driven and the sign securely bolted to the posts.

#### 3.3 RING BUOYS

A. Provide ring buoys and 90 feet of line at maximum 200 foot intervals around the perimeter of each sediment trap and sediment basin. Buoys and line shall be hung on metal or wood posts. The buoys shall be installed at approximately four feet above grade. Inspect each ring buoy for defects or damage. Repair or replace any damaged buoys.

#### 3.4 GENERAL

A. All signs, construction fence, posts, and buoys associated with the retention basin shall remain the property of FDF and shall remain on site.

END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\02999

Date: 05/30/97 02999 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: BP 3 of 3 SCEP/165/SWU/SITE

08/27 4:37

U.S DEPARTMENT OF ENERGY

# FERNALD ENVIRONMENTAL MANAGEMENT PROJECT

Subcontract No. FSC607

# WASTE UNITS REMEDIATION PROJECT SOUTHERN WASTE UNITS TECHNICAL SPECIFICATIONS

Division 3

**PARSONS** 

Prepared by:

Franklin M. Parton fr

8/27/97 Date

Checked by:

Lennt FGund JR

*27/97* Date

FRANKLIN

PARTON, JR.

NO. E-57614

GISTERES

Date: 08/26/97 Rev.: 1 RE: WM 03000

# SECTION 03001 CONCRETE

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Concrete work for wheel wash pad, manhole bases, electrical switch gear pad extension, electrical service panel rack pad, duct banks, miscellaneous guard posts, fence post bases, and other miscellaneous concrete.
- B. Formwork and accessories.
- C. Reinforcement and accessories.
- D. Cast-in-place concrete and accessories.
- E. Finishing and curing.
- F. Sampling and testing of concrete work.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02200 Non-impacted Material Earthwork.
- D. Section 02667 Drinking Water Lines.
- E. Section 16118 Underground Ductbanks.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: I RE: BP 1 of 11 SCEP/165/SWU/SITE

# 1.4 REFERENCES

4 REFERENCES				
Α.	. Ar	nerican	Concrete In	nstitute (ACI):
	1.	. ACI	301-96	Specifications for Structural
				Concrete for Buildings.
	2.	. ACI	305R-91	Hot Weather Concreting.
	3 .	. ACI	306R-88	Cold Weather Concreting.
	4 .	. ACI	318/318	Building Code Requirements for
		R95	5	-Structural-Concrete-(ACI-318-95)
				and Commentary (ACI 318R-95).
	5 .	. ACI	SP-66-94	ACI Detailing Manual.
В.	. Ar	merican	Society for	Testing and Materials (ASTM):
	1.	. ASTN	M A185-94	
				for Concrete Reinforcement.
	2.		M A615-	Deformed and Plain Billet-Steel
		A615	5M-Rev A-96	Bars for Concrete Reinforcement.
	3 .	. AST	M C31/	Standard Practice for Making and
		C31N	M-96	Curing Concrete Test Specimens in
				the Field.
	4 .	. ASTI	M C33-93	Concrete Aggregates.
	5 .	. ASTI	M C39-96	Standard Test Method for
				Compressive Strength of Cylindrical
				Concrete Specimens.
	6.	. AST	M C94-96	Ready Mixed Concrete.
	7.		M C109/	Standard Test Method for
		C109	9 <b>M-</b> 95	Compressive Strength of Hydraulic
				Cement Mortars.
	8.		M C143-	Standard Test Method for Slump
			. A-90	of Hydraulic Cement Concrete.
	9		M C150-96	Portland Cement.
	10	O. ASTI	M C157-93	Standard Test Method for Length
				Change of Hardened Hydraulic Cement
				Mortar and Concrete (AASHTO T160).
	13		M C231-	Standard Test Method for Air
		Rev	B-91	Content of Freshly Mixed Concrete
				by the Pressure Method.
	12	2. ASTI	M C260-95	Air-Entraining Admixtures for
				Concrete.
	13	3. ASTI	M C309-95	Liquid Membrane-Forming Compounds
				for Curing Concrete.

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 2 of 11 SCEP/165/SWU/SITE

14. ASTM C494-92 Chemical Admixtures for Concrete.

15. ASTM C882-91 Standard Test for Bond Strength of

Epoxy-Resin Systems Used with

Concrete by Slant Shear.

16. ASTM C920-95 Elastomeric Joint Sealants.

C. U. S. Department Of Commerce, Voluntary Products

Standards (PS):

1. PS 1-83

Plywood.

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011 and by Part 6 of the contract documents.
- Product Data: Concrete mix designs, including documentation of aggregate sources and most recent sieve analysis. Sieve analyses must not be older than 1 year.
- ©. Concrete Supplier: Name and address of the transit-mix concrete supplier. Supply typical batch ticket and history per ASTM C94.
- Test Reports: Test reports for all tests required under Article 3.3.A.
- Placement Records: Records of time, dates, and locations of concrete placing operations upon completion of section work.
- Reinforcing Placement: Provide reinforcement fabrication drawings showing placement of all reinforcing, inserts, sleeves, etc.

#### 1.6 TECHNICAL CLARIFICATION

- A. ACI 301: References are made to ACI 301 to abbreviate text of this section. Only those portions of ACI 301 referred to specifically in this section shall apply.
- B. Amend Subparagraph 1.3.1 of ACI 301 to change the following titles to read (wherever they occur in ACI 301):

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 3 of 11 SCEP/165/SWU/SITE

ACI 301 Architect/Engineer Owner Change to Read PARSONS FDF

- C. Formwork shall be in accordance with Chapter 4 of ACI 301 unless specified otherwise in this section.
- D. Perform concrete reinforcing work in accordance with Chapter-5-of-ACI-301, unless-specified-otherwise-in-this section.
- E. Perform cast-in-place concrete work in accordance with Chapters 7, 8, 10, 11, and 12 in ACI 301, unless specified otherwise in this section.

## 1.7 DELIVERY, STORAGE, AND HANDLING

A. Tags: Reinforcing bar tags shall be made of durable material and marked in a legible manner with waterproof markings; not less than one tag per bundle, attached by wire. Identification tags shall show the grade, number of pieces, size, and mark or length of bars.

#### PART 2 PRODUCTS

The listing of materials suppliers below in no way precludes the Subcontractor from proposing alternate suppliers of any of the materials to be furnished within the scope of this specification. This list of suppliers is intended to identify the type of materials and general quality of those materials that will be included in the Subcontractor's proposal. It is the Subcontractor's responsibility to propose materials that are best suited for this project in combined terms of quality and price.

#### 2.1 MATERIALS

- A. Oil/Water Separator:
  - The Oil/Water Separator shall be a two interconnected chamber precast unit constructed of polymer concrete with a 220 gallon capacity. The unit shall be designed to entrap solids and float oils.

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6

Rev.: I RE: BP 4 of 11 SCEP/165/SWU/SITE

- Four-inch inlet and outlet pipe for connection to 4-inch diameter pipe running to and from the Separator.
- 3. The unit shall be covered with cover plates constructed from 1/4-inch steel diamond plate. The cover plates shall be coated with two carbonic zinc coatings. Cover plates and support channels shall be designed to support slow speed pneumatic tire vehicle loadings of twenty tons gvt (gross vehicle weight) and five tons single wheel load. Cover plates shall be provided with a handle, ring, or other means of facilitating the removal of the plate to allow cleaning of the unit.
- B. Plywood Forms: Not less than 5/8-inch thick, 5-ply Douglas fir plywood conforming to PS 1, and as manufactured by a member of the American Plywood Association; B-B Plyform, Class I, Exterior-APA, with plyform faces sanded and oiled.
- C. Prefabricated Type Forms: Matched, tight fitting, stiffened to support weight of concrete.
- D. Form Release Agent: Colorless mineral oil which will not stain concrete or impair natural bonding characteristics of subsequent coatings.
- E. Reinforcing Steel: ASTM A615, 60 ksi yield grade; deformed billet steel bars; plain finish.
- F. Welded Steel, Wire Fabric: ASTM A185, plain type welded wire fabric.
- G. Tie Wire: Minimum 16-gage annealed type wire.
- H. Chairs, Bolsters, Bar Supports, Spacers: Sized and shaped for strength and support of reinforcement during concrete placement conditions.
- I. Fabrication: Fabricate concrete reinforcing in accordance with ACI SP-66 and Chapter 7 and 12 of ACI 318.

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 5 of 11 SCEP/165/SWU/SITE

J. Cement: Normal, Portland cement, conforming to requirements of ASTM C150, Type I.

# K. Admixtures:

- 1. Air Entrainment: Conforming to ASTM C260.
- 2. Water Reducing and Retarding: Conforming to requirements of ASTM C494.

# L. Aggregates:

- 1. Normal Weight Concrete: Conforming to requirements of ASTM C33.
- 2. Maximum aggregate size: 1 inch.

#### 2.2 ACCESSORIES

- A. Chamfer Strips: Chamfered, wood strip type; 3/4-inch by 3/4-inch size.
- B. Nails, Spikes, and Anchorages: Sized as required and of sufficient strength and character to maintain formwork in place while placing concrete.
- C. Form Ties: Removable or snap-off type; designed to prevent form deflection; of adjustable length, cone type, with waterproofing washer; and free of defects that could leave holes larger than 1 inch in concrete surface.
- D. Curing Compound: Conforming to the requirements of ASTM C309, clear; must not impair natural bonding characteristics of subsequent coatings.
- E. Joint Sealer: Elastomeric joint sealant conforming to ASTM C920; Type S or Type M, Grade P, Class 25.
  - 1. Acceptable products and suppliers (or equal):
    - a. Sikadur 51 SL, by Sika Corp.
    - b. Sonolastic SL-1, by Sonneborn Building Products.
- F. Patching Grout: Premixed, nonshrink epoxy grout, capable of developing minimum compressive strength of 3,000 psi in 24 hours, conforming to ASTM C109. The grout must not shrink or expand more than 5 percent

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 6 of 11 SCEP/165/SWU/SITE

when tested in accordance with ASTM C157 and achieve a minimum bond strength of 1,200 psi in 24 hours when tested in accordance with ASTM C882.

G. Waterstops: Polyvinyl chloride, minimum 1,750 psi tensile strength, minimum 50 degrees F to plus 175 degrees F. Working temperature range, preformed corners, with heat-welded jointing.

#### 2.3 CONCRETE

11 美国第二人

- A. Mix Proportions:
  - The following mix designs shall be used for castin-place concrete.
    - a. Slabs

Specified Strength (28 days) 4,000 psi Total Air Content:  $5 \pm 1-1/2$ 

percent

Specified Slump: 4 inches  $\pm$  1

inch

Maximum Aggregate Size: 1 inch

Maximum Water/Cement Ratio: 0.35 (per ACI

318, Section

5.4)

Water Reducing and retarding admixtures as required per ASTM C494.

b. Ductbank

Specified Strength (28 days) 2,500 psi Specified Slump: 6 inches ± 1-

1/2

Max. Aggregate Size 3/8 inch

Max. Water/Cement Ratio 0.80

c. Fence posts, guard posts, and other

miscellaneous concrete

Specified Strength (28 days) 3,000 psi

Total Air Content:

 $5 \pm 1-1/2$  percent

Specified Slump: 3 inches ±

1-1/2

Maximum Aggregate Size: 1-1/2 inches

Maximum Water/Cement Ratio: 0.55

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 7 of 11 SCEP/165/SWU/SITE

- The work has been designed for concrete having a 2. minimum compressive strength at 28 days as determined by ASTM C39. The water/cement ratio shall be determined by consideration of the specified strength, the water-reducing admixtures, the slump required for proper placement, air entraining requirements, the maximum allowable aggregate size and its specific gravity, the fineness-modulus-of-the-fine-aggregate-and-itsspecific gravity, and the amount of water carried on the aggregates. The mix designs shall be proportioned in accordance with ACI 318, Section 5.3 or Section 5.4.
- Provide all equipment necessary to determine and 3. control the actual proportions of materials entering the batch. Slumps shall be recorded for each trial batch.
- In calculating the total water content Water Content: В. in any mix, the amount of water carried on the aggregate shall be included. The water on the aggregate shall be determined periodically by test, and the amount of free water on the aggregate shall be subtracted from the water allowed in the mix. cases, the amount of water to be used shall be the minimum amount required to produce a plastic mixture of the specified strength and slump.
- C. Mixing and Delivery: Mixing and delivery of concrete shall be scheduled so that all concrete placing operations can be completed within 1-1/2 hours or before the drum has revolved 300 revolutions, whichever comes first, after introduction of mixing water to cement and aggregates, in accordance with Section 11 of ASTM C94. When air temperature has fallen to or is expected to fall below 40 degrees F, the recommendations for cold weather concreting contained in ACI 306R shall be followed. When the air temperature exceeds 90 degrees F, the recommendations for hot weather concreting contained in ACI 305R shall be followed.

03001 WBS No: 1.1.1.1.2.3.6 Date: 08/26/97

8 of 11 SCEP/165/SWU/SITE Rev.:

## PART 3 EXECUTION

#### 3.1 FORMWORK PREPARATION

- A. Erect formwork and bracing to achieve design requirements in accordance with requirements of Chapter 4 of ACI 301.
  - 1. Provide bracing to ensure stability of formwork.
  - 2. Align joints and make watertight. Keep number of form joints to a minimum.
  - 3. Provide chamfer strips on external corners of permanently exposed edges.
  - 4. Shore or strengthen formwork subject to overstressing by construction loads.
- B. Application Form Release Agent: Apply form release agent on formwork in accordance with manufacturer's instructions.
  - Apply prior to placement of reinforcing steel, anchoring devices, and embedded items.
  - 2. Keep surfaces coated prior to placement of concrete.
- C. Form Cleaning: Clean and remove foreign matter within forms as erection proceeds.
  - 1. Clean formed cavities of debris prior to placing concrete.
  - 2. Flush with water or vacuum to remove remaining foreign matter.
  - 3. Ensure that water and debris drain to exterior.
  - 4. During cold weather, remove ice and snow from within forms. Do not use de-icing salts or water to clean out forms.
- D. Tolerances: Construct formwork to maintain tolerances required by ACI 301, Section 4.3.
- E. Form Removal: Forms or bracing shall not be removed until concrete has gained sufficient strength to carry its own weight and imposed loads.
  - Loosen forms carefully.
  - Do not wedge with pry bars, hammers, or tools against finished concrete surfaces.

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 9 of 11 SCEP/165/SWU/SITE

#### 3.2 ERECTION/INSTALLATION/APPLICATION

- A. Place, support, and secure reinforcement against displacement. Do not deviate from required position.
- B. Maintain concrete cover around reinforcing according to the requirements of Chapter 5 of ACI 301, Chapter 7 of ACI 318, and as shown on construction drawings.
- C. Provide formed openings where required for work to be embedded in concrete.
- D. Coordinate work of other sections in forming and setting openings, slots, recesses, sleeves, bolts, anchors, and other inserts.
- E. Install concrete accessories straight, level, and plumb, or as called out on the construction drawings in accordance with manufacturer's instructions.
- F. Place concrete continuously between forms or other limits indicated on the construction drawings.
  - Place concrete in accordance with Chapter 8 of ACI 301 and Chapter 5 of ACI 318.
  - 2. Ensure that reinforcement and forms are not disturbed during concrete placement.
- H. Maintain records of concrete placement. Record date, location, quantity, air temperature, and test samples taken.

#### 3.3 TESTING

- A. Testing: Field tests (take slumps, air, and cylinders) and laboratory tests shall be performed on specimens. Concrete testing shall be performed in accordance with Chapter 16 of ACI 301 for each 50 cubic yards, or fraction thereof, of each mix design placed in any 1 day.
  - 1. Slump Tests: ASTM C143. One sample for each strength test.
  - 2. Air Content Tests: ASTM C231. One sample for each strength test.

Date: 08/26/97 03001 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: BP 10 of 11 SCEP/165/SWU/SITE

- 3. Test Cylinders: ASTM C31. One set of three cylinders for above quantities.
- 4. Compressive Strength: ASTM C39. One specimen tested at 7 days and two specimens tested at 28 days.

#### 3.4 PROTECTION

- A. Provide concrete curing and protection in accordance with Chapter 12 of ACI 301.
  - Apply slab curing compound, where used, in accordance with the approved manufacturer's recommendations.
- B. Provide finishes for formed concrete surfaces as defined in Chapter 10 of ACI 301.
- C. Provide finishes and tolerances for slabs in accordance with Chapter 11 of ACI 301.
  - 1. Provide troweled finish with Class A tolerance on all exposed slabs.

#### END OF SECTION

#### OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\03001

Date: 08/26/97 Rev.: 1 RE: BP 03001 11 of 11

#### U.S DEPARTMENT OF ENERGY



# FERNALD ENVIRONMENTAL MANAGEMENT PROJECT

Subcontract No. FSC607

# WASTE UNITS REMEDIATION PROJECT SOUTHERN WASTE UNITS TECHNICAL SPECIFICATIONS

Division 13

**PARSONS** 

Prepared by:

8.W. Carlon

8-25-97 Date

Checked by:

Sal ship

8/25/97

Date

CARLSON, JR. & BOOM ON THE STATE OF ON JR. OSCAR

W. CARLSON, JR. & BOOM ON THE STATE OF ON JR. OSCAR

W. CARLSON, JR. & BOOM ON THE STATE OF ON JR. OSCAR

W. CARLSON, JR. & BOOM ON THE STATE OF ON JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCAR

W. CARLSON, JR. OSCA

Date:

08/26/97

Rev.:

RE: WM

13000

WBS No: 1.1.1.2.3.6

SCEP/165/SWU/SITE

# SECTION 13125 MODULAR RADIOLOGICAL CONTROL FACILITY

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Duplex System (One Required): A personnel radiological control facility composed of two nominal 14 feet by 60 feet interconnected modular units combining separate men's and women's locker rooms, each consisting of locker area, emergency showers, sinks, and a common break room.

  Interior ceiling height to be 8 feet 0 inches minimum. The duplex facility will consist of designed and shop fabricated and fire-resistant modular trailer units.
- B. Mechanical and electrical requirements. Electrical requirements herein are for modular radiological control facility only. Where these requirements conflict with those of other specification sections, the requirements of this section govern for the modular radiological control facility only.
- C. Fire and evacuation alarm system requirements.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02100 Site Preparation.
- D. Section 02200 Non Impacted Material Earthwork.
- E. Section 16050 Basic Electrical Materials and Methods.
- F. Section 16170 Grounding and Bonding.
- G. Section 16855 Heating Cables.

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 1 of 13 SCEP/165/SWU/SITE

#### 1.3 REFERENCE DRAWINGS

- A. SKA04502, Duplex Manufactured Trailer, Floor Plan (See Attachment A).
- B. 44X-5500-E-00210, Radiological Control Unit Facilities, 2-Plex and 4-Plex Electrical Single Line and Grounding (See Attachment B).
- C. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. Conform to the OBBC and local building code. Where Hamilton County code requirements vary from the OBBC, the Hamilton County code shall govern.
- B. Cooperate with regulatory agency or authority and provide data as requested.
- C. National Fire Protection Association (NFPA):
  - 1. NFPA 70 National Electrical Code, 1996 Edition.
  - 2. NFPA 72-93 National Fire Alarm Code.
- D. Underwriter's Laboratories, Inc. (UL):
  - 1. Electrical Construction Materials Directory 96.
- E. American Society for Testing and Materials (ASTM):
  - 1. E84 Rev-A-97 Standard Test Method for Surface
    Burning Characteristics of Building
    Materials
- F. Sheet Metal and Air Conditioning Contractors National Association, Inc. (SMACNA)

#### 1.5 SYSTEM DESCRIPTION

- A. Design Requirements Structural
  - System and components to withstand dead loads, live loads, snow load, and wind load calculated in

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 2 of 13 SCEP/165/SWU/SITE

accordance with the Ohio Basic Building Code, OBBC. Design constants shall be as follows:

- a. Ground Snow Load (Pg): 25 psf
- b. Snow Exposure Factor (C<sub>c</sub>): 0.7
- c. Importance Factor (I): 1.0
- d. Effective Velocity Pressure (P<sub>c</sub>): 20 psf (80 mph basic wind speed, Exposure C)
- e. Floor Live Load: 50 psf
- 2. Provide drainage to exterior for water entering or condensation occurring within wall or roof system.
- 3. Assembly to permit movement of components without buckling, failure of joint seals, undue stress on fasteners or other detrimental effects.
- 4. Size and fabricate wall and roof systems free of distortion or defects detrimental to appearance or performance.
- B. Design Requirements Mechanical
  - Thermal resistance of Wall System: R value of 11 minimum.
  - Thermal Resistance of Roof System: R value of 30 minimum.
  - 3. Thermal Resistance of Floor System: R value of 19 minimum.
  - 4. Heating & Cooling: Air source wall mount heat pumps, 48,000 Btu/hr. capacity per unit, one for each 14 feet by 60 feet module. Each heat pump to be equipped with supplemental electric resistance heaters, 15 kW @ 480 V, balanced across the 3 phases (5 kW each).
  - 5. Ductwork: Design in accordance to the methods given by the American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE). Fabricate in accordance with methods given in the Sheet Metal and Air Conditioning Contractors (SMACNA) Manuals.
  - 6. Plumbing: Design cold potable water, hot water, and sanitary systems in accordance with OBBC. Sanitary (grey) water from the emergency showers and sinks shall be collected in hold tanks located beneath the trailer facility. The tanks shall be configured to provide a total storage capacity of 1,000 gallons. Prior to

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 3 of 13 SCEP/165/SWU/SITE

placing the tanks beneath the trailer facility, the site shall be leveled and pressure-treated plywood shall be placed on the ground with electric heat pads provided beneath the hold tanks. The tanks shall be interconnected with a discharge pipe located so as to protrude through the trailer skirting. Tanks and pipe shall be insulated using a minimum R-13 insulating material.

Fire Protection: Minimum of one (1) ten (10) lb. size "ABC" type fire extinguisher at each exterior door.

#### c. Design Requirements - Electrical

- Electrical work shall be designed and installed in accordance with NFPA 70 and drawing 44X-5500-E-00210 (Attachment B).
- Electrical equipment shall be listed for the purpose 2. specified and indicated according to Underwriter's Laboratories (UL) Electrical Construction Materials Directory.
- 3. The HVAC and water heaters are to be 480 V, 3-Phase. The lights and the remaining electrical requirements are to be served from the 208/120 V, 3-Phase, 4-Wire panel.
- A separate 208/120 V, 3-Phase, 60 Hz panel shall be furnished and mounted outside each modular section in a NEMA 3R enclosure.
- The panel shall have a 100 amp main breaker minimum. 5.
- The panels shall be mounted on the same end of the 6. trailer as the HVAC unit.
- 7. Wire: Use copper insulated wire in electrical circuits. Minimum wire size shall be 12 gauge unless noted otherwise.
- 8. Conduit: Electrical wiring to be installed in EMT Minimum size to be 1/2 inch conduit. separate green grounding wire shall be installed. conduit runs shall be used for equipment grounding.
- Receptacle circuits are to be rated at 20 amps. 9. Receptacle and light switches shall be labeled identifying the appropriate circuit breaker and shall have fixed labels to identify serviced circuits.

Date: 08/26/97 Rev.:

RE: WM 13125 4 of 13

- Provide dedicated circuits for PCMs, fire and evacuation alarm systems, and storage tank heat pads.
- 10. 480 V, 3-Phase equipment shall be wired to a fused safety switch located on the same end of the trailer as the panel. Appropriate size fuses shall be installed.
- 11. Exit Signs: Install low energy consumption solid state, LED, exit signs with battery back-up at exits.
- 12. Emergency Lights: Provide emergency egress lighting with battery back-up to illuminate the paths to exits.
- 13. A lighting level of 60 footcandles shall be provided at a height of three feet above the floor.
- 14. Lighting shall be controlled by switches, not breakers.
- 15. General interior lighting shall be 4 feet 0 inches double tube surface fluorescent (T8) fixtures each with diffusers, electronic ballast and lights. Other interior and exterior lighting shall be incandescent.
- 16. Provide one (1) 50 watt high pressure sodium light fixture with photo cell and light, outside of each exterior door. Teron Catalog No. CA50 or equal.
- 17. Electrical outlets at porter's closet and external receptacles within 6 feet of sink serving counter top surfaces shall be GFCI type.
- 18. Telephone: Each modular complex shall be equipped with a minimum of four (4) telephone outlets. Telephone raceways are to be 3/4 inch EMT conduits. Run conduit from each outlet to central junction box at the front of the trailer. Locate outlets per attached engineering sketches.
- 19. Telephone/communication junction boxes are to be located on the same end of the trailer sections which comprise the complex and shall be surface mounted. Exterior junction boxes shall be rated NEMA 3R minimum and shall be mounted with taps to accommodate two (2) inch conduits.
- 20. Telephone/communication outlets shall be provided with a blank ivory cover plate for single outlet box (wire and receptacle to be supplied by telephone company, minimum four (4) telephone outlets per modular complex).
- 21. Electrical outlet devices shall be ivory with ivory cover plates.

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 5 of 13 SCEP/165/SWU/SITE

- 22. Grounding: Trailer frame and metallic sheathing shall be grounded to breaker panel.
- 23. High water level alarm for water hold tanks. The alarm will be equipped with a warning light and audible alarm.
- D. Design Requirements Fire and Evacuation Alarm
  - 1. Fire Alarm System: NFPA 72, manual and automatic local fire alarm system with connections to the central fire alarm equipment.
  - 2. Install fire and evacuation alarm equipment specified herein and indicated on sketch SKA04502. Honeywell, FDF's alarm systems Subcontractor, will make final terminations and perform acceptance testing of the new panel.

#### 1.6 SUBMITTALS

13.

- A. Provide submittals as required by Section 01011 and Part 6 of the Contract Documents.
- Submit complete set of shop drawings within two (2) weeks of Contract award. Submit twelve (12) copies and one (1) reproducible.
- C. Indicate recommended location of structural supports.
- D. Indicate the number and location of intermediate support columns.
- E. Indicate wall and roof system dimensions and general construction details.
- F. Indicate number and location of downspouts.
- G. Indicate tie-down requirements for wind loads.
- H. Product Data: Provide data on mechanical components.
- I. Manufacturer's Installation Instructions: Indicate preparation requirements and assembly sequence.

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 6 of 13 SCEP/165/SWU/SITE

# 1.7 QUALITY ASSURANCE

A. Manufacturer: Company specializing in manufacturing the products specified in this Section with a minimum ten (10) years experience.

#### 1.8 WARRANTY

- A. Provide five-year warranty.
- B. Warranty: Include coverage for exterior pre-finished surfaces to cover pre-finished color coat against chipping, cracking or crazing, blistering, peeling, chalking, or fading.
- C. Guarantee that mating modular sections are capable of weather-tight field fit-up.

#### PART 2 PRODUCTS

#### 2.1 MANUFACTURERS - BUILDING SYSTEM

- A. Manufactured Structures Corporation, System OBBC Model 1464.
- B. Other acceptable manufacturers offering equivalent systems.

#### 2.2 MATERIALS - MODULAR UNITS

- A. Materials Architectural/Structural
  - 1. Framing: Steel I beam with cross member outrigger.
  - 2. Under-floor Bottom Plate: Manufacturer's standard.
  - 3. Floor Underlayment: 3/4-inch plywood, pressure treated. Fire-resistant treated for all wood products.
  - 4. Walls: Stud framing with gypsum board interior.
  - 5. Insulation: Batt glass fiber type, faced with reinforced foil, friction fit.
  - 6. Roofing: Galvanized steel, 30 ga.
  - 7. Ceiling: 1/2-inch vinyl coated gypsum, Group 2 vinyl weight. (Class 1 flame spread with rosettes)

Date: 08/26/97 13125 W Rev.: 1 RE: WM 7 of 13

- 8. Exterior Siding: Manufacturer's standard corrugated aluminum.
- 9. Skirting: Manufacturer's standard corrugated aluminum.
- 10. Interior Wall Covering: 1/2-inch vinyl coated gypsum, Group 2 vinyl weight. Exposed surface shall have been tested by a recognized testing lab, as having a flame spread rating not to exceed 25 and single developed rating not in excess of 50 per ASTM E 84.
- 11. Flooring: Commercial grade sheet vinyl.
- 12. Doors, Exterior: Hollow Metal type, 36 inches by 80 inches, 16 gauge, insulated, glass side light, door closer, shop primed and finish painted. Keyed lock-set to accept "Best" core.
- 13. Doors, Interior: Hollow Metal type Wood solid core, 36 inches by 80 inches, 16 gauge, 24-inch square door grill, passage-set.
- 14. Windows: Manufacturer's standard horizontal slider with insect screen where required by building code. Translucent glass in locker, shower or sink areas.
- 15. Gutters & Downspouts: Fabricate of same material and finish as siding metal.

#### B. Materials - HVAC

- 1. Heat Pump: 48,000 Btuh cooling, 15 kW heating, wall mounted self-contained air cooled, with hermetic reciprocating compressor, crankcase heater, and pressure service ports on refrigerant piping to evaporator and condenser. Adjustable outside air intake and return air through wall grille with two inch cleanable media filter. Thermostat to be programmable located five feet above floor in clean area.
- 2. Ductwork: Galvanized steel, fabricated and installed per SMACNA. Insulated with two inch fiberglass having vapor barrier. Flexible joint at HVAC unit outlet. Ceiling diffusers to be white enamel aluminum with adjustable dampers.
- 3. Exhaust Fans: 300 CFM ceiling mount with roof cap in each shower room and break room. Fans in shower areas, aluminum or plastic for corrosion resistance. Fans interlocked with light switch.

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 8 of 13 SCEP/165/SWU/SITE

## C. Materials - Plumbing

- 1. Showers: Heavy gauge steel with baked enamel finish, 32-inch square nominal, center drain with tempered glass door in aluminum frame. The shower must be drained through a filtration system with a minimum of a 5 micron final filter to remove asbestos.
- Water Heater: Electric 120 gallon storage type, 480 V-3 phase, 162 gallon per hour recovery, ASME tank 300 psig hydrostatic tested, glass lined tank with anode rods and ASME pressure-temperature relief valves.
- 3. Shower Supply: Fixed spray shower head with 3 gpm maximum flow, single lever thermostatic mixing valve.
- 4. Faucets: Centerset with gooseneck spout and aerator, 4-inch wrist action handles.
- 5. Waste and Vent Piping: ABS DWV with solvent welded joints. Each unit to have waste lines manifolded to one outlet.
- 6. Water Piping: Type "L" copper with soldered sweat fittings manifolded to one inlet. Solder shall contain no lead.
- 7. Fixture Traps and Drains: Chromium plated brass traps with screen inlet drains in lavatories. Shower drains, PVC or ABS with screen inlet. Provide adapters for dissimilar materials where required.
- 8. Hold Tanks: Polyethylene holding tanks interconnected so as to provide a total storage capacity of 1,000 gallons. Interconnecting and discharge pipe to be 3-inch PVC. Discharge pipe will protrude through trailer skirting. Insulate tanks and pipe with a minimum R-13 insulating material. Level tank base under trailers and install pressure-treated plywood and heat pads prior to installing tanks. Install level alarm with audible alarm and warning light.

#### D. Materials - Fire and Evacuation Alarm

- Fire Alarm Circuit Conductors: 18/2 wire; Initiating device insulation color coded red and yellow; Signal device circuit insulation color coded brown and yellow.
- Wiring (Safety Devices): Fire Alarm Horns/Strobes -18/2 yellow/brown wire; All Input Zones - 18/2 yellow/red wire.

Date: 08/26/97 13125 WBS No: 1.1.1.2.3.6 Rev.: 1 RE: WM 9 of 13 SCEP/165/SWU/SITE

- 3. Smoke Detectors: Ionization type; Honeywell TC805C or approved equal.
- 4. Heat Detectors: Combination rate-of-rise and fixed temperature; Honeywell T4057A (135 degrees F setting and 15 degrees F per minute rate-of-rise) or approved equal.
- 5. Manual Pull Stations: Honeywell S464A or approved equal.
- 6. Horn with Strobe: Flush/Surface mounted, audio/visual type with strobe; Honeywell SC716B1001 or approved equal.
- 7. End of Line Resistors: 1.9 K ohms.
- 8. Motorola Monitor II Pager with charger amplifier: Motorola's HOYUMC3112, HOYUMC3122, and NLN3039A or approved equal.
- 9. Fire Alarm Panel: Honeywell FS 90 or approved equal.
- 10. Lightning Protectors shall be used on fire alarm branch circuits or evacuation branch circuits when entering or leaving facility.

#### E. Materials - Accessories

- Lockers: Enamel finish sheet steel, double tier type,
   inches wide by 15 inches deep by 72 inches high.
- Fire Extinguisher: 10 lb. capacity, ABC type, one mounted at each exit door.
- 3. Tables (2 required.): Metal frame with metal legs, 30 inches by 72 inches, laminated plastic, "Formica" or hardboard top.
- 4. Chairs (16 required.): Metal frame, stackable type.
- 5. Towel Bins: Sheet metal with enamel finish, 3 cubic feet minimum capacity.
- 6. Hand/Hair Dryers: Surface mount, cast iron with porcelain enameled finish, 115V, 20 amp. McMaster-Carr #2876k71 or equal.
- 7. Anti-C Storage Cabinets: Minimum 22 gauge metal with enamel finish, 36 inches wide by 18 inches deep by 72 inches high, 5 or 6 shelves.
- 8. Locker Room Benches: Lengths as indicated on Drawings. Benches anchored to floor.
- 9. Counter Tops: Laminated plastic "Formica" top finish.

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 10 of 13 SCEP/165/SWU/SITE

- 10. Soap Dispenser (One per sink): McMaster-Carr #2379K32 or equal.
- 11. Paper Towel Dispensers (One per each sink grouping): 22 gauge steel minimum.
- 12. Coat & Hat Wall Racks (Two per break room): Two shelf type, aluminum tubing construction, 72 inches long, McMaster-Carr #4711T31 or equal.
- 13. Coat & Hat Wall Hooks (Four units per monitoring room): Horizontal type, chrome plated steel, with 6 each double hooks per 36 inches long unit.
- 14. Mirrors (One per sink): 1/4-inch plate glass, stainless steel frame.
- 15. PCMs: Furnished by FDF.
- 16. Friskers: Furnished by FDF.
- 17. Card Readers: Furnished by FDF.
- 18. Hand & Foot Monitors: Furnished by FDF.
- 19. Waste Drums: Furnished by FDF.
- 20. Stairs with hand railings are to be provided at entrances/exits from the trailers. The landings shall be level and at the same elevation as the doorways. Steps are to be a minimum 44 inches long with a minimum tread depth of 11 inches. The stair landings and steps shall have permanent, non-skid walking surfaces and will be securely arranged to resist movement.

#### **FINISHES** 2.3

- Framing Members: Clean, prepare, and coat with black Α. asphalt undercoating, 3 mil minimum thickness.
- Exterior Surfaces of Wall Components and Accessories: В. Precoated enamel on aluminum, color as selected from manufacturer's standard range.
- C. Vinyl Sheet Flooring: Color and pattern as selected from flooring manufacturer's standard range.

Date: Rev.:

08/26/97

WM

13125 11 of 13 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

#### PART 3 EXECUTION

#### 3.1 INSTALLATION

- A. Install the modular radiological control facility trailer to be ready for use when first needed to avoid delays in the work.
- B. Install the modular radiological control facility trailer at the designated location indicated on the plans. Set and level the trailer on concrete block piers in accordance with the trailer manufacturer's requirements. Anchor the trailer to prevent rollover, slipping, etc. during high winds. Set and level stairs and landings to minimize tripping hazards. Provide locking entrances to prevent unauthorized entry.
- C. Equipment connections and other necessary work within new Data Gathering Panel (DGP) shall be coordinated with FDF's fire alarm service company (Honeywell) at the direction of FDF. Subcontractor shall arrange and pay for the services of the fire alarm service company for performing necessary DGP work.
- D. Use 18 AWG minimum size conductors for fire alarm detection and signal circuit conductors. Install wiring in EMT conduit.
- E. Check that fire alarm detection end-of-lines device are with last device or in a separate box adjacent to last device in circuit.
- F. Connect new DGP to four pairs from the new phone service.

#### 3.2 FIELD QUALITY CONTROL

A. Test fire and evacuation alarm system in accordance with NFPA 72H and local fire department requirements. Tests to be witnessed by FDF QA and FDF Fire Protection.

Demonstrate normal and abnormal modes of operation, and required responses to each.

Date: 08/26/97 13125 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 12 of 13 SCEP/165/SWU/SITE

#### 3.3 UTILITIES/SERVICING

- A. Install temporary utility services or make connections to existing services provided by FDF.
- B. Grey water hold tanks shall be periodically emptied (when indicated by the high water level alarm) and will be coordinated with FDF on the disposition of the water.

#### 3.4 TERMINATION/RELEASE

A. At completion of site preparation activities, restore trailer and contents to prework conditions. Housekeeping and repairs/replacements will be done to the satisfaction of FDF. When authorized by FDF, release the modular radiological control facility to FDF, including office equipment and interior components.

END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\13125.RV1

8/27/97 3:01 pm

Date: Rev.: 08/26/97 1 RE:

E: WM

13125 13 of 13 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

# **ATTACHMENT A**

SKETCH SKA04502

Date: Rev.: 08/26/97 1 RE:

WM

13125

WBS No: 1.1.1.1.2.3.6


SCEP/165/SWU/SITE

# **ATTACHMENT B**

DRAWING 44X-5500-E-00210

Date: 08/26/97 Rev.: 1 RE: 1

WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE 13125



# SECTION 13126 MODULAR FIELD OFFICE FACILITY

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Duplex System (One Required): A field office facility composed of a single modular unit two nominal 14 feet x 76 feet interconnected modular units. The facility will shall meet the requirements of an ODOT Type C field office trailer with a minimum of 1000 sq. ft. of floor space will be partitioned off (with lockable door) for use by FDF Construction Manager. An additional 400 sq. ft. of open work space will be provided for use by FDF Construction personnel. The single duplex facility will consist of designed and shop fabricated, and fire-resistant modular trailer units.
- B. Mechanical and electrical requirements. Electrical requirements herein are for modular field office facility only. Where these requirements conflict with those of other specification sections the requirements of this section govern for the modular field office facility only.
- C. Subcontractor installed fire and evacuation alarm system requirements.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals.
- C. Section 02100 Site Preparation.
- D. Section 02200 Non Impacted Material Earthwork.
- E. Section 13125 Modular Radiological Control Facility.
- E. Section 16050 Basic Electrical Materials and Methods.
- Section 16170 Grounding and Bonding.

Date: 08/26/97 Rev.: 1 RE: WM 13126 1 of 7

#### 1.3 REFERENCE DRAWINGS

- A. SKA04503, Field Office Facility, Fire and Evacuation Alarm System Plan (See Attachment A).
- B. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. Conform to the OBBC and local building code. Where Hamilton County code requirements vary from the OBBC, the Hamilton County code shall govern.
- B. Comply with applicable requirements of NFPA Code 241, "Building Construction and Demolition Operations", the ANSI-A10 Series standards for "Safety Requirements for Construction and Demolition", and the NECA National Joint Guideline NJG-6 "Temporary Job Utilities and Services".
- C. Comply with applicable requirements of NEMA and UL standards and governing regulations.
- D. National Fire Protection Association (NFPA):
  - NFPA 70 National Electrical Code, 1996 Edition.
  - 2. NFPA 72-93 National Fire Alarm Code.
- E. Underwriter's Laboratories, Inc. (UL):
  - Electrical Construction Materials Directory 96.

#### 1.5 SYSTEM DESCRIPTION

- A. Design Requirements Structural
  - Comply with the requirements of the Ohio Basic Building Code governing the construction, installation, and maintenance of temporary modular field office facilities.
- B. Design Requirements Mechanical
  - 1. The facility shall have provisions for maintaining room temperature between 68 degrees and 80 degrees F.
  - The facility shall have restrooms with fixtures as shown on Attachment A. Provide electric hot water heaters and hot and cold water plumbing systems.

Date: 08/26/97 Rev.: 1 RE: WM 13126 2 of 7

Sanitary water shall be collected in hold tanks located beneath the facility. The tanks shall consist of two 250 gallon interconnected tanks with discharge pipe protruding through the trailer skirting. Provide electric heat pads under the tanks and insulation on the tanks and piping for freeze protection.

- Fire Protection: Minimum of one (1) ten (10) lb. size "ABC" type fire extinguisher at each exterior door.
- C. Design Requirements Electrical
  - Electrical work shall be designed and installed in accordance with NFPA 70 and similar to drawing 44X-5500-E-00210 (Attachment B), Section 13125.
  - 2. Electrical equipment shall be listed for the purpose specified and indicated according to the UL Electrical Construction Materials Directory.
  - 3. The HVAC shall be 480 V, 3-Phase. The lights and the remaining electrical requirements are to be served from the 208/120 V 3-Phase 4-Wire panel.
  - 4. A separate 208/120 V panel shall be furnished and mounted outside in a NEMA 3R enclosure.
  - 5. The panel shall have a 100 amp main breaker minimum.
  - 6. Exit Signs: Provide visible exit signs at exits.
  - 7. Telephone: Install telephones in the field office facility. Separate telephone service shall be provided for the FDF construction personnel and for a separate facsimile line. Post a list of operational and emergency telephone numbers.
  - 8. Grounding: Trailer frame, metallic sheathing, and other nonelectrical metal parts, as well as electrical parts shall be grounded through connection to a grounding bus in the modular field office facility distribution panel.
- D. Design Requirements Fire and Evacuation Alarm Subcontractor installed fire and evacuation alarm system meeting the following design requirements:
  - 1. Fire Alarm System: NFPA 72, manual and automatic local fire alarm system with connection to the central fire alarm equipment.
  - 2. Install fire and evacuation alarm equipment specified herein and indicated on sketch SKA04503. Honeywell, FDF's alarm systems Subcontractor, will make final terminations and perform acceptance testing of the new panel.

Date: 08/26/97 13126 WBS No: 1.1.1.1.2.3.6 Rev.: 1 RE: WM 3 of 7 SCEP/165/SWU/SITE

1.3200b

#### 1.6 SUBMITTALS

- A. Indicate recommended location of structural supports.
- B. Indicate tie-down requirements for wind loads.

#### 1.7 QUALITY ASSURANCE

A. Manufacturer: Company specializing in manufacturing the products-specified—in—this—Section—with\_a\_minimum\_ten\_(10)\_ years experience.

#### 1.8 WARRANTY

- A. Provide five-year warranty.
- B. Warranty: Include coverage for exterior pre-finished surfaces to cover pre-finished color coat against chipping, cracking or crazing, blistering, peeling, chalking, or fading.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS - MODULAR UNIT

- A. Materials Architectural
  - 1. Fire Extinguisher: 10 lb. capacity, ABC type.
  - Equip each office and cubicle with:
    - (1) 1 Telephone (on separate line)
    - (2) 1 Desk and Chair Set
    - (3) 1 30 inch by 72 inch Work Table -
    - (4) 1 4-Drawer, Legal Size, Lockable Metal Filing Cabinet.
  - 3. The conference room space shall be provided with:
    - (1) I Telephone
    - (2) 6' x 8' Wall Board
    - (3) 1 3' x 8' (minimum) conference table with 8 chairs
  - 4. One cubicle shall be provided with:
    - (1) 2 Plan Racks
    - (2) 1 Plain Paper Facsimile Machine (on separate line)

Date: 08/26/97 Rev.: 1 RE: WM 13126 4 of 7

- (3) 1 Copier with Automatic Paper Feed Capable of Making Copies up to 11 inches by 17 inches in size
- Provide Base Radio and 4 Hand-held units.
- 6. Stairs with hand railings are to be provided at all entrances/exits from the trailer. The landings shall be level and at the same elevation as the doorways. Steps are to be a minimum 44 inches long with a minimum tread depth of 11 inches. The stair landings and steps shall have permanent, non-skid walking surfaces and will be securely arranged to resist movement.
- B. Materials Fire and Evacuation Alarm
  - 1. Fire Alarm Circuit Conductors: 18/2 wire; Initiating device insulation color coded red and yellow; Signal device circuit insulation color coded brown and yellow.
  - 2. Wiring (Safety Devices): Fire Alarm Horns/Strobes -18/2 yellow/brown wire; All Input Zones - 18/2 yellow/red wire.
  - 3. Smoke Detectors: Ionization type; Honeywell TC805C or approved equal.
  - 4. Heat Detectors: Combination rate-of-rise and fixed temperature; Honeywell T4057A (135 degrees F setting and 15 degrees F per minute rate-of-rise) or approved equal.
  - 5. Manual Pull Stations: Honeywell S464A or approved equal.
  - 6. Horn with Strobe: Flush/Surface mounted, audio/visual type with strobe; Honeywell SC716B1001 or approved equal.
  - 7. End of Line Resistors: 1.9 K ohms.
  - 8. Motorola Monitor II Pager with charger amplifier: Motorola's HOYUMC3112, HOYUMC3122, and NLN3039A or approved equal.
  - 9. Fire Alarm Panel: Honeywell FS 90 or approved equal.
  - 10. Lightning Protectors shall be used on fire alarm branch circuits or evacuation branch circuits when entering or leaving facility.

Date: 08/26/97 Rev.: 1 RE: WM

SELEN NEWS

13126 5 of 7

#### PART 3 EXECUTION

#### 3.1 INSTALLATION

- A. Install the modular field office trailer to be ready for use when first needed to avoid delays in the work.
- B. Install the modular field office trailer at the designated location indicated on the plans. Set and level the trailer on concrete block piers in accordance with the trailer manufacturer's requirements. Anchor the trailer to prevent rollover, slipping, etc. during high winds. Set and level stairs and landings to minimize tripping hazards. Provide locking entrances to prevent unauthorized entry.
- C. Equipment connections and other necessary work within the new Data Gathering Panel (DGP) shall be coordinated with FDF's fire alarm service company (Honeywell) at the direction of FDF. Arrange and pay for the services of the fire alarm service company for performing necessary DGP work.
- D. Use 18 AWG minimum size conductors for fire alarm detection and signal circuit conductors. Install wiring in EMT conduit.
- E. Check that fire alarm detection and end-of-lines device are with last device or in a separate box adjacent to last device in circuit.
- F. Connect new DGP to four pairs from the new phone service.

#### 3.2 FIELD QUALITY CONTROL

A. Test fire and evacuation alarm system in accordance with NFPA 72H and local fire department requirements. Tests to be witnessed by FDF QA and FDF Fire Protection. Demonstrate normal and abnormal modes of operation and required responses to each.

#### 3.3 UTILITIES

A. Install temporary utility services or make connections to existing services provided by FDF.

Date: 08/26/97 Rev.: 1 RE: WM 13126 6 of 7 WBS No: 1.1.1.2.3.6

SCEP/165/SWU/SITE

#### 3.4 TERMINATION/RELEASE

A. At completion of site preparation activities, restore trailer and contents to prework conditions. Housekeeping and repairs/replacements will be done to the satisfaction of FDF. When authorized by FDF, release the modular field office facility to FDF, including office equipment and interior components.

END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\13126

8/27/97 3:25 pm

Date: 08/26/97 Rev.: 1 RE: WM

13126 7 of 7

# **ATTACHMENT A**

**SKETCH SKA04503** 

Date: 08/26/97 Rev.: 1 RE: WM 13126 WBS No: 1.1.1.2.3.6

SCEP/165/SWU/SITE

#### U.S DEPARTMENT OF ENERGY

#### FERNALD ENVIRONMENTAL MANAGEMENT PROJECT

Subcontract No. FSC607

# WASTE UNITS REMEDIATION PROJECT SOUTHERN WASTE UNITS TECHNICAL SPECIFICATIONS

Division 15

**PARSONS** 

Prepared by:

I wor W. Carlson

5-28-97

Date

Checked by:

Sal ah

5/28/97

Date

CARLSON, JR. CARLSON, JR. 60196

W. CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, JR. 60196

CARLSON, J

Date: 05/30/97 Rev.: 0 RE: WM 15000

WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

# SECTION 15060 PIPE, FITTINGS, VALVES, AND ACCESSORIES

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Pipe.
- B. Fabricated piping assemblies.
- C. Fittings.
- D. Valves.
- E. Specialty items.

#### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 02667 Drinking Water Lines.
- D. Section 02668 Transfer Line.
- E. Section 15090 Piping Supports and Anchors.
- F. Section 15250 Insulation.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES, CODES, AND STANDARDS

A. American Society of Mechanical Engineers (ASME):

1. ASME A13.1-81 Scheme for the Identification of Piping Systems (R1993).

Date: 05/30/97 Rev.: 0 RE: KM 15060 1 of 11

1. C. 1. C.

2. ASME B16.5-88 1992 Addenda Pipe Flanges and Flanged Fittings.

3. ASME B16.22-95

Wrought Copper and Copper Alloy Solder Joint Pressure

Fittings.

4. ASME B16.25-92

Buttwelding Ends.

5. ASME B31.3-96

Process Piping.

# B. American Society for Nondestructive Testing (ASNT):

1. ASNT-SNT-TC-1A-92 Personnel Qualifications and Certification Recommended Practice, December 1992 Edition.

C. American Society for Testing and Materials (ASTM):

1. ASTM-A53-96 Standard Specification for Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless.

and Seamless

2. ASTM-A105/ Standard Specification for A105M-96 Carbon Steel Forgings for Pining Applications

Piping Applications.

3. ASTM A126-95 Standard Specification for

Gray Iron Castings for Valves, Flanges, and Pipe Fittings.

4. ASTM A182/

A182M-96

Standard Specification for Forged or Rolled Alloy Steel

Pipe Flanges, Forged Fittings, and Valves and Parts for High-

Temperature Service.

5. ASTM A193/ A193M-Rev. A-96 Standard Specification for Alloy-Steel and Stainless

Steel Bolting Materials for High-Temperature Service.

6. ASTM-A194/

A194M-96

Standard Specification for Carbon and Alloy Steel Nuts

for Bolts for High-Pressure and High-Temperature Service.

7. ASTM-A216/

A216M-93

Standard Specification for Steel Castings, Carbon,

Suitable for Fusion Welding,

for High Temperature Service.

Date: 05/30/97 Rev.: 0 RE: KM 15060 2 of 11 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

8.	ASTM-A234/ A234M Rev. A-96	Standard Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and Elevated Temperatures.
9.	ASTM-A307-94	Standard Specification for Carbon Steel Bolts and Studs, 60,000 Psi Tensile Strength.
10.	ASTM B32-96	Standard Specification for Solder Metal
11.	ASTM B61-93	Standard Specification for Steam or Valve Bronze Castings.
12.	ASTM B62-93	Standard Specification for Composition Bronze or Ounce Metal Castings.
13.	ASTM B88-96	Standard Specification for Seamless Copper Water Tube.
14.	ASTM B828-92	Standard Specification for Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings.

- D. American Welding Society (AWS):

  1. AWS A5.1-91 Carbon Steel Electrodes for Shielded Metal Arc Welding.
- E. Ohio Plumbing Code January 1993.

#### 1.5 SUBMITTALS

- A. Submittals shall be in accordance with Section 01011.
- B. Product Data for pipe, fittings, valves, and accessories.
- C. Shop drawings for shop-fabricated piping assemblies, including spool piece drawings.
- D. Installation, maintenance, and operation instruction manuals for valves and accessories.

Date: 05/30/97 Rev.: 0 RE: KM

English State of the State of t

15060 3 of 11

- E. Certificates of conformance that material and equipment meet specification requirements.
- F. Test procedures for required testing. Test procedures shall include criteria for acceptable performance.
- G. Procedures for repair or replacement of piping failing tests and/or examination.
- H. Pressure test and examination reports.
- I. Welder and examiner qualifications, procedure qualification records, and welding procedure specifications.

#### 1.6 QUALITY ASSURANCE

- A. Except where more stringent requirements are specified or indicated, the work specified herein shall conform to ASME B31.3.
- B. Welding Procedures and Qualifications
  - 1. Fabrication, assembly, and erection shall be in accordance with ASME B31.3.
  - Welder qualifications shall be made available to, and approved by, FDF.
  - 3. Nondestructive testing personnel qualifications shall be in accordance with ASNT SNT-TC-1A.
- C. Inspection, Examination, and Testing
  - Inspection, examination, and testing shall be in accordance with ASME B31.3.
  - 2. FDF shall be given advance written notification prior to any testing.
  - 3. A written report of the examination and testing shall be submitted to FDF following the successful completion of examination and testing.

Date: 05/30/97 Rev.: 0 RE: KM 15060 4 of 11 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

00020%

# 1.7 DELIVERY, STORAGE, AND HANDLING

### A. Packaging

1. Materials shall be cleaned to remove chips, slag, weld spatter, oil, grease, debris, and other foreign material prior to packaging for shipment. Openings shall be covered, capped, or plugged to prevent damage and the ingress of foreign materials during shipment and storage. Tape alone shall not be used for sealing openings.

# B. Storage and Handling

- 1. Piping materials and prefabricated assemblies shall be stored off the ground and handled with care so that physical damage, contamination, or corrosion of the piping materials does not occur. End seals of pipe, flange covers, valve covers, and similar protection shall not be removed until necessary for cleaning, fabrication, inspection, and erection.
- Welding rods and electrodes shall be stored, handled, and identified to ensure the use of the proper welding rod. Electrode ovens for the storage of low-hydrogen welding rods shall be used.

#### PART 2 PRODUCTS

#### 2.1 PRODUCTS/EQUIPMENT

- A. Piping and Valve Specification
  - 1. Piping materials and valves shall meet the requirements indicated on the piping material data sheets in Attachment A.
  - 2. For underground piping, see Sections 02667 and 02668.
  - 3. Provide one spare valve for each size and type installed.
  - 4. Air Release Valve installed in the Lift Station is specified on the drawings.

Date: 05/30/97 Rev.: 0 RE: KM

Service Services

15060 5 of 11

B. Post Hydrant: Hydrant shall be exposed, non-freeze post type hydrant. Complete with bronze casing and cast aluminum casing guard, all bronze interior parts, bronze seat, and replaceable seat washer and non-turning operating rod and operating key. Drain port shall be tapped into housing.

#### 2.2 LABELING

- A. Valve Identification
  - Each valve shall be identified with the unique valve number and description, as shown on the P&IDs.
  - 2. The tag shall not be attached to any part of the valve which may interfere with valve operation.
  - 3. Valve identification tags on insulated valves shall be located outside the insulation jacketing and be easily accessible for inspection.
  - 4. Label size shall be based on using 1/2-inch letters.
  - 5. Labels shall be constructed of nonreflective corrosion-resistant materials, with good contrast and legibility.
- B. Pipe Identification
  - 1. Identify the flow medium and the flow direction for piping systems including insulated pipe by labeling adjacent to each valve, adjacent to abrupt pipe directional change, and at intervals of 50 feet along exposed pipe. Pipes shall be labeled as indicated on the P&IDs and in accordance with ASME A13.1.
  - Content, size, material type, line number, and insulation requirements for each pipeline shall be identified on drawings as follows. Refer to the P&ID symbols and legend for additional information.

Example ST - 4" - A - 1000 - ET

<u>Medium Code</u> <u>Size Material Code</u> <u>Line Number</u> <u>Insulation</u>

ST 4" A 1000 ET

Date: 05/30/97 15060 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: KM 6 of 11 SCEP/165/SWU/SITE

#### C. Product Marking

- 1. Piping materials shall be marked in accordance with the applicable ASTM specification as indicated on the piping material data sheets in Attachment A.
- 2. Welding rod and electrode packages shall be marked in accordance with AWS A5.1.
- 3. Welding rods and electrodes shall be identified in accordance with AWS A5.1. In addition, welding rods 1/8-inch diameter and over shall be marked or stamped with positive identification marks at intervals of not more than 18 inches. Such marks shall include the classification number of the welding rod and the trade designation of the manufacturer.

#### PART 3 EXECUTION

#### 3.1 FIELD CONDITIONS

A. Verify that field conditions are acceptable and are ready to receive work.

#### 3.2 PREPARATION

- A. Primer Application
  - 1. Non-insulated carbon steel piping shall be prime coated after fabrication.

AND SAME OF

B. Ream copper pipe and tube ends, and remove burrs.

#### 3.3 ERECTION/INSTALLATION

- A. Layout, Cutting, and Fitting Up
  - 1. Piping shall be Category D fluid service under ASME B31.3.
  - Assembled piping shall be installed without springing, forcing, or cold bending. Cutting or otherwise weakening structural members to facilitate piping installation shall not be permitted.
  - 3. Butt-welded pipe shall be beveled in accordance with ASME B16.25.

Date: 05/30/97 Rev.: 0 RE: KM

Birne Jan

15060 7 of 11

- Install valves with stems upright or horizontal, not inverted.
- 5. Slope field-routed piping and tubing, and arrange to drain at all low points.

#### B. Welding

- 1. Welding electrodes shall be in accordance with AWS A5.1.
- Socketwelds shall be made by shielded metal arc or gas tungsten arc welding process.
- 3. Socketweld joints shall be assembled so that the space between the end of the pipe and the bottom of the socket is no less than 1/16 inch or no more than 1/8 inch.
- 4. Field welding shall be minimized through maximum use of shop-fabricated piping assemblies.
- 5. Arc strikes and weld starts shall not be made on the base metal outside the weld groove nor inside an area which will be encompassed by a fillet or socket weld. Inadvertent arc strikes outside a weld zone shall be removed by grinding or filing, and the arc strike area shall be visually examined under 5X magnification.
- 6. Soldering shall be in accordance with ASTM B828.

# C. Flanged Joints

- 1. Flange isolation kits shall be used between all dissimilar metal flanges.
- The mating surfaces of the flanges shall be in a plane that is perpendicular to the axis of the pipe. Flanges shall be rotated so that the bolt holes straddle the vertical flange centerline. Gaskets shall be evenly centered between the flange faces with ring-type gaskets engaging fully upon raised-face flanges. Flanges shall mate flush and the bolts shall be tightened uniformly to draw the flanges evenly and firmly upon the gasket. Bolts shall be torqued within the flange manufacturer's recommended range and tightening sequence.
- 3. Where a raised-face flange mates with a flat-face flange, it shall be substituted with a flat-face

Date: 05/30/97 15060 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: KM 8 of 11 SCEP/165/SWU/SITE

- flange of the material type specified on the attached Piping Material Data Sheet.
- 4. Flat ring-type gaskets shall be used between steel flanges equipped with raised serrated faces.
- 5. Where metallic flanges are bolted to non-metallic flanges, both shall be flat-faced flanges. Full-face gaskets shall be used.
- 6. When piping, valves, fittings, or equipment having cast iron flanges are used, mating flanges shall be flat faced with full-faced gaskets.
- 7. Flanged joints shall be made with new gasket and bolting materials. Bolts and nuts damaged during installation shall be replaced.
- D. At least 5 percent of fabricated piping shall be visually examined by an examiner qualified and certified in accordance with ASNT SNT-TC-1A.

## 3.4 QUALITY CONTROL

- A. Hydrostatic Testing
  - 1. Piping systems shall be hydrostatically leak tested in accordance with ASME B31.3, Chapter VI.
  - 2. Pressure vessels, equipment, and instruments shall not be included in these tests if they will be damaged by the test pressure.
  - 3. Equipment which is not to be subjected to the pressure test shall be disconnected from the piping and a pipe spool inserted in its place, or the equipment may be isolated by way of a single-line blind. Valves may be used provided that the valve is suitable for the proposed test procedure.
  - 4. Hydrostatic test pressures shall be 1.5 times the design pressure, as shown in the following table:

SERVICE	MEDIUM CODE	MATERIAL CODE	<u>DESIGN</u> <u>PRESSURE</u> (psig)	TEST PRESSURE (psig)	
Potable Water	DW	A, C1	100	150	
Stormwater	ST	A	100	150	

Date: 05/30/97 Rev.: 0 RE: KM 15060 9 of 11 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

- 5. Leak testing shall not start until the testing procedure has been approved by FDF.
- 6. Connections/joints (including welds) shall be left uninsulated, unpainted, and exposed for examination for leakage during testing.
- 7. The piping system shall be examined prior to leak testing to ensure that connections are tight.
- 8. Test pressure gauges shall be calibrated no more than 90 days prior to the hydrostatic leak test.

  Gauges shall be selected so that the test pressures are at the mid-range of the gauge.

  Documentation shall be maintained and made available showing reliability of calibrated equipment.
- 9. Every precaution shall be taken during testing to ensure personnel safety.
- 10. Pressure gauges shall not be subjected to pressure in excess of their scale range.
- 11. Control valves (unless being tested) shall be set and maintained in the full OPEN position.
- 12. Lines containing check valves shall have the pressure applied upstream of the check valve so that pressure is applied under the seat.
- 13. Joints found to be defective shall be repaired and retested. Retest pressures shall be the same as those originally specified for the test.
- 14. Hydrostatic test pressures shall not be applied until the piping system and the testing medium have reached thermal equilibrium.
- 15. High-point vents and low-point drains shall be provided for hydrostatic tests.
- B. Plumbing shall be inspected and tested to ensure compliance with the Ohio Plumbing Code.

#### 3.5 CLEANING

A. System Cleaning and Flushing

 The interior and exterior of pipe shall be kept clean at all times.

Date: 05/30/97 15060 WB Rev.: 0 RE: KM 10 of 11

B. Disinfection of Water Distribution Systems: See Section 02667.

END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\15060

Date: 05/30/97 Rev.: 0 RE: KM

Control of

15060 11 of 11 05/23 2:25pm WBS No: 1.1.1.2.3.6 SCEP/165/SWU/SITE

# **ATTACHMENT A**

**PIPING MATERIAL DATA SHEETS** 

15060

Date: 05/30/97 Rev.: 0 RE: KM WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

#### PIPING MATERIAL DATA SHEET

MAT'L CODE

Α

(SPEC) PAGE

OF 3

**RATING: CLASS 150** 

FACING: RF

MATERIAL: CARBON STEEL

**CORROSION ALLOWANCE: 0.125"** 

PRESSURE LIMIT:

PER ASME/ANSI B16.5

TEMPERATURE LIMIT:

-20°F TO 750°F

CODE NUMBER	ENCODER	SIZE FROM TO	DESCRIPTION	NOTES	REV
			PIPE		
	,	1/2" - 2"	SEAMLESS CARBON STEEL, ASTM A53 GRADE B, EXTRA STRONG, PLAIN ENDS		
		2-1/2" - LARGER	SEAMLESS CARBON STEEL, ASTM A53 GRADE B, STANDARD WEIGHT, BEVELED ENDS		
			FLANGES		
		1/2" - 2"	CLASS 150, CARBON STEEL, RF, ASTM A105, SOCKETWELD (XS BORE)		
		2-1/2" - LARGER	CLASS 150, CARBON STEEL, RFSF, ASTM A105, WELD NECK (STANDARD WEIGHT BORE)		
		1/2" - LARGER	CLASS 150, BLIND, CARBON STEEL, ASTM A105, RFSF		
			FITTINGS		
		1/2" - 2"	CLASS 3000, CARBON STEEL, ASTM A105, SOCKETWELD		
	:	1/2" - 2"	CLASS 3000, THREADED CARBON STEEL, ASTM A105; THREADOLET CAP	1, 4 1	
			PLUG, ROUNDHEAD PLUG, HEX HEAD	1 4	
		2-1/2" - LARGER	SEAMLESS CARBON STEEL, BUTT WELD ENDS, ASTM A234 GRADE WPB, STANDARD WEIGHT		
			SWAGES		
		1/2" - 8"	SCHEDULE 80 CARBON STEEL, ASTM A234, GRADE WPB, PREPARE ENDS AS REQUIRED (BEVELED, PLAIN OR THREADED)	2	
·			GASKETS		
		1/2" - LARGER	TEFLON, 1/8 INCH THICK		
			BOLTING		
			STUD BOLTS WITH 2 HEAVY HEX NUTS, ASTM A193 GRADE B7/ASTM A194 GRADE 2H		

05/30/97 Date: Rev:

O RE: KM

15060

(A) 1 of 3

#### PIPING MATERIAL DATA SHEET

MAT'L CODE

(SPEC)

PAGE

OF 3

Α

**RATING: CLASS 150** 

FACING: RF

MATERIAL: CARBON STEEL

CORROSION ALLOWANCE: 0.125"

PRESSURE LIMIT: PER ASME/ANSI B16.5
TEMPERATURE LIMIT: -20°F TO 750°F

CODE NUMBER	ENCODER	SIZE FROM TO	DESCRIPTION	NOTES	REV
			GATE VALVES		
		1/2" - 2"	CLASS 800, CARBON STEEL, ASTM A105, SOCKETWELD -ENDS, OS&Y, BOLTED-BONNET, SOLID-WEDGE, 12% CR TRIM.	5	
		2-1/2"- LARGER	CLASS 150, CAST STEEL, ASTM A216, GRADE WCB, RF FLANGE, 11-13 CR TRIM, OS&Y.	5	
			BALL VALVES		
		1/2" - 2"	1500 PSI WOG, CARBON STEEL, ASTM A216 GRADE WCB, THREE PIECE, SOCKETWELD, CHROMIUM PLATED BALL, TFE SEATS, LEVER OPERATOR, APOLLO 83-600 SERIES OR EQUAL	5	
		2-1/2" - 4"	CLASS 150, CARBON STEEL, ASTM A216, GRADE WCB, RFSF FLANGE, CHROME PLATED BALL, TFE SEATS, WRENCH OPERATOR, APOLLO 88-200 SERIES OR EQUAL.	5	
		6" - LARGER	CLASS 150, CARBON STEEL, ASTM A216, GRADE WCB, RFSF FLANGE, CHROME PLATED BALL, TFE SEATS, GEAR OPERATOR, APOLLO 88-200 SERIES OR EQUAL.	5	
			CHECK VALVES		
		2-1/2" - LARGER	CLASS 150, CAST STEEL, ASTM A216, GRADE WCB, RF, FLANGE, CHROME TRIM, BOLTED COVER, SWING TYPE, LUNKENHEIMER FIG. 1572 OR EQUAL	3	
			PIPE NIPPLES		
			CARBON STEEL, ASTM A53, GRADE B		
		1/2" - 2" 1/2" - 2" 1/2" - 2" 1/2" - 2"	SCH 160, TBE, SMLS 3" LONG SCH 160, TBE, SMLS 6" LONG SCH 160, POE-TOE, SMLS 3" LONG SCH 160, POE-TOE, SMLS 6" LONG		
			NOTES		
			1. USE FOR UNVALVED VENTS AND DRAINS. 2. USE SWAGES WHERE SMALL END IS 2" AND SMALLER. USE WELD REDUCER WHERE SMALL END IS 2-1/2" AND LARGER. 3. INSTALL IN HORIZONTAL POSITION OR WITH FLOW UP. 4. USE FOR PROCESS DRAINS. 5. EQUIP VALVE WITH LOCKING DEVICE WITH NOT LESS THAN 3/8" DIAMETER HOLE FOR LOCK.		
		2.			

Date: 05/30/97

Rev: 0 RE: KM

15060 (A) 2 of 3 WBS No: 1.1.1.1.2.3.6

1120

C1

OF 3

# PIPING MATERIAL DATA SHEET

MAT'L CODE

(SPEC) PAGE

**RATING: CLASS 150** 

FACING: N/A

MATERIAL: COPPER

CORROSION ALLOWANCE: N/A

PRESSURE LIMIT: 150 psig
TEMPERATURE LIMIT: -20°F TO -20°F TO 750°F

CODE NUMBER	ENCODER	SIZE FROM TO	DESCRIPTION	NOTES	REV
			TUBING		
		1/4" - 2"	SEAMLESS COPPER, ASTM B88, TYPE L, HARD DRAWN		
			FITTINGS		
		1/4" - 2"	WROUGHT COPPER AND BRONZE, ASME B16.22, 150 PSIG		
			FLANGES		
		1" - 2"	BRONZE, ASME B16.22, 150 PSIG, SLIP-ON FLANGES		
			JOINTS		
			SOLDER, ASTM B32, GRADE 95TA		
				}	
			State to a		
			:		
	3		·		
					}

OUDATA\SPECS\OU-2\PO-165\WB\$11236\\$WU\\$ITE\15060.APA

5/23/97 2:27pm

Date: Rev:

05/30/97

1. 1. 1. 1. 1. 1. 1. 1. 1.

O RE: KM

15060 (A) 3 of 3 WBS No: 1.1.1.1.2.3.6 SECP/165/SWU/SITE

## SECTION 15090 PIPING SUPPORTS AND ANCHORS

## PART 1 GENERAL

## 1.1 SECTION INCLUDES

A. Piping supports, anchors, and accessories.

## 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 15060 Pipe, Fittings, Valves, and Accessories.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

## 1.4 REFERENCES, CODES AND STANDARDS

- A. American Society for Testing and Materials (ASTM):

  1. ASTM A36/A36M-96 Standard Specification for Carbon Structural Steel.
- B. American National Standards Institute (ANSI)/American
   Society of Mechanical Engineers (ASME):
   1. ANSI/ASME B31.3-96 Process Piping.
- C. Manufacturers Standardization Society (MSS):

1. MSS-SP-58-93 Pipe Hangers and Supports Materials, Design, and
Manufacture.

2. MSS-SP-69-91 Pipe Hangers and Supports - Selection and Application.

3. MSS-SP-89-91 Pipe Hangers and Supports - Fabrication and Installation

Practices.

Date: 05/30/97 15090 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: KM 1 of 7 SCEP/165/SWU/SITE

D. American Welding Society (AWS):

> AWS A5.1-91 Specification for Carbon Steel

Electrodes for Shielded Metal

Arc Welding.

2. AWS D1.1-96 Structural Welding Code -

Steel, 13th Edition.

#### 1.5 SYSTEM DESCRIPTION

#### Α. Design Requirements

- Pipe anchors, guides, and auxiliary steel shall be of bolted or welded construction incorporating a design safety factor of five.
- Anchors and guides shall be used to prevent 2. excessive forces or moments on pipe or equipment caused by hydraulic surges.
- 3. Hangers and support types for lines shall be selected to withstand static and dynamic load conditions and shall take into consideration limitations imposed by the surrounding structures, equipment, adjacent piping, etc. Consideration shall be given to the following loads:
  - Weight of the pipe, valves, fittings, insulation materials, hanger components, and normal fluid contents.
  - Loads imposed during erection. b.
- 4. Support Spacing:
  - Hangers and supports shall be spaced in accordance with ASME B31.3 and Attachment A.
- 5. Restrictions:
  - Pipe support assemblies shall be used only for supporting pipelines. Electrical trays, instrument trays, cable, and tubing shall be supported from separate assemblies unless written approval has been received from FDF. Pipe hanger rods or supports shall not pass through ducts nor through electrical or instrument trays.
- 6. Combination Supports:
  - Where the piping design incorporates multiple horizontal pipelines with the bottom of the pipelines at the same elevation, rack-type supports shall be used. Where multiple

Date: 05/30/97 WBS No: 1.1.1.1.2.3.6 15090 Rev.: O RE: KM 2 of 7

SCEP/165/SWU/SITE

pipelines are supported on a single support member, consideration shall be given to the difference in expansion of the pipelines and possible resultant misalignment of the support during normal operation.

## 7. Unit Support:

- a. Where single horizontal pipelines are to be supported, the selection of the pipe attachment shall be based on the application, considering workability, function, strength, and economics. This attachment may be a pipe clamp, clevis, U-bolt, double-rod roll, or other pipe attachment best suited for the condition. The movement of the pipe due to hydraulic surges and other sources shall be considered. The attachments between the pipe and the supporting structure (usually hanger rod) shall be able to swivel at the ends to accommodate a 4-degree movement of the pipe.
- 8. Structural Integrity:
  - a. The supports shall be designed and installed so that they cannot become disengaged by movements of the supported pipe. A lock nut shall be used to prevent turning and disengagement.

#### 1.6 SUBMITTALS

- A. Submittals shall be in accordance with Section 01011.
- B. For piping supports and anchors for piping 2 inches in diameter and smaller: shop drawings which indicate support type and location, arrangement, dimensions, materials, weld details, and anchor details.
- C. Welder and examiner qualifications, procedure qualification records, and welding procedure specifications in accordance with AWS D1.1.

Date: 05/30/97 Rev.: 0 RE: KM

San Strait

15090 3 of 7

## 1.7 QUALITY ASSURANCE

A. Pipe anchors, guides, and auxiliary steel shall be of bolted or welded construction. Welded construction shall comply with AWS D1.1.

## 1.8 DELIVERY, STORAGE, AND HANDLING

## A. Packaging

 Materials shall be cleaned to remove chips, slag, weld spatter, oil and grease, debris, and other foreign matter prior to packing for shipment.

## B. Storage and Handling

- Piping support materials and piping hanger systems shall be stored off the ground and handled with care so that physical damage or contamination of the materials does not occur.
- Welding rods and electrodes shall be stored, handled, and identified to ensure the use of proper welding rod. Electrode ovens for the storage of low-hydrogen welding rods shall be used.

## PART 2 PRODUCTS

## 2.1 MATERIALS

- A. Hangers, supports, and component parts shall be constructed of galvanized carbon steel and comply with MSS-SP-58 and MSS-SP-69. Standard, commercially available hangers shall be used wherever possible.
- B. ASTM A36 steel shall be used for plate and structural shape support components.
- C. Expansion Anchors: Drilled expansion bolts for securing steel to concrete.
  - a. Kwik Bolt, by Hilti, Inc.
  - b. Parabolt, by Molly Fastener Group.
  - c. Wedge Anchors, by ITW Ramset/Red Head.

Date: 05/30/97 15090 WBS No: 1.1.1.1.2.3.6

Rev.: 0 RE: KM 4 of 7 SCEP/165/SWU/SITE

## 2.2 FABRICATION

- A. Welding
  - 1. Welding shall be in accordance with AWS A5.1 and AWS D1.1.
- B. Shop Assembly
  - Any parts made in the fabricator's shop shall be completely shop assembled and painted, as far as practical, prior to shipment to the site.

## 2.3 LABELING

- A. Product Marking
  - 1. Welding rods and electrodes shall be identified with at least one imprint per rod showing an AWS classification number in accordance with AWS A5.1. In addition, welding rods 1/8 inch in diameter and over shall be marked or stamped with positive identification marks at intervals of not more than 18 inches. Such marks shall include the classification number of the welding rod and the trade designation of the manufacturer. Filler metal requirements shall conform to AWS A5.1.

## PART 3 EXECUTION

## 3.1 PREPARATION

- A. Protection
  - 1. Welding/fabricating activities shall be protected from inclement weather.
- B. Painting
  - Structural steel pipe support material systems shall be prime and finish coated after fabrication.

## 3.2 ERECTION/INSTALLATION

A. Installation

100

1. Hanger and support components shall be installed in accordance with MSS-SP-89.

Date: 05/30/97 15090 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: KM 5 of 7 SCEP/165/SWU/SITE

- B. Structural Connections for Pipeline Supports
  - 1. Locations: Pipeline supports and/or hangers shall be attached to structural members. The supports shall be located at the following places and at intermediate points so that the maximum support spacing is not exceeded:

    - b. Within 2 feet on one side of valves on horizontal or sloped lines.
  - Cold Lines: Hanger rods supporting cold pipelines, or lines whose point of support does not move, may be bolted directly to angle, beam, or supporting members.
  - 3. Prohibited Attachments: Pipelines shall not be attached to the following:
    - a. Grating.
    - b. Other pipe hangers or other pipes.
  - 4. Supports shall be provided to avoid the need for temporary supports in the following cases:
    - a. Where regular maintenance necessitates the removal of equipment.
    - b. Where flanged connections must be broken to remove or insert spectacle blinds.

## 3.3 ADJUSTING

- A. At Pumps: Where required, the suction piping and discharge piping adjacent to pumps shall be supported with an adjustable support.
- B. Riser Guides: Risers that may sway or vibrate from pump pulsations or mechanical equipment operation shall be guided. The guides/braces shall prevent movement resulting from equipment operation/vibration, but shall not limit or restrain movement of pipe due to thermal expansion. On overflow lines, a brace or restraint shall be installed near the discharge.

Date: 05/30/97 Rev.: 0 RE: KM 15090 6 of 7

- C. Vertical Adjustment:
  - 1. Rod-type hangers shall be provided with a means of vertical adjustment after erection. If a turnbuckle is used, the right hand thread shall be at the top, so that turning to the right will raise the pipe.
- D. Riser Piping:
  - 1. Where practical, riser piping shall be supported independently of the connected horizontal piping. Pipe support attachments to riser piping shall be by riser clamps and/or lugs welded to the pipe.

## END OF SECTION

## **ATTACHMENT A**

**ALLOWABLE PIPE SPANS** 

15090

Date: 05/07/97 Rev.: F RE: KM

PARSONS

**Engineering Department Design Guide** 

DSG-PD-602


nber

Design Guide

Jan 1993 1 - 1

Subject

## **ALLOWABLE PIPE SPANS**



#### Notes:

- The limiting factors are deflection and weight stress. Pipe span not entered if weight stress of 6,000 pounds per square inch (psi) is exceeded.
- 2. The pipe spans are based on carbon steel pipe with modulus of elasticity of 30 x 10<sup>6</sup> psi. This chart can be applicable to alloy pipe.
- 3. Deflection is based on a compromise between a beam with fixed-ends and for a free-ended beam, d = 17.1 (w14/EI).
- 4. This chart is adequate for standard-wall and extra-strong walled pipe.
- 5. Boxed figures represent Parsons standard. Job instructions may allow deviation.
- 6. When using Cases B, C, D, E, F, and G, multiply pipe span by their coefficient.
- These spans are the maximum to be used under American National Standards institute B31.3, Piping. Design conditions and other codes should be investigated before using these spans.

PIPE SIZE	1	11	2	3	4	6	8	10	12	14	16	18	20	24	DEFL
	1	_	_	-	_	_	_	36	38	42	45	47	50	54	1/4
BARE	14	17	19	24	27	33	38	43	46	49	52	55	58	64	1/2
PIPE	15	18	21	25	29	35	40	46	49	52	55	58	62	68	5/8
	16	19	22	26	30	37	42	48	52	55	58	62	65	71	3/4
	17	21	23	28	32	40	45	1	1	1	1		-	_	
	ı	1	1	•	1	1	-	31	33	35	36	37	39	42	1/4
BARE PIPE	14	17	19	22	25	29	33	36	39	40	42	44	46	48	1/2
+	14	18	20	23	26	31	35	39	41	43	45	47	48	52	5/8
WATER	15	19	21	24	27	33	37	41	43	45	47	49	51	_	3/4
WATER	16	20	22	26	29	35	40	-	_	-	_	_	_	_	
	1	1	1	_	1	-		34	36	39	42	44	47	52	1/4
PIPE +	12	15	17	22	25	31	36	41	42	46	50	52	56	61	1/2
	3	16	18	23	26	33	38	43	45	49	53	56	59	65	5/8
2" INSUL.	13	17	19	24	27	35	40	45	47	52	55	58	62	68	3/4
	14	18	20	26	28	37	42	-	_	_	_	_	_	_	
PIPE +	-	-		1	+			31	33	35	36	37	39	42	1/4
2" INSUL.	12	15	16	20	23	29	33	36	39	40	42	44	46	48	1/2
Z 11430L,	12	16	17	22	25	31	35	39	41	43	45	47	48	52	5/8
+0.8 WATER	13	17	18	23	26	32	36	41	43	45	47	49	51	_	3/4
	. 14	18	20	25	28	34	39	-		1	_	_	_		1

## SECTION 15160 LIFT STATION PUMPS

#### PART 1 GENERAL

## 1.1 SECTION INCLUDES

A. Three automatically controlled lift station pumps and two non-installed spare pumps.

## 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 15170 Motors.
- D. Section 16050 Basic Electrical Materials and Methods.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American National Standards Institute (ANSI):
  - 1. ANSI B16.1-89 Cast Iron Pipe Flanges and Flanged Fittings.

## 1.5 SUBMITTALS

- A. Support Literature:
  - 1. Submit dimensional drawings with size, weight, ratings, materials of construction, pump curves, completed pump data sheet, and test procedures from the pump manufacturer for the pump and related equipment specified herein.
  - 2. Installation, Operation, and Maintenance Manual:
    - a. The pump manufacturer shall supply a complete set of comprehensive written instructions to enable an operator to properly operate and maintain the equipment supplied. Content of

Date: 05/30/97 15160 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: OC 1 of 6 SCEP/165/SWU/SITE the instructions shall assume the operator is familiar with pumps, motors, piping, and valves, but that the operator has not previously operated nor maintained the exact equipment supplied.

- b. The instructions shall be prepared as a system manual applicable solely to the pump equipment and related devices supplied by the manufacturer, as specified herein.
- c. The instructions shall include, but not be limited to, the following:
  - (1) Descriptions of, and operating instructions for, each major component of the complete pump package as supplied.
  - (2) Instructions on operation of the pump and pump controls in intended modes of operation.
  - (3) Instruction for adjustments which must be performed at initial start-up of pump equipment, adjustments required after the replacement of liquid level control system components, and adjustments as required in the course of preventative maintenance as specified by the manufacturer.
  - (4) Service instructions for major components not manufactured by the pump package manufacturer, but supplied by the manufacturer in accordance with the specifications. In such case, the literature supplied by the actual manufacturer shall be incorporated as appendices.
  - (5) Electrical schematic diagram of the pump and control package.
  - (6) Layout drawings of the pump package as supplied showing the location of submersible pumps, baseplates, and guide assemblies. Drawings shall provide necessary information to ensure proper installation and alignment of the guides and baseplate to the pump.

Date: 05/30/97 Rev.: 0 RE: OC 15160 2 of 6 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000226

## PART 2 PRODUCTS

## 2.1 MANUFACTURER

A. KSB, Inc., or equal.

## 2.2 PUMPS

- A. See Attachment A Pump Data Sheets.
- B. See Section 15170 for Motor data.
- C. Impeller shall be of cast iron and precision balanced.

  Balancing shall not deform or weaken the impeller.

  Impeller fasteners shall be non-corroding.
- D. Design shall provide for proper balance of pump and guide shoe from the discharge connection while using a single lift chain.
- E. Components: Other major pump components such as stator housing, seal housing, and bearing brackets shall be of structural grade steel or cast iron. Exposed fasteners and lock washers shall be of stainless steel.

## F. Shaft Seal:

- 1. The pump shaft shall be sealed against leakage by a double mechanical seal.
- 2. The rotating seal faces shall be lubricated from an oil-filled reservoir between pump and motor, the oil serving as both lubricating and cooling media. The reservoir shall have separate oil fill and drain plugs to ensure accuracy when measuring lubricant level, and for ease of maintenance.
- 3. Seal shall require no special maintenance or routine adjustment. However, it shall be easily inspected or replaced. No seal damage shall result from operating the pump for short periods without liquid.

Date: 05/30/97 Rev.: 0 RE: OC 15160 3 of 6

## 2.3 DISCHARGE

## A. Description:

1. Each pump shall be furnished with a submersible discharge connection system to permit removal and installation of the pump without the necessity of an operator entering the wet well. The design shall ensure an automatic and firm connection of the pump to the discharge piping when lowered into place.

## B. Baseplate:

1. A cast iron base with integral guide system pilots shall be provided along with all hardware and anchor bolts required for permanent installation to the wet well floor. The base shall be designed with an integral 90-degree elbow for connection to the vertical discharge piping utilizing standard ANSI B16.1 Class 125 flanges.

## C. Discharge Connection:

1. Each pump shall be provided with a replaceable cast iron guide shoe attached to the pump discharge flange. A replaceable seal shall be provided as an integral part of the guide shoe to form a seal with the baseplate connection and eliminate the possibility of leakage and erosive wear during operation. The seal shall contact mating faces in a static position and shall have adequate flexibility to flex under pumping pressure to increase seal efficiency. Metal-to-metal contact at the discharge connection shall not be acceptable.

## D. Guide Rail System and Method of Operation:

- Schedule 40 stainless steel guide rail pipe or stainless steel cable shall be provided for each pump.
- 2. Upper guide system brackets and a lifting chain shall be furnished for each pump. Bottom pilots shall be an integral part of the baseplate for ease of installation and proper alignment.

Date: 05/30/97 Rev.: 0 RE: OC 15160 4 of 6

- 3. The guide shoe shall direct the pump down the guide system and onto the discharge connection in a simple linear movement. The design shall ensure that the buildup of sludge and grease on guide rails will not present problems during the lifting operation. The guide shoe shall be designed with integral hooks at the top to transmit the full weight of the pump to the baseplate flange. No portion of the pump shall be supported directly on the bottom of the wet well, guide system, or lifting chain.
- 4. An eyelet shall be provided at the upper end of the lifting chain for attaching to the wet well access frame.
- 5. Bolts, machine screws, nuts, washers, and lockwashers for complete assembly of the guide rails and discharge elbow shall be stainless steel.
- 6. Adjust final length of guide and lifting systems in the field.

## 2.4 LABELING

A. Equipment identification: Pumps shall be provided with a permanently attached stainless steel nameplate indicating equipment name, number, model number, and rated capacity. Lettering shall be manufacturer's standard size and shall be stamped.

## PART 3 EXECUTION

## 3.1 FIELD CONDITIONS

A. Verify that field conditions are acceptable and are ready to receive work.

## 3.2 ERECTION/INSTALLATION/APPLICATION

A. The installation of the equipment shall be in accordance with the manufacturer's installation manual.

Date: 05/30/97 Rev.: 0 RE: OC

1. Jan 1973

15160 5 of 6 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE 35.4

-investig 11

B. A copy of the manufacturer's installation and service manual for each piece of the equipment shall be available at the site.

## 3.3 QUALITY CONTROL

- A. Tests: Acceptance operating tests shall be performed after installation. Adjust or replace the equipment to meet the specification\_requirements\_and\_retest\_the equipment.
- B. Inspection: Notify FDF of testing and inspection activities prior to the start of all tests and/or inspections.

## 3.4 MANUFACTURER ASSISTANCE

A. The manufacturer shall provide installation supervision and start-up assistance. Service assistance shall be in accordance with the manufacturer's warranty.

## 3.5 DEMONSTRATION

A. Demonstrate ability to meet full range of operating flow rates and operating points as shown on pump curves.

## END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\\$ITE\15160

5/23/97 2:32pm

Date: 05/30/97 Rev.: 0 RE: OC 15160 6 of 6

## **ATTACHMENT A**

**PUMP DATA SHEETS** 

Date: 05/30/97 Rev.: 0 RE: OC

PUMP DATA SHEET											
PROJECT TITLE: Waste Units Remediation - SWU								PROJECT ORD	ER: 165		
PUMP NAME:		SWRB PM	IP-1 - inclu	ude name for	spare				QUANTITY: 1 + 1 spare		re
TYPE PUMP:	TYPE PUMP: Submersible centrifugal								DRAWING NU		
TYPE DRIVER	Subm	ersible elect	ric motor	SUPPLY W/	PUMP		X YES	NO	92X-5900-N-00	0290	
MANUFACTURER AND MODEL NO.: KSB, Inc., Model KRT K100-400, or							or equal	EQUIP NO.:	PMP-1 & includ	e name for s	pare
					PERAT	ING CONDITION	IS				
	FLUID PUMPED: AT A PUMPING TEMPERATURE OF: 60 °F STORMWATER										
SPECIFIC GRA	VITY: 1.0	AT 60°F				AT P.T.	VISCOSITY:			AT P.T.	
SOLIDS IN FLU	JID: 1-5	WT%	DENSITY	: NA			SIZE:	≤1/2" dia.	ABRASIVE: NO		
NATURE OF S	OLIDS: NA						FLUID VAPOR	R PRESSURE:	F	r. of FLUID (	@ P.T.
DESIGN CAPA	CITY:	400	GPM AT	160	FT. TI	l at P.T.	DESIRED RAN	IGE:	350 GPM TO	450	GPM
SUCTION PRE	SS: NA	FT.		PSIG	DISCH	ARGE PRESS:	FT.	PSIG	NPSH AVAIL: N	IA .	at P.T.
				F	PUMP S	SPECIFICATIONS	3				
TYPE PUMP: Centrifugal, direct-connected NO. ST							NO. STAGES	S: 1	RPM: 3600	max.	
TYPE IMPELLE	TYPE IMPELLER: Open SIZE: IN. MAX SIZE: I							IN.			
EFFICIENCY A	T DESIGN CA	PACITY:		(min) %	внр 🤄	DESIGN CAPA	CITY:	MAXIMUM	знр:	50	
TYPE BEARING	SS:	Oil-lubricat	ted, anti-fri	iction		**;;:". <b>*</b>					
TYPE COUPLIN	IG:							LUBRICATIO	N:		
TYPE OF SEAL	.: Double	Mechanica	ı <b>l</b>								
				CON	ECTIO	NS - SIZE & RA	TING				
SUCTION:		IN.		LB.		Flange	DISCHARGE: 4 IN. Class 125 Flange				
VENT:		IN.		LB.			DRAIN:	AIN: IN.			
				COM	ISTRU	CTION MATERIA	LS				
RESTRICTIONS	:									<u>.</u>	
CASING:	SING: Cast iron IMPELLER: Cast iron										
SHAFT: Stainless steel SHAFT SLEE						SHAFT SLEEV	'E:	Stainless steel			
CASE RING: IMP. RING:											
DISCHARGE ELBOW: Cast iron RELIEF VALVE:						}					
ELECTRIC MOTOR											
VOLTS	PHASE	HERTZ H.P. NON-OVERLOAD CLASS GROUP RPM TYPE									
460	3	60		YES							
REMARKS: 1) Vendor shall complete data sheet as required. 2) Provide one set of recommended pump spare parts.											
											- 1

Date: 05/30/97 Rev.: 0 RE: OC

15160 WBS No: 1.1.1.1.2.3.6
[A] 1 of 3 SCEP/165/SWU/SITE

PUMP DATA SHEET								
PROJECT TITLE: Waste Units Remediation - SWU								R: 165
PUMP NAME: SWRB PMP-2 - include name for spare								1 + 1 spare
TYPE PUMP:	TYPE PUMP: Submersible centrifugal							
TYPE DRIVER: Subm	ersible elect	ric motor	SUPPLY W/F	PUMP	X YES	NO	92X-5900-N-00	290 
MANUFACTURER AND MO	DEL NO.:		KSB, Inc., M	odel KRT K40-250, or	equal	EQUIP NO.:	PMP-2 & include	e name for spare
			OI	PERATING CONDITION	IS			
FLUID PUMPED: STORMWATER AT A PUMPING TEMPERATURE OF: 60 'F								
SPECIFIC GRAVITY: 1.0	_AT_60_F_	AT-P.T-						AT P.T.
SOLIDS IN FLUID: 1-5	WT%	DENSITY	NA .		SIZE:	≤1/2" dia. ABRASIVE: NO		
NATURE OF SOLIDS: NA					FLUID VAPOR	R PRESSURE:	FT	. of FLUID @ P.T.
DESIGN CAPACITY:	100	GPM AT	160	FT. TH at P.T.	DESIRED RAN	IGE:	75 GPM TO	125 GPM
SUCTION PRESS: NA	FT.		PSIG	DISCHARGE PRESS:	FT.	PSIG	NPSH AVAIL: I	NA at P.T.
PUMP SPECIFICATIONS								
TYPE PUMP: Centrifugal, direct-connected NO. STAGES: 1						S: 1	RPM: 3600 max.	
TYPE IMPELLER: Open						SIZE:	IN.	MAX SIZE: IN.
EFFICIENCY AT DESIGN CAPACITY: (min)% BHP @ DESIGN CAPACITY: MAXIMUM BHP: 17						17		
TYPE BEARINGS:	Oil-lubrica	ted, anti-fri	ction					
TYPE COUPLING:						LUBRICATIO	N:	
TYPE OF SEAL: Double	Mechanica	ıl						
			CONN	ECTIONS - SIZE & RA	TING			
SUCTION:	IN.		LB.	Flange	DISCHARGE: 2 IN. Class 125 Flange			Flange
VENT:	IN.		LB.		DRAIN:	IN.		
			CON	STRUCTION MATERIA	LS			
RESTRICTIONS:								
CASING: Cast iron IMPELLER: Cast iron								
SHAFT: Stainless steel SHAFT SLEEVE: Stainless steel								
CASE RING: IMP. RING:								
DISCHARGE ELBOW: Cast iron RELIEF VALVE:								
ELECTRIC MOTOR								
VOLTS PHASE	HERTZ	H.P.	NON-OVERL	OAD CLASS	GROUP	RPM	T	/PE
460 3	60		YES					
REMARKS: 1) Vendor shall complete data sheet as required. 2) Provide one set of recommended pump spare parts.								

Date: 05/30/97 Rev.: 0 RE: OC

15160 WBS No: 1.1.1.1.2.3.6 [A] 2 of 3 SCEP/165/SWU/SITE

PUMP DATA SHEET											
PROJECT TITE	ROJECT TITLE: Waste Units Remediation - SWU								PROJECT ORD	ER: 165	
PUMP NAME:		SWRB PM	IP-3						QUANTITY:	1	
TYPE PUMP:		Submersit	ole centrifu	gal					DRAWING NUMBER		
TYPE DRIVER:	Subm	ersible elect	ric motor	SUPPLY W/	PUMP		X YES	NO	92X-5900-N-00	)290	
MANUFACTU	RER AND MO	DEL NO.:		KSB, Inc., M	lodel Ki	RT K40-250, or	equal	EQUIP NO.:	PMP-3		
				0	PERAT	ING CONDITION	s				
FLUID PUMPED: AT A PUMPING TEMPERATURE OF: 60 °F STORMWATER											
SPECIFIC GRA	VITY: 1.0	AT 60°F				AT P.T.	VISCOSITY:			AT P.T.	
SOLIDS IN FLU	JID: 1-5	WT%	DENSITY:	: NA			SIZE:	≤1/2" dia.	ABRASIVE: NO	)	
NATURE OF S	OLIDS: NA						FLUID VAPOR	PRESSURE:	FT	. of FLUID (	@ P.T.
DESIGN CAPA	CITY:	100	GPM AT	135	FT. TH	l at P.T.	DESIRED RAN	GE:	75 GPM TO	125	GPM
SUCTION PRES	SS: NA	FT.		PSIG	DISCH	IARGE PRESS:	FT.	PSIG	NPSH AVAIL:	NA .	at P.T.
				F	UMP S	PECIFICATIONS					
TYPE PUMP:	Centrifugal, d	irect-connec	ted					NO. STAGES	S: 1	RPM: 3600	) max.
TYPE IMPELLE	R: Open							SIZE:	IN.	MAX SIZE	: IN.
EFFICIENCY A	T DESIGN CA	PACITY:		(min) %	внр @	DESIGN CAPA	CITY:	MAXIMUM E	внр:	17	
TYPE BEARING	SS:	Oil-lubricat	ted, anti-fri	ction					<u> </u>		
TYPE COUPLIN	IG:							LUBRICATIO	N:		
TYPE OF SEAL	.: Double	Mechanica	ıl			<u></u>		·			
				CONN	IECTIO	NS - SIZE & RAT	TING				
SUCTION:		IN.		LB.		Flange	DISCHARGE:	2 IN.	Class 125	Flange	
VENT:		IN.		LB.			DRAIN:	IN.			
				CON	ISTRUC	CTION MATERIA	LS			<del></del>	
RESTRICTIONS	i: 										
CASING:	Cast iron			<u> </u>			IMPELLER:		Cast iron	····	
SHAFT:	Stainless ste	el					SHAFT SLEEV	E:	Stainless steel		
CASE RING: IMP, RING:											
DISCHARGE EL	DISCHARGE ELBOW: Cast iron RELIEF VALVE:										
	ELECTRIC MOTOR										
VOLTS	PHASE	HERTZ	H.P.	NON-OVERL	.OAD	CLASS	GROUP	RPM	т	YPE	
460	. 3	60		YES							
REMARKS: 1) Vendor shall complete data sheet as required. 2) Provide one set of recommended pump spare parts.											

Date: 05/30/97 Rev.: 0 RE: OC

/30/97 15160 RE: OC [A] 3 of 3 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

## SECTION 15170 MOTORS

## PART 1 GENERAL

## 1.1 SECTION INCLUDES

A. Low-voltage, three phase induction motors.

## 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 15160 Lift Station Pumps.
- D. Section 16050 Basic Electrical Materials and Methods.
- E. Section 16170 Grounding and Bonding.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

## 1.4 REFERENCES

- A. American Bearing Manufacturers Association (ABMA):
  - 1. ABMA 9-90 Load Ratings and Fatigue Life

for Ball Bearings.

2. ABMA 11-90 Load Ratings and Fatigue Life

for Roller Bearings.

- B. Institute of Electrical and Electronics Engineers (IEEE):
  - 1. IEEE 112-91 Standard Test Procedure for

Polyphase Induction Motors and

Generators.

Date: 05/30/97 Rev.: 0 RE: TF 15170 1 of 7

- C. National Electrical Manufacturers Association (NEMA):
  - 1. NEMA MG 1-93

Motors and Generators.

2. NEMA MG 13-84

Frame Assignments for AC Integral-Horsepower Induction

Motors.

- D. National Fire Protection Association (NFPA):
  - 1. NFPA 70

National Electrical Code, 1996

-Edition.

- E. Underwriters Laboratories, Inc. (UL):
  - 1. Electrical Construction Materials Directory-96.

#### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011.
- B. Product Data: Provide full load amps, impedances, normal and short-circuit current ratings, NEMA frame size, and additional standard nameplate data. Provide efficiency and power factor for each of 1/2, 3/4, and full load. Provide dimensional enclosure details.
- C. Test Reports: Indicate satisfactory completion of required tests and inspections. Submit results verifying performance in accordance with IEEE 112.

## 1.6 QUALITY ASSURANCE PROGRAM

- A. Conform to NFPA 70 and NEMA MG 1.
- B. Motors shall be listed in the UL Electrical Construction Materials Directory for the purpose specified and indicated.

## PART 2 PRODUCTS

## 2.1 MANUFACTURERS

- A. Acceptable Manufacturers:
  - 1. Reliance Electric.
  - 2. U. S. Motors.
  - General Electric.

Date: 05/30/97 Rev.: 0 RE: TF 15170 2 of 7 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

655000

## 2.2 EQUIPMENT

- A. General Construction and Requirements
  - 1. Electrical Service: Refer to related sections of the specifications and the drawings for required characteristics. Motors shall be suitable for driven equipment.
  - 2. Motors: Design for continuous operation at a temperature of 40 degrees C ambient, and for temperature rise in accordance with NEMA MG 1 limits for insulation class, service factor, and motor enclosure type.
  - 3. Visible Nameplate: Indicating motor horsepower, voltage, phase, frequency, rpm, full load amps, locked rotor amps, frame size, manufacturer's name and model number, service factor, power factor, serial number, and bearing numbers. Nameplate shall be stainless steel, permanently attached to the motor frame.
  - 4. Electrical Connection: Conduit connection boxes, threaded for conduit and designed to allow for 90-degree step rotation of the conduit entrance.

    Oversize conduit boxes shall be provided.
  - 5. Motor Service Factor: Furnish motors with service factors required herein. Motor size in hp shall be selected to serve the driven equipment over its full performance range as though the service factor were 1.0.
  - 6. Motors drawing less than 250 W that are intended for intermittent service may be germane to equipment manufacturer and need not conform to these specifications.
- B. Three Phase Squirrel Cage Induction Motors
  - 1. Motors shall be 460 V, three phase, 60 Hz.
  - 2. Motors shall have a 1.15 service factor or higher.
  - 3. The motor connection diagram shall be stainless steel, permanently stamped and attached to the motor either inside the conduit box or on the same side as the conduit box.

Date: 05/30/97 Rev.: 0 RE: TF 15170 3 of 7

- 4. Starting Torque: To be matched to the driven equipment.
- Starting Current: Not to exceed six times fullload current.
- 6. Power Output, Locked Rotor Torque, Breakdown or Pullout Torque: NEMA Design B characteristics or as required by the driven equipment.
- 7. Design, Construction, Testing, and Performance:

  <u>Conform\_to\_NEMA\_MG\_1\_for\_Design\_B\_motors or as</u>

  required by the driven equipment.
- 8. Insulation System: Non-hygroscopic NEMA Class F or better.
- 9. Testing Procedure: In accordance with IEEE 112,
  Test Method B. Load test motors to determine
  freedom from electrical or mechanical defects and
  for compliance with performance data.
- 10. Motor Frames: NEMA MG 13 standard T-frames of steel, or cast iron with end brackets of cast iron.
- 11. Bearings: Grease lubricated, anti-friction ball bearings with housings equipped with plugged provision for prelubrication, rated for minimum ABMA 9 and 11, L-10 life of 20,000 hours.
- 12. Sound Power Levels: To NEMA MG 1.
- 13. Motors shall be high-efficiency type.
- 14. Motors shall be totally enclosed fan cooled (TEFC), unless specified or indicated otherwise.
- 15. Nominal Efficiency: Meet or exceed values in schedules as given herein at full load and rated voltage when tested in accordance with IEEE 112.
- 16. Nominal Power Factor: Meet or exceed values in schedules as given herein at full load and rated voltage when tested in accordance with IEEE 112.

Date: 05/30/97 Rev.: 0 RE: TF 15170 4 of 7

- 17. Lift Station Pump Motors Special Requirements:
  - a. Watertight Integrity: Static seals at watertight mating surfaces shall be of the "O" ring type. Use of auxiliary sealing compounds shall not be required. The power and control cables shall enter the motor through a terminal housing. The pump and electrical cables shall be capable of continuous submergence without loss of waterproof integrity. The watertight integrity of the motor housing and shaft seal shall be tested during manufacture by pressurizing the motor cavity and submerging in water with motor operating.
  - b. Motor Protection: The motor shall be equipped with internal thermal and moisture switches. Three separate thermostatic switches (minimum) shall be embedded into the stator windings (one per phase). Each switch shall open independently and terminate motor operation if temperature of the protected winding reaches the high temperature setpoint. A mechanically activated, moisture-sensing, micro switch shall be installed in the motor housing. The switch shall be capable of detecting airborne moisture and terminate operation of motor before liquid enters the cavity. Use of probes or floats that rely on the presence of liquid to initiate signal are not acceptable.
  - c. Starts per hour: Motor shall be capable of 10 starts per hour.

Date: 05/30/97 Rev.: 0 RE: TF

Both with the

15170 5 of 7

C. Performance Schedule: Three Phase - Energy efficient, TEFC.

			Minimum	Minimum
HP	RPM	NEMA	Percent	Percent
Factor	(Syn)	Frame	Efficiency	Power Factor
	· -			
1-1/2	3600	143T	82	85
2	3600	145T	82	87
2 3 5	3600	145T	84	85
5	3600	<u> 182T </u>	8.5	8-6
7-1/2	3600	184T	86	88
10	3600	213T	87	86
15	3600	215T	89	89
20	3600	254T	90	89
25	3600	256T	90	92
30	3600	284T	91	91
40	3600	286T	92	92
50	3600	324T	93	89
60	3600	326T	93	91
75	3600	364T	93	88
100	3600	365T	92	88
1	1800	143T	82	84
1-1/2	1800	145T	84	85
2 3 5	1800	145T	84	85
3	1800	182T	86	86
5	1800	184T	87	87
7-1/2	1800	213T	88	86
10	1800	215T	89	85
15	1800	256T	91	85
20	1800	256T	91	86
25	1800	284T	91	85
30	1800	286T	92	88
40	1800	324T	92	83
50	1800	326T	93	85
60	1800	364T	93	88
75	1800	365T	93	88
100	1800	404T	93	83

For motors larger than 100 hp, provide manufacturer's standard high-efficiency motor.

## PART 3 EXECUTION

## 3.1 ERECTION/INSTALLATION/APPLICATION

- A. Install motors in accordance with manufacturer's instructions.
- B. Motors shall be aligned with the respective driven equipment as specified in related sections.

Date: 05/30/97 15170 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 6 of 7 SCEP/165/SWU/SITE

External metal frames of motors and their respective C. driven equipment shall be connected to ground.

END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\15170

05/23 9:11

Date: 05/30/97 Rev.: 0 RE: TF

15170 7 of 7 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

## SECTION 15250 INSULATION

## PART I GENERAL

## 1.1 SECTION INCLUDES

A. Pipe and Equipment Insulation.

## 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 15060 Pipe, Fittings, Valves, and Accessories.
- D. Section 15090 Piping Supports and Anchors.
- E. Section 16855 Heating Cables.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

## 1.4 REFERENCES, CODES AND STANDARDS

- A. American Society for Testing and Materials (ASTM):
  - 1. ASTM B209-95 Standard Specification for

Aluminum and Aluminum-Alloy

Sheet and Plate.

2. ASTM C552-91 Standard Specification for

Cellular Glass Thermal

Insulation.

## 1.5 SUBMITTALS

A. Submittals shall be in accordance with Section 01011.

Date: 05/30/97 Rev.: 0 RE: KM 15250 1 of 5

## 1.6 DELIVERY, STORAGE, AND HANDLING

- A. Insulation Materials
  - 1. Insulation materials shall be identified, inspected, controlled, and protected in a manner that will assure conformance with the referenced codes and standards.
  - Care shall be taken in the storage and handling of all\_insulation\_material\_so\_that\_contamination\_by\_ grease, moisture, or other foreign matter does not occur. Insulation materials shall be stored off the ground, protected from the weather, and handled so that physical damage to the insulation material does not occur.

## PART 2 PRODUCTS

## 2.1 MATERIALS

- A. Cellular glass: Board and molded (rigid), inorganic, maximum 'k' value of 0.345 Btu-inch/hour per square foot per degree F at 75 degrees F, conforming to ASTM C552.
- B. Jacketing Aboveground: Aluminum, Alloy 3003, H14 temper, 0.020 inches thick, embossed, conforming to ASTM B209.
- C. Jacketing Underground Heat Trace Applications:
  Wrapping consisting of polymer modified bituminous
  compound with a 4-mil, high-density, cross laminate,
  polyethylene top film and release paper backing, total
  thickness of 40 mils.
- D. Elbow insulation covers: Aluminum, Alloy 1100, H14 temper.
- E. Bedding Compound: Non-volatile, .008 perm inch; service temperature range of -60 degrees F to 180 degrees F; application temperature 40 degrees F to 100 degrees F.

Date: 05/30/97 15250 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: KM 2 of 5 SCEP/165/SWU/SITE

## 2.2 ACCESSORIES

- A. Insulation Bands:
  - 1. Piping: 1/2-inch wide by 0.015-inch thick, 304 stainless steel bands.
  - 2. Equipment: 3/4-inch wide by 0.015-inch thick, 304 stainless steel bands.
- B. Screws: Number 8, by 1/2-inch, sheet metal type 302 or 304 stainless steel.

## PART 3 EXECUTION

## 3.1 FIELD CONDITION

A. Ensure site is ready to receive work before start of construction.

## 3.2 ERECTION/INSTALLATION/APPLICATION

- A. Piping, which includes valves, fittings, and flanges, shall be insulated and jacketed when the suffix "ET" appears in the pipe line number as indicated on the drawings. Equipment shall be insulated when required on the drawings.
- B. Install materials in accordance with the manufacturer's instructions.
- C. Flanges shall have removable insulation and aluminum jacketing to permit servicing of take-down joints. Removable covers may be fabricated from segments of block insulation or from preformed sectional pipe covering and premolded components. A removable cover shall be of the same material as the adjoining pipe insulation.
- D. Fill joints and seams with bedding compound to form a smooth surface.
- E. Insulation shall be stopped at a sufficient distance from flanges to permit ease of bolt removal.

  Insulation shall be beveled at a 45-degree angle at this point.

Date: 05/30/97 Rev.: 0 RE: KM 15250 3 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000244

- F. Install jacketing with screws on 3-inch centers on fittings and valves where banding is not possible.
- G. Labels indicating "asbestos-free" shall be attached to the outside of insulation jacketing, and adjacent to piping and equipment identification labels.
- H. Pipe Insulation
  - 1.\_\_\_Piping\_and\_heat\_tracing\_shall\_be\_tested\_in\_\_\_\_ accordance with Sections 15060 and 16855 before installing insulation.
  - 2. Piping shall be insulated and jacketed as follows:

Piping	Insulation Material	Minimum Thickness	Jacketing
Aboveground Piping 1-1/2" and smaller 2" through 4" 6" through 8" 10" and over	Cellular Glass Cellular Glass Cellular Glass Cellular Glass	1-1/2" 1-1/2" 2" 2-1/2"	Aluminum Aluminum Aluminum Aluminum
Below Grade Piping	Cellular Glass	1-1/2"	Polymer Modified Bituminous Compound

- 3. Insulation shall be applied in a single layer with joints tightly butted, and shall be secured in place with bands on 12-inch centers.
- 4. Aluminum jacketing shall be applied directly over insulation (except below grade applications). Minimum lap for longitudinal joints shall be 1 inch, and minimum lap for circumferential joints shall be 2 inches. The jacketing shall be secured in place with bands on 9-inch centers.
- 5. Premolded elbow insulation and aluminum elbow covers shall be installed at elbows. Aluminum jacketing shall be used for all other fittings, valves, flanges, etc.
- 6. Lap seams against weather.

Date: 05/30/97 Rev.: 0 RE: KM 15250 4 of 5

- 7. Finish insulation at supports, protrusions, and interruptions. At pipe supports, remove only enough insulation to provide a snug fit.
- 8. Inserts shall be of the same thickness, material, and contour as adjoining piping insulation. For intersection at tees or other equipment, use block or curved segments. Miter cut to fit neatly on the surface, with joints tightly butted.
- 9. Seal jacketing below ground per manufacturer's recommendation.
- 10. Insulated valves and piping systems shall be labeled in accordance with Section 15060.

## I. Equipment Insulation

- 1. Apply insulation board directly to equipment surfaces with joints staggered and tightly butted. Secure insulation in place with stainless steel bands on 18-inch centers.
- 2. Board insulation shall be cemented to irregular surfaces and voids shall be filled with bedding compound.
- 3. Apply aluminum jacketing over insulation with 3inch minimum lap on longitudinal and circumferential joints; secure in place with bands on 12-inch centers.
- 4. Equipment shall be insulated as follows:

Insulation Material	Minimum Thickness
Cellular Glass	2-1/2"

- 5. Insulation shall be cut away from equipment identification nameplates and beveled at a 45-degree angle.
- 6. Equipment and heat tracing shall be tested before installing insulation.

## END OF SECTION

OUDATA\OU-2\PO-165\WB\$11236\\$WU\SITE\15250

5/23/97 2:34pm

Date: 05/30/97 Rev.: 0 RE: KM 15250 5 of 5 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

## U.S DEPARTMENT OF ENERGY

## FERNALD ENVIRONMENTAL MANAGEMENT PROJECT

Subcontract No. FSC607

# WASTE UNITS REMEDIATION PROJECT SOUTHERN WASTE UNITS TECHNICAL SPECIFICATIONS

Division 16

**PARSONS** 

Prepared by:

6/12/97

Date

Checked by:

James & Coop

12 JUNE 1997

Date

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\TOC\_NEW

06/10 3:09pm

Date: 05/30/97 Rev.: 0 RE: WM 16000

WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

## SECTION 16050 BASIC ELECTRICAL MATERIALS AND METHODS

## PART 1 GENERAL

## 1.1 SECTION INCLUDES

- A. Combination magnetic motor starters.
- B. Selector switches.
  - C. Receptacles.
  - D. Conduit.
  - E. Wire and cable.
  - F. Instrument cable.
  - G. Nameplates.
  - H. Wire markers and cable tags.
  - I. Wireway and auxiliary gutters.
  - J. Splicing and termination components.
  - K. Boxes.
  - L. Cabinets.
- M. Supporting Devices.
- N. Underground Warning Tape.
- O. Electrical Testing, General.

## 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 1 of 17 SCEP/165/SWU/SITE

- C. Section 02200 Non Impacted Material Earthwork.
- D. Section 15160 Lift Station Pumps.
- E. Section 15170 Motors.
- F. Section 16118 Underground Ductbanks.
- G. Section 16170 Grounding and Bonding.
- H. Section 16370 Overhead Power Distribution.
- I. Section 16462 Dry Type Transformers/Panelboards.
- J. Section 16500 Lighting.
- K. Section 16855 Heating Cables.

## 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

## 1.4 REFERENCES

- A. American National Standards Institute (ANSI):
  - 1. ANSI C80.1-90 Rigid Steel Conduit-Zinc Coated.
- B. InterNational Electrical Testing Association (NETA):
  - 1. NETA ATS-95 Acceptance Testing
    Specification for Electrical
    Power Distribution Equipment.
- C. National Fire Protection Association (NFPA):
  - 1. NFPA 70 National Electrical Code, 1996 Edition.

Date: 05/30/97 Rev.: 0 RE: TF 16050 2 of 17

D.	Nation	al Electrical Manufa	cturers Association (NEMA):
	1.	NEMA AB 1-93	Molded Case Circuit Breakers
			and Molded Case Switches.
	2.	NEMA ICS 1-93	Industrial Control and Systems
			General Requirements.
	3.	NEMA ICS 2-93	Industrial Control and System
			Controllers, Contractors, and
			Overload Relays Rated Not More
			Than 2000 Volts AC or 750
			Volts DC.
	4.	NEMA ICS 4-93	Industrial Control and Systems
			Terminal Blocks.
	5.	NEMA ICS 6-93	Industrial Control and Systems
			Enclosures.
	6.	NEMA OS 1-89	Sheet-Steel Outlet Boxes,
			Device Boxes, Covers, and Box
			Supports.
	7.	NEMA WD 1-83	General Requirements for
			Wiring Devices.
	8.	NEMA WD 6-88	Wiring Devices - Dimensional
			Requirements.
	9.	NEMA 250-91	Enclosures for Electrical
			Equipment (1,000 Volts
			Maximum).
E.	Underw:	riters Laboratories	Inc. (UL):
	1.	UL 360-96	UL Standard for Safety Liquid-
			Tight Flexible Steel Conduit.
	2.	UL 486A-91	UL Standard for Safety Wire
			Connectors and Soldering Lugs
			for Use with Copper
			Conductors.
	3.	UL 510-94	UL Standard for Safety
			Polyvinyl Chloride,
			Polyethylene and Rubber
-			Insulating Tape.
	4.	UL 854-96	Service-Entrance Cables.
	5.	UL 870-95	UL Standard for Safety
			Wireways, Auxiliary Gutters,
	_	m1 4 2 5 6 4 1	and Associated Fittings.
	6.	Electrical Construct	tion Materials Directory - 95.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 3 of 17 SCEP/165/SWU/SITE

in the state of

## 1.5 SUBMITTALS

A. Provide submittals as required by Section 01010.

## 1.6 QUALITY ASSURANCE PROGRAM

- A. Work shall comply with NFPA 70. Use of conduit for equipment ground is prohibited.
- B. Products shall be listed in the UL Electrical Construction Materials Directory, for the purpose specified and indicated.

## PART 2 PRODUCTS

## 2.1 EQUIPMENT

- A. Combination Magnetic Motor Starters
  - 1. Combination Magnetic Motor Starters: NEMA ICS 1, NEMA ICS 2, AC general purpose Class A magnetic starter for induction motors for the rated horsepower combined with a magnetic circuit breaker, NEMA AB 1, with instantaneous magnetic trip in each pole. Starter, circuit breaker, and control power transformer shall be in a common enclosure. Terminals, minimum 75 degrees C rated.
  - Provide externally operable handle interlocked to prevent opening of cover with circuit breaker in the ON position. Allow handle to be lockable in the OFF position.
  - Contactor Coil Operating Voltage: 120 V, 60 Hz.
  - 4. Overload Relay: NEMA ICS 2, bimetal.
  - 5. Control Power Transformer: 120 V secondary, 50 VA minimum. Provide fused primary and secondary of transformer, and ground unfused leg of secondary to enclosure.
  - 6. Enclosure: NEMA ICS 6, Type 3R or 4, outdoor; or Type 12, indoor.
  - Heater elements shall be included, as required, for the described service conditions.

Date: 05/30/97 Rev.: 0 RE: TF 16050 4 of 17

8. Two auxiliary contacts (electrically dry), one each, normally closed and normally open, in addition to the hold-in contact, shall be provided.

#### B. Selector Switches

- 1. Enclosure, NEMA ICS 6, Type 3R or 4.
- Two-position, maintained contact (start/stop), as indicated.
- Three-position, maintained contact (hand/off/auto or local/off/remote), as indicated.

## C. Receptacles

- 1. Convenience Receptacle: 125 V, 15/20 A, NEMA WD 1, heavy-duty, general use with metal cover plate; conforming to NEMA WD 6, Configuration 5-20. 125 V, 30 A, NEMA WD 1, heavy-duty, general use with metal cover plate; conforming to NEMA WD 6, Configuration 5-30. Furnish with weatherproof "while in use" covers for outdoors, wet or industrial locations.
- 2. Convenience receptacles in potentially wet environments, in addition to those required by NFPA 70, shall be GFCI type for personnel protection with covers to protect the receptacle from water during usage.

#### D. Cabinets

- 1. Boxes: Galvanized steel with removable endwalls.
- 2. Box Size: As indicated in Section 13401.
- 3. Fronts: Steel, surface type with concealed trim clamps, door with concealed hinge, and flush lock keyed to match branch circuit panelboard. Finish with gray baked enamel.
- 4. Knockouts: Provide as required for conduits indicated plus 25 percent spare.
- Provide metal barriers to form separate compartments wiring of different systems and voltages.
- 6. Provide accessory feet for free-standing equipment.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 5 of 17 SCEP/165/SWU/SITE

000252

- 7. Terminal Blocks: NEMA ICS 4.
  - a. Power Terminals: Unit construction type with closed back and tubular pressure screw connectors, rated 600 volts.
  - b. Signal and Control Terminals: Modular construction type, suitable for channel mounting, with tubular pressure screw connectors, rated 300 volts.
- 8. Provide ground bus and ground terminal block, each connector bonded to enclosure.
- 9. Provide plastic channel with hinged or snap-on covers for internal wiring raceway.

### 2.2 MATERIALS

#### A. Conduit

- 1. Rigid steel, heavy wall, galvanized conduit conforming to ANSI C80.1. Rigid steel intermediate metal conduit (IMC) shall be acceptable for interior spaces. Conduit shall be 1/2 inch diameter minimum.
- Liquid-tight flexible metal conduit conforming to UL 360. Conduit shall be 1/2 inch diameter minimum, 5 feet in length (maximum) unless indicated on drawings.
- Conduit connections shall be threaded.

Date: 05/30/97 Rev.: 0 RE: TF 16050 6 of 17

### B. Wire and Cable

Single conductor, 600 volt insulated copper 1. conductor. Conductors for power and lighting branch circuits shall not be smaller than No. 12 AWG. Conductors No. 12 AWG and No. 10 AWG shall be solid. Conductors No. 8 AWG and larger shall be stranded. Conductors for control shall not be smaller than No. 14 AWG stranded. Conductors for Class 1 remote-control and signal circuits shall be enclosed in cable and shall comply with NFPA 70. Power and lighting conductor insulation shall be Type THW, XHHW, or THWN. Conductors required to be rated 90 degrees C in accordance with NFPA 70 shall be insulation Type XHHW-2 or THW-2. Direct burial cable shall be type USE, conforming to UL 854.

## C. Instrument Cable

1. Instrumentation cable shall be No. 16 AWG stranded tinned copper conductors. Conductors shall be polyethylene insulated and rated 600 volts, 60 degrees C. Conductors shall be twisted with aluminum-polymer shield; No. 18 AWG stranded, tinned copper drain wire. Cable shall have overall-chrome gray FR-PVC jacket.

#### D. Nameplates

Nameplates shall be engraved, three-layer laminated plastic, 5/16-inch bold style, black letters on white background.

# E. Wire Markers and Cable Tags

- Wire markers shall be single-conductor slip on, heat-shrinkable sleeve with typed or printed black letters on a white background. Wire markers shall be W. H. Brady Co. computer-printable "Bradysleeve" or approved equal.
- Cable tags shall be rectangular, flat, non-heat shrinkable tags with 1/8-inch-high letters. Cable markers shall be Raychem-type TMS or approved equal.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 7 of 17 SCEP/165/SWU/SITE

- F. Wireway and Auxiliary Gutters
  - 1. Wireway and Auxiliary Gutters: General purpose, NEMA ICS 6, Type 3R enclosure with knockouts on bottom.
  - 2. Size: As required.
  - 3. Cover: Screw cover with full gasketing.
  - 4. Fittings: UL 870, lay-in type with removable top, bottom, and side; captive screws.
  - 5.\_\_\_\_Material: Carbon steel.
  - 6. Finish: Rust-inhibiting primer coating with gray enamel finish.
- G. Splicing and Termination Components
  - 1. Wire connectors, UL 486A, as applicable.
  - 2. Insulation tape, UL 510.
  - 3. Provide solderless terminal lugs, rated 75 degrees C minimum, on stranded conductors.
- H. Boxes and Cover Plates
  - 1. Junction and Pull Boxes
    - a. Junction and pull boxes shall be sized as indicated in accordance with NFPA 70, Article 370.
    - b. Junction and pull boxes located indoors shall be code-gauge, galvanized sheet steel and shall be of welded construction with conduit knockouts or raceway openings and hinged or screwed covers as indicated. Type 3R, according to NEMA 250.
    - c. Junction and pull boxes located outdoors shall have screwed, gasketed covers, and watertight hubs. Type 3R, according to NEMA 250.
  - 2. Device and Outlet Boxes
    - a. Device and outlet boxes shall be pressed steel, zinc, or cadmium coated in accordance with NEMA OS 1 unless otherwise indicated.
    - b. Outlet boxes shall not be smaller than 4 inches octagonal by 1-1/2 inches deep and shall be provided with the proper size knockouts for the conduits intended. Unused knockouts shall remain closed or shall be sealed with knockout closures.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 8 of 17 SCEP/165/SWU/SITE

- Device or outlet boxes shall be of unit c. construction of a size required for the number of switches or outlets called for on the project design drawings. No sectional device boxes shall be permitted.
- Surface-mounted outlet boxes for receptacles, d. switches, or similar devices shall be cast type.

#### I. Supporting Devices

- Support Channel shall be galvanized or painted 1. steel.
- Support hardware and accessories shall be 2. corrosion resistant.
- 3. Supports shall be of all-welded construction.

#### Underground Warning Tape J.

4-inch-wide plastic tape, colored yellow with suitable warning legend describing buried electrical lines.

#### PART 3 EXECUTION

#### 3.1 SITE CONDITIONS

Ensure site is ready to receive work before start of Α. construction.

#### 3.2 ERECTION/INSTALLATION/APPLICATION

#### Conduit Α.

1. Route conduit parallel or at right angles to building lines. Provide conduit supports at approximately 8-foot intervals. Route conduit so as not to create a hazard for tripping or to compromise head clearance. Minimum height above floor shall be 7 feet, 6 inches.

Date: 05/30/97

Rev.: 0 RE: TF

16050 9 of 17 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

- Cut conduit square using saw or pipecutter. Cut ends of conduit shall be reamed smooth.
- 3. Install no more than the equivalent of three 90 degree bends between junction boxes. Use hydraulic one-shot conduit bender or factory elbows for conduit diameter larger than 1-1/2 inch
- 4. Use—Form—8 conduit bodies to make sharp changes in direction. Avoid moisture traps, provide junction box with weep hole.
- 5. Provide cast metal boxes such as FS or FD in damp or wet locations.
- Provide 1/8-inch nylon pull cord in empty conduits. Cap empty conduits to prevent entry of moisture and foreign objects.
- 7. Final conduit connections to motors or other vibrating equipment shall be made with approximately 3-foot liquid-tight flexible metal conduit.
- Conduit and supports are to be field routed. They are not indicated explicitly on drawings.

## B. Wire and Cable

- Swab conduit before installing cable. Remove burrs, dirt, or other debris. For existing conduit, pull a mandrel through before pulling cable to verify roundness and bending radii.
- 2. When pulling cable into conduit, use wire pulling compound.
- Splices shall be made only in outlet or junction boxes.
- 4. Provide equipment grounding conductor along with phase conductors in conduits.
- 5. Multiconductor cables shall contain an integral ground conductor.
- 6. Grounding conductors shall be connected to equipment with compression lugs. Grounding connections shall be made to clean, dry surfaces. Scale, rust, grease, and dirt shall be removed from surfaces to which grounding connections are to be made.

Date: 05/30/97 Rev.: 0 RE: TF 16050 10 of 17

7. Conductors shall be color coded. Conductors No. 6 AWG and larger shall be identified using colored tape at terminals and splice points. Conductors No. 8 AWG and smaller shall be identified using colored insulation or jacket. Color coding shall be as follows:

480Y/277V Phase A Yellow Phase B Orange Phase C Brown Neutral (grounded) Gray Ground Green 208Y/120V Phase A Black Phase B Red Phase C Blue Neutral (grounded) White Ground Green Plant Fire Red and Yellow Alarm System Brown and Yellow

- 8. Install cables buried directly in earth in the following manner:
  - a. Excavate cable trenches according to Section 02225. Provide a minimum cable cover of 24 inches below finished grade for power conductors operated at 600 volts and less. Trenches shall be not less than 8 inches wide, and shall be in straight lines between cable markers. Cable plows shall not be used. Bends in trenches shall have a radius of not less than 36 inches. Where two or more cables are laid parallel in the same trench, space cables laterally at not less than 3 inches apart.
  - b. When rock is encountered, remove to a depth of at least 3 inches below the cable and fill the space with sand or clean earth free from particles larger than 1/4 inch.
  - c. Do not unreel and pull cables into the trench from one end. Unreel cable on grade and lift into position onto bedding as indicated.
  - d. Provide warning tape, minimum 12 inches above top of cable.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 11 of 17 SCEP/165/SWU/SITE

- e. Bury cables directly in earth, except under roadways, where cables shall be installed in plastic ducts encased in concrete, as indicated. Slope ducts to drain.
- f. Use heat shrink adhesive coated caps on cable ends or tape cable ends immediately after cutting to prevent moisture from entering the cable. Varnish the tape when cable is not expected to be connected for at least 72 hours.
- g. Separate cables crossing other cables or metal piping from each other by not less than 12 inches of well tamped earth.
- h. Provide cables in one piece without splices between connections except where the distance exceeds the lengths in which cables are manufactured.
- i. Bends in cables shall have an inner radius not less than 12 times the cable diameter.
- j. Leave a horizontal slack of approximately 3 feet in the ground on each end of cable runs, on each side of connection boxes, and at points where connections are brought aboveground. Where cable is brought aboveground, leave additional slack to make necessary connections.

Date: 05/30/97 Rev.: 0 RE: TF 16050 12 of 17

k. Provide an identification slab at each change of direction of cable, over the ends of ducts or conduits which are installed under paved areas and roadways, and over each splice. Identification slabs shall be of concrete approximately 20 inches square by 6 inches thick and shall be set flat in the ground so that top surface projects not less than 3/4 inch, nor more than 1 1/4 inches aboveground. The concrete shall have a compressive strength of not less than 3000 psi and have a smooth troweled finish on exposed surface. Inscribe an identifying legend such as "electric cable" on the top surface before Inscribe circuit numbers concrete hardens. as indicated on drawings on slabs as directed. Letters or figures shall be approximately 2 inches high and grooves shall be approximately 1/4 inch in width and depth. Install slabs so that the side nearest the inscription on top shall include an arrow indicating the side nearest the cable.

# C. Nameplates

- Clean surfaces prior to installing nameplates.
- Install nameplates parallel to equipment lines.
   Secure nameplates to equipment fronts using self-tapping screws.

#### D. Wire and Cable Markers

- Provide wire markers on each conductor in pull boxes and junction boxes and at each load connection. Provide cable tags in pull boxes for multiconductor cables.
- Wire and cable tags shall identify panel and circuit number or control wire number, as required.

#### E. Disconnect Switches

1. Mounting supports shall not be fastened to or penetrate wall panels.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 13 of 17 SCEP/165/SWU/SITE

## F. Receptacles

- Install convenience receptacles 48 inches above finished floor. Receptacle mounting supports shall not be fastened to or penetrate wall panels.
- Label receptacles with panelboard and circuit number from which they are served.

# G. Combination Magnetic Motor Starters

- Install motor controllers where indicated on drawings.
- Install motor controller with center line of disconnect operator 54 inches above finished floor.
- 3. Install overload heater element in motor controller to match motor characteristics.
- Provide engraved nameplate identifying motor served.

#### H. Selector Switches

1. Mount selector switches at a mounting height of 54 inches above the floor adjacent to the equipment controlled. Provide slotted channel mounting supports where building column or wall is not suitable for support.

#### I. Clearances

- 1. Clearances from points of access to electrical equipment and other devices shall conform to the requirements of NFPA 70.
- 2. Equipment control devices and other electrical equipment requiring operation or maintenance shall have a minimum working clearance of 3 feet from the surface of operation or access, unless greater clearance is required by NFPA 70.

#### J. Boxes

- 1. Coordination of Box Locations
  - a. Provide electrical boxes as indicated and as required for splices, taps, wire pulling, and equipment connections.
  - b. Electrical box locations indicated are approximate unless dimensioned.
  - c. Locate and install boxes to allow access.

Date: 05/30/97 Rev.: 0 RE: TF 16050 14 of 17

- d. Do not install boxes back to back in walls. Provide 6-inches (minimum) separation in non-acoustic rated walls and 24 inches (minimum) separation in acoustic rated walls.
- e. Coordinate mounting heights of boxes and locations of outlets mounted above counters, benches, and backsplashes to ensure locations are useful.
- f. Align wall-mounted outlet boxes for switches, thermostats, and similar devices.

# 2. Outlet Box Installation

- a. Firmly secure in place outlet or utility boxes concealed in the construction. Set outlet or utility boxes true, square, and flush with the finish surfaces for the application of the appropriate cover plate.
- b. Provide knockout closures for unused knockout openings.
- c. Support boxes independently of conduit except for cast boxes when connected to two rigid metal conduits, both supported within 12 inches of the box to be supported.
- d. Use multiple gang boxes where more than one device is mounted together. Do not use sectional boxes. Provide barriers to separate wiring of different voltage systems.
- 3. Pull and Junction Box Installation
  - a. Support pull and junction boxes independently of conduit.

#### K. Cabinets

1. Install cabinet fronts plumb.

# L. Supporting Devices

- Installation of structural steel framing, concrete pads, etc., shall be complete before installing supporting devices.
- Fasten hanger rods, conduit clamps, and outlet and junction boxes to building structures in accordance with manufacturer's recommendations as indicated.
- 3. Use expansion anchors for support on concrete surfaces.

Date: 05/30/97 16050 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 15 of 17 SCEP/165/SWU/SITE

- 4. Do not fasten supports to piping, ductwork, mechanical equipment, or conduit.
- 5. Do not drill structural steel members for installing support devices.
- 6. Fabricate supports from structural steel or steel channel. Rigidly bolt to structural steel to present a neat appearance. Use hexagon head bolts with spring lock washers under nuts.
- 7. Install freestanding electrical equipment on concrete pads.
- 8. Install surface mounted cabinets and enclosures with four anchors (minimum). Provide steel channel supports to stand cabinets and enclosures 1 inch from the wall.

#### 3.3 QUALITY CONTROL

- A. Electrical Inspection and Testing General
  - 1. Electrical inspection and testing for work in this section and in other electrical sections shall conform to the following requirements and to NETA ATS. Tests required by NETA ATS for electrical work on this project shall be performed unless specific instruction is provided otherwise. Any additional requirements or exceptions shall be as noted in the other electrical sections for the specific electrical work of that section only.
  - 2. Testing shall be witnessed by FDF, CQC Consultant-Quality Control personnel (who must approve results) and manufacturer's service representative(s), if required. Notice of testing must be furnished 7 days in advance.
  - 3. Submit test results and calibration data on approved forms.
  - 4. Perform operational tests to demonstrate control and interlocking wiring.
  - 5. Visual inspections shall be performed for phasing and connections. Phasing shall be A, B, C clockwise at all three phase disconnects.
  - 6. Repair or replacement of components where test results are unacceptable, including those damaged during testing process, is required.

Date: 05/30/97 Rev.: 0 RE: TF 16050 16 of 17

- B. Electrical Inspection and Testing This Section
  - 1. Perform continuity and operation tests on power and control circuits. Low voltage thermographic survey of cable connections required by NETA ATS are not required. Wire insulation for conductors No. 6 AWG and larger shall be megger tested between each conductor and ground. A 1000-volt megger shall be used for insulation rated 600 volts. Minimum resistance shall be 100 megohms.
  - 2. Insulation resistance tests shall not be performed on solid state equipment unless authorized by its manufacturer and in strict accordance with the manufacturer's recommendations. Solid state equipment includes static ground fault devices, such as ground fault circuit interrupters.
  - 3. Confirm that electrical connections to utilization equipment have been made in accordance with manufacturer's instructions.
  - 4. Perform motor tests according to NETA ATS.
  - 5. Motor windings shall be checked for continuity.
  - 6. Motor windings rated 460 volts nominal shall be megger tested with a 1,000-volt megger prior to connection of power leads. Minimum acceptable resistance shall be 100 megohms. Motor and phase rotation shall be checked with a phase rotation tester manufactured by G. Biddle Company (Catalog No. 56060) or equal on equipment which could be damaged by reverse rotation.
    - a. Motor and phase rotation shall be verified before energizing motors.
    - b. Motors shall be "bumped" to check for proper direction of rotation prior to performing operational tests on the equipment in the presence of FDF.

### END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\16050

06/13 8:39am

Date: 05/30/97 Rev.: 0 RE: TF 16050 17 of 17

# SECTION 16118 UNDERGROUND DUCTBANKS

# PART 1 GENERAL

### 1.1 SECTION INCLUDES

A. Underground Ductbanks.

# 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 02200 Non-Impacted Material Earthwork.
- D. Section 03001 Concrete.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American National Standards Institute (ANSI):

  1. ANSI C80.1-90 Rigid Steel Conduit Zinc-Coated.
- B. Institute of Electrical and Electronic Engineers (IEEE):
  1. IEEE C2-97 National Electrical Safety
  Code.
- National Fire Protection Association (NFPA):
   NFPA 70 National Electrical Code, 1996
   Edition.
- D. National Electrical Manufacturers Association (NEMA):
   1. NEMA TC 3-90 PVC Fittings for Use with Rigid PVC Conduit and Tubing.

Date: 05/30/97 16118 WBS No: 1.1.1.1.2.3.6
Rev.: 0 RE: TF 1 of 4 SCEP/165/SWU/SITE

- 2. NEMA TC 6-90 PVC and ABS Plastic Utilities
  Duct for Underground
  Installation.
- E. Underwriters Laboratories, Inc. (UL):
  - 1. Electrical Construction Materials Directories, 1995.

## -1.5-PROJECT-CONDITIONS

A. Accurately record actual locations of exact routing of ductbank by field survey.

# 1.6 QUALITY ASSURANCE

- A. Conform to requirements of NFPA 70 and IEEE C2.
- B. Furnish products listed and classified by Underwriters Laboratories, Inc. as suitable for purpose specified and indicated.

# 1.7 DELIVERY, STORAGE, AND HANDLING

- A. Deliver, store, protect, and handle products to site.
- B. Protect conduit from corrosion and entrance of debris by storing above grade. Provide appropriate covering.

### 1.8 PROJECT CONDITIONS

A. Verify routing and termination locations of ductbank prior to excavation for rough-in.

#### PART 2 PRODUCTS

#### 2.1 MATERIALS

- A. Rigid Steel Conduit: ANSI C80.1.
- B. Plastic Utilities Duct: NEMA TC 6; PVC.
- C. Plastic Utility Duct Fittings: NEMA TC 3.

Date: 05/30/97 16118 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 2 of 4 SCEP/165/SWU/SITE

#### 2.2 ACCESSORIES

A. Underground Warning Tape: 4-inch-wide plastic tape, colored yellow with suitable warning legend describing buried electrical lines.

#### PART 3 EXECUTION

#### 3.1 EXAMINATION

A. Verify that excavation, base material installation, and compaction are completed.

### 3.2 ERECTION/INSTALLATION/APPLICATION

#### A. Underground Duct:

- 1. Install power ductbank 36 inches (minimum) to top of ductbank below finished grade.
- Install duct with minimum slope of 4 inches per 100 feet. Slope duct to manholes.
- Cut duct square using saw or pipe cutter; de-burr cut ends.
- 4. Insert duct to shoulder of fittings; fasten securely.
- 5. Join nonmetallic duct using adhesive as recommended by manufacturer.
- 6. Wipe nonmetallic duct dry and clean before joining. Apply full even coat of adhesive to entire area inserted in fitting. Allow joint to cure for 20 minutes, minimum.
- 8. Provide suitable fittings to accommodate expansion and deflection where required.
- 9. Terminate duct at manhole entries using end bell.
- 10. Stagger duct joints vertically in concrete encasement 6 inches minimum.
- 11. Use suitable separators and chairs installed not greater than 4 feet on centers.
- 12. Band ducts together before placing concrete.
- 13. Securely anchor duct to prevent movement during concrete placement.
- 14. Place concrete under provisions of Section 03001. Use mineral pigment to color concrete red.

Date: 05/30/97 Rev.: 0 RE: TF 16118 3 of 4

- 15. Provide minimum 3-inch concrete cover at bottom, top, and sides of ductbank.
- 16. Provide pull rope in each duct except sleeves and nipples. Minimum 1/2-inch, 4,000 psi tensile strength polypropylene.
- 17. Swab duct. Use suitable caps to protect installed duct against entrance of dirt and moisture.
- 18. Perform excavations and backfill trenches under provisions—of—Section—02200—of—this—specification—package.
- 19. Interface installation of underground warning tape with backfilling. Install tape below finished surface as indicated on drawings.
- 20. All duct end bells shall be rigid steel.
- 21. Perform penetrations and sealing of duct bank with lift station manholes and junction boxes according to manufacturer's instructions.

#### END OF SECTION

5/23/97 9:22am

# SECTION 16121 MEDIUM-VOLTAGE CABLE

#### PART 1 GENERAL

## 1.1 SECTION INCLUDES

- A. Medium-voltage cable.
- B. Cable terminations.

### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 16050 Basic Electrical Materials and Methods.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American National Standards Institute (ANSI):

  1. ANSI C2-97 National Electrical Safety Code.
- B. National Fire Protection Association (NFPA):
   1. NFPA 70 National Electrical Code, 1996
   Edition.
- C. Institute of Electrical and Electronic Engineers, Inc. (IEEE):
  - 1. IEEE 48-96 Standard Test Procedures and Requirements for High-Voltage Alternating-Current Cable Terminations.

Date: 05/30/97 Rev.: 0 RE: TF

11 12 12 12 12 12

16121 1 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000269

- D. National Electrical Manufacturers Association (NEMA):
  - 1. NEMA WC 8-88

Ethylene-Propylene-Rubber-Insulated Wire and Cable for the Transmission and Distribution of

Electrical Energy.

- E. Underwriters Laboratories, Inc. (UL), Electrical Construction Materials Directories, 1995.
- F. National Electrical Testing Association (NETA):

 NETA ATS-95 Acceptance Testing Specification for Electrical Power Distribution Equipment.

#### 1.5 SUBMITTALS

A. Provide submittals as required by Section 01011.

# 1.6 QUALITY ASSURANCE PROGRAM

A. See Section 01000.

### 1.7 DELIVERY, STORAGE, AND HANDLING

- A. Accept cable and accessories on site in manufacturer's packaging. Inspect for damage.
- B. Store and protect in accordance with manufacturer's instructions.
- C. Protect from weather. Provide adequate ventilation to prevent condensation.

# PART 2 PRODUCTS

#### 2.1 MANUFACTURERS

- A. Medium-Voltage Cable
  - 1. Okonite.
  - 2. Houston Wire & Cable.
  - Kerite.
  - 4. Rome.

Date: 05/30/97 Rev.: 0 RE: TF 16121 2 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

(D) (C) (C) (C) (C) (C)

- B. Cable Terminations and Cable Splices
  - 1. 3M.
  - 2. Raychem.
  - 3. RTE.

#### 2.2 MATERIALS

- A. Medium-Voltage Cable
  - 1. Description: NEMA WC 8; ethylene propylene rubber insulated cable.
  - 2. Voltage: 15 kV, ungrounded.
  - 3. Conductor: Copper, concentric, stranded with foil conductor shield.
  - 4. Construction: Single conductor with metal tape insulation shielding.
  - 5. Insulation Level: 133 percent.
  - 6. Insulation Jacket: PVC, 80 mils minimum thickness.
- B. Cable Terminations and Cable Splices
  - 1. Description: IEEE 48; Class 1, cable termination in kit form with stress cone, shield ground connection, and accessories and molds required for proper application.
- C. Tape Termination and Splices
  - Description: IEEE 48; Class 1, tape termination kit with semi-conductive tape, stress control tape, splicing tape, vinyl plastic tape, stress cone, mechanical ground straps, and cable preparation kit.

#### PART 3 EXECUTION

## 3.1 SITE CONDITIONS

A. Verify existing conditions prior to beginning installation. Notify FDF if conditions affect the work specified or indicated on drawings.

#### 3.2 PREPARATION

- A. Use swab to clean ducts before pulling cables.
- B. Run mandrel through duct to confirm absence of pinch points or obstructions.

Date: 05/30/97 16121 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 3 of 5 SCEP/165/SWU/SITE

# 3.3 ERECTION/INSTALLATION/APPLICATION

- A. Conform to requirements of NFPA 70 and ANSI C2.
- B. Install cable and accessories in accordance with manufacturer's instructions.
- C. Avoid abrasion and other damage to cables during installation.
- D. Use suitable lubricants and pulling equipment.
- E. Do not exceed manufacturer's recommended maximum cable pulling tensions and minimum bending radius.
- F. Ground cable shield at each termination and splice.
- G. Label each cable on both ends with phase A, B, or C as determined by testing required herein.

# 3.4 QUALITY CONTROL

- A. Furnish products listed and classified by UL as suitable for purpose specified and shown.
- B. Inspect exposed cable sections for physical damage.
- C. Inspect cable for proper connections as shown on the contract drawings.
- D. Inspect shield grounding, cable supports, and terminations for proper installation.
- E. Perform DC high potential test of each conductor in accordance with NEMA WC 8 and/or NETA ATS. Ground other conductors in the circuit during the test. Perform test on existing cable after installation. Perform test on new 15kV cable before making tap onto existing cable.

Date: 05/30/97 Rev.: 0 RE: TF 16121 4 of 5

F. Apply test voltage in at least 10 equal incremental increases to maximum test voltage.

	Maximum Voltage	10 Increments of:
New Cables 15 kV	65 kV	6.5 kV
Existing Cables 13.2 kV	49 kV	4.9 kV

- G. Record leakage current at each increment, allowing for charging current decay.
- H. Hold maximum test voltage for 10 minutes.
- I. Test Reports: Record results of cable test in tabular form, in plots of current versus voltage for incremental voltage steps, and current versus time at 30-second intervals at maximum voltage. Submit for approval.
- J. Prior to connection to pole mounted bare conductors, test phase rotation of cables to assure that phase A, B, and C are aligned as indicated.
- K. Inspection and testing shall be by Subcontractor and may be observed by FDF.

### END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\16121

5/23/97, 09:22

Date: 05/30/97 Rev.: 0 RE: TF

16121 5 of 5

# SECTION 16170 GROUNDING AND BONDING

#### PART 1 GENERAL

### 1.1 SECTION INCLUDES

- A. Grounding electrodes and conductors.
- B. Equipment grounding conductors.
- C. Bonding.
- D. Fence grounding.

### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 15170 Motors.
- D. Section 16050 Basic Electrical Materials and Methods.
- E. Section 16370 Overhead Power Distribution.

#### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

## 1.4 REFERENCES

- A. InterNational Electrical Testing Association (NETA):
  - 1. NETA ATS-95 Acceptance Testing

Specifications for Electrical Power Distribution Equipment and Systems.

- B. National Fire Protection Association (NFPA):
  - 1. NFPA 70 National Electrical Code, 1996 Edition.

Date: 05/30/97 16170 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 1 of 5 SCEP/165/SWU/SITE

- C. Underwriters Laboratories, Inc. (UL):
  - 1. UL 467-93

UL Standard for Safety

Grounding and Bonding

Equipment.

2. Electrical Construction Materials Directory-95.

#### 1.5 SYSTEM DESCRIPTION

- A. Rod\_electrode\_and\_grounding\_connections.\_
- B. Grounding System Resistance: 5 ohms maximum.

#### 1.6 SUBMITTALS

( )

- A. Provide submittals as required by Section 01011.
- B. Provide certification of ground testing instrumentation.
- C. Provide record of as-built locations of grounding electrodes, if grounding electrodes are required.

#### 1.7 QUALITY ASSURANCE PROGRAM

- A. Conform to requirements of NFPA 70.
- B. Furnish products listed in the UL Electrical Construction Materials Directory as suitable for the purpose specified and indicated.
- C. Provide certification of ground testing instrumentation according to NETA ATS.

#### PART 2 PRODUCTS

### 2.1 MANUFACTURERS

- A. Acceptable Manufacturers
  - 1. Mechanical Connectors
    - a. Burndy.
    - b. Ideal.
    - c. Ilsco.

Date: 05/30/97 16170 WBS No: 1.1.1.1.2.3.6

Rev.: 0 RE: TF 2 of 5 SCEP/165/SWU/SITE

- 2. Exothermic Connections
  - a. Cadweld.
  - b. Thermoweld.

#### 2.2 MATERIALS

- Rod Electrode Α.
  - Copper-clad steel, 3/4-inch diameter, 10-foot 1. length.
- Mechanical Connectors В.
  - 1. Bronze.
- Wire C.
  - 1. Stranded copper.
    - Grounding Conductor: Size to meet NFPA 70 requirements.
- Grounding and bonding materials shall conform to UL D. 467.

#### PART 3 EXECUTION

#### 3.1 SITE CONDITIONS

- Verify that final backfill and compaction have been Α. completed before driving rod electrodes.
- В. Verify that underground utilities will not interfere with the proposed rod locations prior to driving rod electrodes.

#### 3.2 ERECTION/INSTALLATION/APPLICATION

- Install products in accordance with manufacturer's Α. instructions.
- В. Install additional rod electrodes as required to achieve specified resistance to ground.

WBS No: 1.1.1.1.2.3.6 05/30/97 16170 Date: O RE: TF 3 of 5 Rev.:

- C. Equipment Grounding Conductor: Provide separate, insulated conductor with each feeder and branch circuit raceway. Terminate each end on suitable lug, bus, or bushing.
- D. Connect ground conductors to reinforcing bars in foundation before pouring concrete. Tie to structural steel members when they are installed, by exothermic connection.
- E. Ground metal equipment enclosures by attachment to ground rod system, the building steel, or existing periphery grounding system.
- F. Ground pole-mounted equipment and static line conductors as indicated on the drawings.
- G. Drive ground rods until the top is 12 inches below grade.
- H. Fence Grounding: Fences shall be grounded with a ground rod at each fixed gate post and at each corner post:
  - 1. Drive ground rods as indicated.
  - Attach a No. 4 AWG copper conductor, by fusion weld process, to the ground rods and extend it underground to the immediate vicinity of the fence post.
  - 3. Lace the conductor vertically into 12 inches of fence mesh and fasten it by two approved bronze compression fittings, one to bond the wire to the post and the other to bond the wire to the fence. Each gate section shall be bonded to its gatepost by a 1/8-inch by 1-inch flexible braided copper strap and ground post clamps. Clamps shall be of the anti-electrolysis type.

Date: 05/30/97 16170 WBS No: 1.1.1.1.2.3.6

Rev.: 0 RE: TF 4 of 5 SCEP/165/SWU/SITE

# 3.3 QUALITY CONTROL

- A. Inspect grounding and bonding system conductors and connections for tightness and proper installation as defined by contract documents and manufacturer's instructions. Accurately record as-built locations of grounding electrodes if required, and submit to FDF. Test instrumentation shall conform to NETA ATS. Provide certification for instrumentation.
- B. Measure the system's resistance to the ground; perform testing in accordance with instrument manufacturer's recommendations using the fall-of-potential method.

  Measure resistance at each pole and at each 480 V service as a minimum. Provide written test reports indicating overall resistance to ground and resistance of each electrode to ground.

END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\16170

6/13/97, 08:44

Date: 05/30/97 Rev.: 0 RE: TF

في عُون المنازين الا

16170 5 of 5

# SECTION 16311 PRIMARY SWITCHGEAR

### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Provision, installation, and testing of outdoor primary switchgear containing:
  - 1. 15 kV fused disconnect switch.

#### 1.2 RELATED SECTIONS

- A. Section 01010 General Requirements.
- B. Section 16118 Underground Ductbanks.
- C. Section 16121 Medium-Voltage Cable.
- D. Section 16170 Grounding and Bonding.

### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

#### 1.4 REFERENCES

- A. American National Standards Institute (ANSI):
  - 1. ANSI C37.20.3-87 Metal-Enclosed Interrupter (Rev. 1992) Switchgear.
- B. Institute of Electrical and Electronics Engineers (IEEE):
  - 1. IEEE C62.1-89 Standard for Gapped Silicon-Carbide Surge Arresters for AC Power Circuits.
    - 2. IEEE 48-96 Standard Test Procedures and Requirements for High-Voltage AC Cable Terminations.

Date: 05/30/97 16311 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 1 of 5 SCEP/165/SWU/SITE

- C. InterNational Electrical Testing Association (NETA):
  - 1. NETA ATS-95

Acceptance Testing
Specification for Electrical

Power Distribution Equipment.

- D. National Fire Protection Association (NFPA):
  - 1. NFPA 70

National Electrical Code, 1996

Edition.

### 1.5 SYSTEM DESCRIPTION

A. Three phase, 60 Hz outdoor primary metal enclosed switch shall be provided, installed, and tested as indicated on drawings. Switch shall be an addition to primary switchgear on the medium voltage side of unit substation N18-1, supplied by Siemens - ITE. Nameplate information follows:

1. Switchboard Type

Series:

HV

S.O.:

1716472-1

System:

13.2 kV, 3 phase, 3 wire, delta,

600 A Bus

The switch enclosure shall be equipped with a cable exit "top hat" compartment, dimensions as indicated and with an oversized cable compartment 18 inches deeper than that of the original switchgear. Switch shall be furnished with a connection kit of minimum 600 A capacity for bus connection to original switch as indicated. Switch shall be configured for future reversal of power flow by reversing line and load connections from those indicated. (i.e., in the future, the overhead line will be connected to the line or source side of the switch and the connection to N18-1 will become the load side of the switch.)

B. Final field testing shall be provided upon completion of the primary switchgear installation. Testing will be performed by a testing firm as a subcontractor to the installation subcontractor. The testing firm shall be certified according to NETA ATS.

# 1.6 SUBMITTALS

A. Provide submittals as required by Section 01011.

Date: 05/30/97 Rev.: 0 RE: TF 16311 2 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000280

B. Provide product data for equipment and materials specified. Include catalog sheets and drawings showing voltage, ratings, impedances, normal and short-circuit current ratings, dimensions, enclosure, and other relevant details.

### 1.7 QUALITY ASSURANCE

- A. Manufacturer: Company specializing in manufacturing the products specified in this section, with minimum 5 years documented experience.
- B. Conform to requirements of NFPA 70.

# 1.8 DELIVERY, STORAGE, AND HANDLING

A. Protect switchgear from moisture and debris. Provide auxiliary heating in switchgear.

#### PART 2 PRODUCTS

### 2.1 MANUFACTURERS

A. Siemens Energy & Automation, Inc. only for compatibility and bus connection to existing installed equipment (substation N18-1). Local representative is Nick Soldano, 4770 Duke Drive, Suite 381, Mason, OH 45040 (513-398-9288).

#### 2.2 PRODUCTS/EQUIPMENT

- A. Primary Switchgear
  - 1. Description: fused air interrupter load break switch, conforming to ANSI C37.20.3. Switch shall be compatible for bus connection as indicated to primary switch of existing substation noted in 1.5.
  - 2. Construction: Outdoor.
  - 3. Finish: Manufacturer's standard acrylic enamel over external surfaces. Coat internal surfaces with minimum one coat corrosion-resisting paint, or plate with cadmium or zinc.
  - 4. Main Buses: Copper.

Date: 05/30/97 16311 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 3 of 5 SCEP/165/SWU/SITE

Agrant Market All St.

- 5. Incoming cable terminals: For incoming circuits, 15 kV, 133 percent insulation, shielded, copper 1/c 350 kcmil cables per phase. Provide insulated or grounded, physical isolation for cable terminals from load and line side of switch.
- 6. Voltage: 13.2 kV, three phase, 60 Hz.
- 7. Maximum Design Voltage: 15 kV.
- 8. Basic Impulse Level: 95 kV.
- 9. Continuous—and—short-circuit current ratings: As furnished with substation N18-1.
- 10. Furnish 6 fuses for switches.
- 11. Provide spring-charged stored energy mechanism, manually charged.
- 12. Enclosure: Weatherproof for outdoor use, ventilated and gasketed with padlocking features.
- 13. Surge Arresters: IEEE C62.1, distribution class for ungrounded system, factory connected to incoming cable terminals.

#### 2.3 ACCESSORIES

- A. Incoming Cable Terminations: Conform to IEEE 48.
- B. Nameplates: White with black lettering, fastened with screws.
- C. Space Heaters: 120 volt, sized by Manufacturer; compatible with heaters provided for existing substation N18-1.

#### 2.4 SOURCE QUALITY CONTROL

A. Testing: Perform factory acceptance tests for each section of the switchgear as required by relevant national standards cited in Article 2.2. Tests may be witnessed by FDF.

Date: 05/30/97 Rev.: 0 RE: TF 16311 4 of 5

### PART 3 EXECUTION

#### 3.1 EXAMINATION

A. Coordinate construction of foundation anchors and embediments with the specific requirements of the equipment.

# 3.2 ERECTION/INSTALLATION/APPLICATION

- A. Install in accordance with manufacturer's instructions.
- B. Install line and ground connecting conductors associated with surge arresters according to NFPA 70 and manufacturer's instructions.
- C. Provide new engraved plastic nameplates, white lamicoid with black core mounted on outside of each cubicle, identifying equipment served, as indicated on the single-line diagrams. Letters shall be 5/16 inch high.
- D. Connect space heater in switch to power source in existing substation N18-1. Wire according to manufacturer's instructions.

## 3.3 FIELD QUALITY ASSURANCE

A. Perform operational and final acceptance testing on switchgear to verify operation and field wiring connections after installation. Testing will be performed by a testing firm as a subcontractor to the installation subcontractor. Testing firm shall be certified according to NETA ATS. Testing shall conform to applicable sections of NETA ATS.

#### END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\16311

· . · . · . ·

05/23 9:22am

Date: 05/30/97 16311 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 5 of 5 SCEP/165/SWU/SITE

000283

# SECTION 16370 OVERHEAD POWER DISTRIBUTION

### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Poles.
- B. Crossarms.
- C. Pole hardware.
- D. Insulators.
- E. Line conductors.
- F. Arresters and cut-outs.
- G. Pole-mounted load interrupting disconnect switches.
- H. Fuses for cut-outs and switches.
- I. Pole-mounted distribution transformers.
- J. Anchors.

## 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 16050 Basic Electrical Materials and Methods.
- D. Section 16170 Grounding and Bonding.

# 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

Date: 05/30/97 16370 WBS No.: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 1 of 10 SCEP/165/SWU/SITE

# 1.4 REFERENCES

A. National Fire Protection Association (NFPA):

1. NFPA 70 National Electrical Code, 1996 Edition.

_B	-American-National Standards Institute (ANSI):			
	1.	ANSI	C2-97	National Electrical
				Safety Code.
	2.	ANSI	C29.2-92	Insulators - Wet-Process
				Porcelain and Toughened
				Glass - Suspension Type.
	3.	ANSI	C29.4-89	Wet-Process Porcelain
				Insulators - Strain Type.
	4.	ANSI	C29.5-84	Wet-Process Porcelain
				Insulators - Low and
				Medium Voltage Types.
	5.	ANSI	C29.7-92	Porcelain Insulators -
				High Voltage Line-Post
				Type.
	6.	ANSI	C37.30-92	Definitions and
				Requirements for
				High-Voltage Air
				Switches, Insulators, and
				Bus Supports.
	7.	ANSI	C135.1-79	Galvanized Steel Bolts
				and Nuts for Overhead
				Line Construction.
	8.	ANSI	C135.22-88	Zinc-Coated Ferrous Pole-
				Top Insulator Pins with
				Lead Threads for Overhead
				Line Construction.
	9.	ANSI	05.1-92	Wood Poles Specifications
				and Dimensions.

Date: 05/30/97 16370 WBS No.: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 2 of 10 SCEP/165/SWU/SITE

American Society for Testing and Materials (ASTM): C. Standard Specification ASTM A36/A36M-96 for Carbon Structural Steel. 2. ASTM A475-95 Standard Specification for Zinc-Coated Steel Wire Strand. Steel Bars, Carbon, 3. ASTM A675/A675M Rev. A-90 Hot-Wrought, Special Quality, Mechanical Properties. Concentric-Lay-Stranded 4. ASTM B231-95 Aluminum 1350 Conductors. 5. ASTM B232-92 Standard Specification for Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR). Medium-Hard Drawn Copper 6. ASTM B2-94 Wire Test Method for 7. ASTM D698-91 Laboratory Compaction Characteristics of Soil Using Standard Effort

D. American Wood-Preservers Association (AWPA):

AWPA C4-89
 Poles - Pressure Process.
 Standard for the
 Preservative Treatment of Crossarms by the Pressure

Process.

 $(12,400 \text{ ft-lbf/ft}^3)$ .

E. Institute of Electrical and Electronics Engineers (IEEE):

1. IEEE C62.11-93 Metal-Oxide Surge
Arresters for AC Power
Circuits.

Date: 05/30/97 16370 WBS No.: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 3 of 10 SCEP/165/SWU/SITE

National Electrical Manufacturers Association (NEMA): F.

> NEMA LA 1-92 1.

Surge Arresters.

2. NEMA WC 7-88 Cross-Linked Thermosetting

Polyethylene-Insulated Wire and Cable for the

Transmission and Distribution of

Electrical Energy.

Underwriters Laboratories, Inc. (UL): G.

UL 96-94

UL Standard for Safety Lightning Protection

Components.

Electrical Construction Materials Directory-95. 2.

#### 1.5 SYSTEM DESCRIPTION

Poles specified herein shall be furnished by FDF for Α. installation by Subcontractor. Existing poles to be removed shall be returned to FDF.

#### 1.6 QUALITY ASSURANCE PROGRAM

- Installing Subcontractor: Company specializing in Α. manufacturing products specified in this section with a minimum of 3 years experience. Experience of the past 3 years shall include 3 different medium voltage aerial pole line installations each of at least 5,000 circuit feet.
- Conform to requirements of NFPA 70 and ANSI C2. В.
- Furnish products, where available, listed in the UL C. Electrical Construction Materials Directory, as suitable for the purpose specified and indicated.
- Installation shall comply with ANSI C2, Heavy Loading D. District, Grade B Construction.

WBS No.: 1.1.1.1.2.3.6 Date: 05/30/97 16370

SCEP/165/SWU/SITE 4 of 10 Rev.: 0 RE: TF

# 1.7 DELIVERY, STORAGE, AND HANDLING

- A. Protect poles from damage and decay by stacking to provide free circulation of air. Maintain 1 foot (300 mm) minimum spacing between bottom pole and ground or ground vegetation. Do not store poles above decayed or decaying wood.
- B. Stack poles stored for more than 2 weeks on decayresistant skids arranged to support poles without noticeable pole distortion.
- C. Handle treated poles with tools which will not produce an indentation greater than 1 inch (25 mm) deep. Do not drag treated poles along ground. Do not apply tools to that section of treated poles between 1 foot (300 mm) above and 2 feet (600 mm) below ground line.

### PART 2 PRODUCTS

### 2.1 MATERIALS

# A. Poles

- 1. Wood Poles: ANSI 05.1; treated southern pine poles of length and class indicated.
- 2. Select poles for straightness, minimum sweeps, and short crooks.
- 3. Preservative: ANSI 05.1 and AWPA C4, Pentachlorophenol.
- 4. Apply preservative to poles as required by AWPA C4 with minimum net retention of 12 lbs/ft $^3$  (285 kg/m $^3$ ). Obtain complete sapwood penetration.

### B. Crossarms

La Contration

- 1. Crossarms: Straight-grained southern pine, free of twists to within 0.1 inch per foot of length, with bends and twists in only one direction.
- Apply preservative to crossarms as required by AWPA C25 with minimum net retention of 8 lbs/cu ft (190 kg/cu m).
- 3. Crossarm Dimensions: as indicated.

Date: 05/30/97 16370 WBS No.: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 5 of 10 SCEP/165/SWU/SITE

000283

### C. Pole Hardware

- 1. Miscellaneous Pole Hardware: Hot-dipped galvanized after fabrication.
- Crossarm Braces: Flat structural steel zinc coated to ASTM A675, span, as indicated, formed in one piece from 1/4 by 1-1/4 inch steel.
- 3. Eye Bolts and Nuts: ANSI C135.1.
- 4. Ground Rods: Copperweld 3/4 inch O.D. by 10 foot 0-inches long.
- 5. Butt Plate: Copper.
- 6. Pole-top Insulator Pins: ANSI C135.22.
- 7. Hot-line Clamps: Screw type with concealed threads. Fill thread chamber with corrosion-resistant compound.
- 8. Bail Clamps: Self clamping type. Fill contact grooves corrosion-resistant compound.
- 9. Guy Strand: High strength, seven-strand steel cable galvanized to ASTM A475, Class A or B.
- 10. Guy Termination: Preformed wire type.
- Guy Guards: 8-foot (2 m) long plastic, colored yellow.
- 12. Ground Wire: Soft drawn solid copper conductors, 4 AWG minimum size.
- 13. Air Terminal: UL 96; 18-inch copper air terminal.
- 14. Guy Adapter: Tripleye.

### D. Insulators

- Insulators: Radio interference free wet process porcelain insulators with minimum wet flashover rating of 80 kV.
- 2. Line Post Insulators: ANSI C29.7; Class 57.1.
- 3. Suspension Insulators: ANSI C29.2; Class 52.9.
- 4. Pin Insulators: ANSI C29.5; Class 55.5.
- 5. Guy Strain Insulators: ANSI C29.4; Class 54.1.

### E. Line Conductors

 Medium-voltage Line Conductors: Bare aluminum conductor steel reinforced, size as indicated: ASTM B232. Bare aluminum conductor, size as indicated: ASTM B231. Medium drawn copper wire, size as indicated: ASTM B2.

Date: 05/30/97 16370 WBS No.: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 6 of 10 SCEP/165/SWU/SITE

- F. Arresters and Cutouts
  - 1. Combination Surge Arresters/ Fuse cutouts: arranged for crossarm mounting. Arresters, IEEE C62.11, metal oxide, RMS rating shall be 15 kV. Fused Cutouts, ANSI C37.42, drop-out type, rated 110 kV BIL, 200 A continuous current and adequate for interrupting rating of fuses specified herein. Where indicated, arresters or cut-outs may be used and furnished individually.
- G. Pole-mounted load interrupting disconnect switches

  1. Pole-mounted switch shall be vertical or
  horizontal as indicated, three-pole gang operated,
  with a padlock arrangement for locking in both
  open and closed positions. Steel parts shall be
  hot-dip galvanized. Operating rods shall be
  isolated from the switch by an insulating link or
  section located as close to the switch as
  possible. Switch shall be designed for double
  crossarm mounting and for breaking a 3/4-inch
  coating of ice before contacts are opened or
  closed. Switch shall be rated 110 kV BIL and
  comply with ANSI C37.30 for voltage and current
  requirements indicated.
- H. Fuses for cut-outs and pole mounted load interrupting disconnect switches.
  - Fuses: Type K, rated as indicated; minimum symmetrical interrupting rating at 13.2 kV, 10 kA for cut-outs and 12.5 kA for disconnect switches.

Date: 05/30/97 16370 WBS No.: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 7 of 10 SCEP/165/SWU/SITE

- Pole-Mounted Distribution Transformers I.
  - ANSI C57.12.20, single phase, oil filled, selfcooled with primary bushings and secondary terminations, Basic Impulse Level of 125 kV, temperature rise of 65 degrees C above 30 degrees C ambient, ratings as indicated. Transformers shall be rated for 14.4 kV minimum in the delta primary configuration indicated. Provide standard primary—taps-with-externally-operated\_tap\_changer. Taps shall be full current, two at 2-1/2 percent each above and two at 2-1/2 percent each below normal voltage. Provide standard accessories with dial type thermometer.

#### J. Anchors

Helical Screw Anchors: Galvanized steel, ASTM A36/36M.

#### PART 3 EXECUTION

#### 3.1 SITE CONDITIONS

- Verify that field measurements are as shown on Α. drawings.
- В. Verify that there are no underground utilities located below the poles prior to installation.

#### 3.2 ERECTION/INSTALLATION/APPLICATION

- Install products in accordance with manufacturer's Α. instructions.
- В. Plug unused holes in poles using treated wood dowel pins. Treat field-cut gains and field-bored holes with preservative.
- C. Shorten poles when required by cutting from top end. Apply hot preservative to shortened end of pole.

WBS No.: 1.1.1.1.2.3.6 Date: 05/30/97 16370 Rev.:

- D. Set poles in straight line. Place curved poles with curvature in line with lead pole. Maintain an even grade.
- E. Dig setting holes large enough to permit use of power tampers to full depth. Place earth in maximum 6-inch (150 mm) layers and pack to 95 percent density per ASTM D698.
- F. Rake poles located at corners, angles, and dead ends so that poles are vertical after line installation.
- G. Do not install poles along the edge of cuts and embankments or where soil may be washed out.
- Identify each pole using aluminum marker stamped with Η. characters 2-1/2 inches (60 mm) high, minimum. Locate to provide maximum visibility from roadway and fasten with aluminum nails. Obtain identifying numbers from FDF.
- I. Minimum depths in normal firm ground, measured from lower side of pole:

OVERALL LENGTH	DEPTH FOR STRAIGHT LINES	DEPTH AT CURVES, CORNERS, AND POINTS OF EXTRA STRAIN	
30′	5′-6"	5′-6"	
35′	6′-0"	6′-0"	
40′	6′-6"	6′-6"	
45′	7′-0"	7′-6"	
50′	7′-6"	8'-0"	
55′	7′-6"	8'-0"	

J. Set crossarms at right angles to line for straight runs; and to bisect the angle of turns in line direction.

05/30/97 WBS No.: 1.1.1.1.2.3.6 Date: 16370 9 of 10 Rev.: 0 RE: TF

SCEP/165/SWU/SITE

- K. Provide two braces for each crossarm.
- L. Install conductors to ANSI C2. Maintain clearances required by ANSI C2, except as follows: phase to phase 20 inches, phase to ground 16 inches, above roads, 480 V conductors 23 feet, over buildings, all conductors, 8 feet. Conductor arrangement shall be phase A, B, C from north to south and from east to west for horizontal construction.
- M. Conductor taps shall be made with bail clamps and hot line connectors using compression connectors. Taps shall not be made directly on line conductors. Make aluminum connections to copper or other material using only splices, connectors, lugs, or fittings designed for that specific purpose.
- N. Install guys and anchors according to ANSI C2 requirements.
- O. Use small diameter steel probe to verify area is free of underground obstructions prior to installation of anchors.
- P. Bond metal enclosures on poles to pole ground wire in accordance with NFPA 70, ANSI C2 and manufacturer's instructions.
- Q. After initial energizing of transformers, measure the secondary voltage and adjust to nominal voltage by changing taps.

### END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\16370

6/13/97, 09:06

Date: 05/30/97 16370 WBS No.: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 10 of 10 SCEP/165/SWU/SITE

# SECTION 16462 DRY TYPE TRANSFORMER/PANELBOARDS

### PART 1 GENERAL

# 1.1 SECTION INCLUDES

A. Dry type, two-winding transformers integrated with primary and secondary main breakers and feeder breakers.

### 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 16050 Basic Electrical Materials and Methods.
- D. Section 16170 Grounding and Bonding.

### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

### 1.4 REFERENCES

- A. InterNational Electrical Testing Association (NETA):
  - 1. NETA ATS-95

Acceptance Testing Specifications for

Electrical Power

Distribution Equipment

and Systems.

- B. National Electrical Manufacturers Association (NEMA):
  - 1. NEMA AB 1-93

Molded Case Circuit

Breakers and Molded Case

Switches.

2. NEMA PB 1-90

Panelboards.

Date: 05/30/97
Rev.: 0 RE: TPF

16462 1 of 6 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

3.	NEMA PB 1.1-91	General Instructions for
		Proper Installation,
		Operation, and
		Maintenance of
		Panelboards Rated 600
		Volts or Less.
4.	NEMA ST 20-92	Dry Type Transformers for
		General Applications.
5.	NEMA 250-91	Enclosures for Electrical
		Equipment (1000 Volts
		Maximum).

C. National Fire Protection Association (NFPA):

1. NFPA 70 National Electrical Code, 1996 Edition.

D. Underwriters Laboratories, Inc. (UL):

1. Electrical Construction Materials Directory-95.

### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011.
- B. Product Data: Include outline and support point dimensions of enclosures and accessories; unit weight; voltage; kVA, number of phases, impedance ratings, and characteristics; X/R ratio; tap configurations; insulation system type; rated temperature rise; and main bus ampacity, integrated short circuit ampere rating, circuit breaker, arrangement, and sizes.
- C. Transformer Test Reports:
  - 1. Factory Test: NEMA ST 20. Indicate loss data; efficiency at 25, 50, 75, and 100 percent rated loads; and sound level.
  - 2. Field Test: Indicate primary and secondary voltages as measured.

# 1.6 QUALITY ASSURANCE PROGRAM

A. Conform to requirements of NFPA 70.

Date: 05/30/97 16462 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TPF 2 of 6 SCEP/165/SWU/SITE

000295

B. Furnish products listed in the UL Electrical Construction Materials Directory for the purpose specified and indicated.

# 1.7 DELIVERY, STORAGE, AND HANDLING

- A. Deliver transformers/panelboards individually wrapped for protection and mounted on shipping skids.
- B. Accept transformers/panelboards on site. Inspect for damage.
- C. Store in a clean, dry space. Maintain factory wrapping or provide an additional heavy canvas or heavy plastic cover to protect units from dirt, water, construction debris, and traffic.
- D. Handle in accordance with manufacturer's written instructions. Lift only with lugs provided for the purpose. Handle carefully to avoid damage to transformer/panelboards' internal components, enclosure, and finish.

### PART 2 PRODUCTS

# 2.1 MANUFACTURERS

- A. Siemens.
- B. Westinghouse.
- C. Square D.

### 2.2 EOUIPMENT

- A. Two-winding transformers
  - Description: NEMA ST 20, factory-assembled, aircooled, dry type transformers; ratings as indicated on contract drawings.
  - 2. Insulation system and average winding temperature rise for rated kVA as follows:
    - a. 1-30 kVA: Class 185 with 115 degrees C rise.

Date: 05/30/97 16462 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TPF 3 of 6 SCEP/165/SWU/SITE

.EP/103/SWU/SI1E

- b. 16-500 kVA: Class 220 with 115 degrees C rise.
- 3. Case Temperature: Do not exceed 40 degrees C rise above ambient at warmest point.
- 4. Winding Taps:
  - a. Transformers: NEMA ST 20. Transformers shall have four full current taps, two at 2-1/2 percent each above and two at 2-1/2 percent-each-below-normal\_voltage.
- 5. Sound Levels: NEMA ST 20, not to exceed 85 dBA at 3 feet.
- 6. Basic Impulse Level: 10 kV.
- Ground core and coil assembly to enclosure by means of a visible, flexible copper grounding strap.
- 8. Mounting: Suitable for wall or floor mounting.
- 9. Coil Conductors: Continuous windings with terminations brazed or welded.
- 10. Enclosure: NEMA ST 20. Provide lifting eyes or brackets.
- 11. Isolate core and coil from enclosure, using vibration-absorbing mounts.
- 12. Nameplate: Include connection data and overload capacity based on rated allowable temperature rise.

### B. Branch Circuit Panelboards

- Lighting and Appliance Branch Circuit Panelboards:
   NEMA PB 1; circuit breaker type.
- 2. Enclosure: NEMA PB 1; Type 3R conforming to NEMA 250.
- 3. Cabinet Size: As shown on manufacturer's drawings.
- 4. Cabinet Front: Hinged cover with paddle lock hinge.
- Provide an integrated unit with transformer.
   Finish in manufacturer's standard gray enamel.
- 6. Provide panelboards with copper bus, ratings as scheduled on drawings. Provide copper ground bus in each panelboard.
- 7. Minimum Integrated Short Circuit Rating: 10,000 amperes rms symmetrical.

Date: 05/30/97 16462 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TPF 4 of 6 SCEP/165/SWU/SITE

8. Molded Case Circuit Breakers: NEMA AB 1; plug-on type thermal magnetic trip circuit breakers, with common trip handle for all poles, rated for 75 degrees C copper conductors. Provide circuit breakers UL listed as Type SWD for lighting circuits. Provide UL Class A ground fault interrupter circuit breakers where required. Provide 20 percent spare breakers installed in the panelboard.

### PART 3 EXECUTION

# 3.1 ERECTION/INSTALLATION/APPLICATION

- A. Install transformer/panelboards in accordance with NEMA PB 1.1.
- B. Install plumb, and in accordance with manufacturer's instructions, and as indicated on contract drawings.
- C. Height: 6 feet, 6 inches to top of transformer section.
- D. Provide grounding connections in accordance with Section 16170.
- E. Provide filler plates for unused spaces in panelboards.
- F. Provide typed circuit directory for each branch circuit panelboard. Revise directory to reflect circuiting changes required to balance phase loads.
- G. Provide engraved plastic nameplates identifying transformer/panelboard equipment number.
- H. After initial energizing of transformers, measure the secondary voltage and adjust to nominal voltage by changing taps.

# 3.2 QUALITY CONTROL

A. Test according to general requirements of Section 16050 and to the relevant requirements of NETA ATS.

Date: 05/30/97 16462 WBS No: 1.1.1.2.3.6 Rev.: 0 RE: TPF 5 of 6 SCEP/165/SWU/SITE

- B. Visual and Mechanical Inspection: Inspect for physical damage, proper alignment, anchorage, grounding, and conformance of installation to contract documents and manufacturer's instructions. Check tightness of wiring and mounting connections for circuit breakers and transformer prior to energizing.
- C. Record primary and secondary-voltages; submit\_to\_FDF.
- D. Measure steady state load currents at each panelboard feeder. Rearrange circuits in the panelboard to balance the phase loads to within 20 percent of each other. Maintain proper phasing for multi-wire branch circuits.

### END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\16462

05/23 9:08am

Date: 05/30/97 Rev.: 0 RE: TPF 16462 6 of 6

# SECTION 16470 PANELBOARDS

### PART 1 GENERAL

# 1.1 SECTION INCLUDES

A. Power panelboards.

# 1.2 RELATED SECTIONS

- A. Section 01010 General Requirements.
- B. Section 01011 Submittals.
- C. Section 16050 Basic Electrical Materials and Methods.

### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

# 1.4 REFERENCES

A. National Electrical Manufacturers Association (NEMA):

1. NEMA AB 1-93 Molded Case Circuit Breakers

and Molded Case Switches.

2. NEMA PB 1-90 Panelboards.

3. NEMA PB 1.1-91 General Instructions for

Proper Installation,

Operation, and Maintenance of Panelboards Rated 600 Volts or

Less.

4. NEMA 250-91 Enclosures for Electrical

Equipment (1000 Volts

Maximum).

B. InterNational Electrical Testing Association (NETA):

1. NETA ATS-95 Acceptance Testing

Specifications for Electrical Power Distribution Equipment

and Systems.

Date: 05/30/97 16470 WBS No: 1.1.1.1.2.3.6

Rev.: 0 RE: TF 1 of 4 SCEP/165/SWU/SITE

- C. National Fire Protection Association (NFPA):
  - 1. NFPA 70

National Electrical Code, 1996

Edition.

- D. Underwriters Laboratories, Inc. (UL):
  - 1. Electrical Construction Materials Directories-95.

### 1.5 SUBMITTALS

A. Provide submittals as required by Section 01011.

### 1.6 QUALITY ASSURANCE PROGRAM

- A. Conform to requirements of NFPA 70.
- B. Furnish products listed and classified by Underwriters Laboratories, Inc., as suitable for purpose specified and indicated.

# 1.7 PROJECT CONDITIONS

- A. Project Record Documents:
  - 1. Record actual locations of products; indicate actual branch circuit arrangement.

### PART 2 PRODUCTS

### 2.1 MANUFACTURERS

- A. Siemens.
- B. Westinghouse.
- C. Square D.

# 2.2 EQUIPMENT

- A. Circuit Breaker Panelboards:
  - 1. Circuit Breaker Panelboards: NEMA PB 1, circuit breaker type.

Date: 05/30/97 Rev.: 0 RE: TF 16470 2 of 4 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

- Panelboard Bus: Copper, ratings as indicated on contract drawings. Provide copper ground bus in each panelboard. Incoming bus shall have lugs suitable for cables indicated.
- Minimum Integrated Short Circuit Rating: 18,000 amperes rms symmetrical, or as indicated on contract drawings.
- 4. Molded Case Circuit Breakers: NEMA AB 1, bolt-on type, thermal magnetic trip circuit breakers with common trip handle for all poles, lockable using external devices. Provide UL-listed circuit breakers. Provide UL Class A ground fault interrupter circuit breakers where scheduled. Breakers shall have lugs suitable for cables indicated.
- 5. Enclosure: NEMA 250, Type 12 (indoor) or Type 3R (outdoor).
- 6. Cabinet Box: 6 inches deep; 20 inches wide.
- 7. Cabinet Front: Surface cabinet front with concealed trim clamps, concealed hinge, and flush lock, keyed alike. Finish in manufacturer's standard gray enamel.

# PART 3 EXECUTION

# 3.1 ERECTION/INSTALLATION/APPLICATION

- A. Install panelboards in accordance with NEMA PB 1.1.
- B. Install panelboards horizontal and plumb. Install in accordance with manufacturer's instructions.
- C. Height: 6 feet to top of panelboard.
- D. Install panelboards as indicated on contract drawings.
- E. Provide filler plates for unused spaces in switchboards and panelboards.

Date: 05/30/97 16470 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 3 of 4 SCEP/165/SWU/SITE

- F. Provide typed circuit directory for each branch circuit panelboard. Revise directory to reflect circuiting changes required to balance phase loads.
- G. Provide engraved plastic nameplates.
- H. Provide working clearance in accordance with NFPA 70, minimum 36 inches from front.

# 3.2 QUALITY CONTROL

- A. Measure steady state load currents at each panelboard feeder. Rearrange circuits in the panelboard to balance the phase loads to within 20 percent of each other.

  Maintain proper phasing for multi-wire branch circuits. Submit recordings of steady load currents after balancing.
- B. Visual and Mechanical Inspection: Inspect for physical damage, proper alignment, anchorage, and grounding. Check proper installation and tightness of connections for circuit breakers.
- C. Inspect and test accordance with NETA ATS except Section 4.
- D. Perform inspections and tests listed in NETA ATS, Section 7.4 for switches, Section 7.5 for circuit breakers.

# END OF SECTION

OUDATA\OU-2\PO-165\WBS11236\SWU\SITE\16470

5/23/97, 09:08

Date: 05/30/97 Rev.: 0 RE: TF 16470 4 of 4

# SECTION 16500 LIGHTING

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- Luminairies and lampholders. Α.
- В. Ballasts.
- C. Lamps.
- D. Exit signs.
- E. Emergency lighting units.

#### 1.2 RELATED SECTIONS

- Α. Section 01000 - General Requirements.
- В. Section 01011 - Submittals Listing.
- C. Section 16050 - Basic Electrical Materials and Methods.

#### 1.3 REFERENCE DRAWINGS

See Section 01012 for the Schedule of Drawings. Α.

#### 1.4 REFERENCES

- National Fire Protection Association (NFPA): Α.
  - 1. NFPA 70 National Electrical Code, 1996

Edition.

2. NFPA 101-94 Code for Safety to Life from

Fire in Buildings and

Structures.

- National Electrical Manufacturer's Association (NEMA): В.
  - 1. NEMA WD 6-88 Wiring Devices - Dimensional

Requirements.

Date: 05/30/97 Rev.: 0 RE: TF 16500 1 of 5 WBS No: 1.1.1.1.2.3.6

SCEP/165/SWU/SITE

- C. American National Standards Institute (ANSI):
  - 1. ANSI C82.4-92 Ballasts for High Intensity
    Discharge and Low Pressure
    Sodium Lamps (Multiple Supply
    Type).
- D. Underwriters Laboratories, Inc. (UL):
  - 1. Electrical Construction Materials Directory -- 1995

### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011.
- B. Product Data: Provide dimensions, ratings, and performance data including photometric and beamspread plots.

# 1.6 QUALITY ASSURANCE PROGRAM

- A. Conform to requirements of NFPA 70.
- B. Conform to requirements of NFPA 101.
- C. Products shall be listed in the UL Electrical Construction Materials Directory, for the purpose specified and indicated.

# PART 2 PRODUCTS

### 2.1 EQUIPMENT

### A. Luminaries

- 1. Furnish high pressure sodium fixtures as indicated on drawings.
- 2. Factory install ballasts, lamps, and accessories.
- 3. Pendant luminaries: Provide swivel hangers, pendant rods, tubes, and chains as required to install luminaries at appropriate height.

### B. Exit Signs

1. Description: LED type exit sign fixture suitable for use as emergency lighting unit.

Date: 05/30/97 16500 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 2 of 5 SCEP/165/SWU/SITE

£05000

000305

- 2. Housing: Extruded aluminum.
- 3. Face: Translucent face with red letters on white background.
- 4. Directional Arrows: Universal type for field adjustment.
- 5. Mounting: Universal for field selection.
- 6. Battery: 6 volt, nickel-cadmium type, with 1.5 hour capacity.
- 7. Battery Charger: Dual-rate type, with sufficient capacity to recharge discharged battery to full charge within 12 hours.
- 8. Input Voltage: 120 volts, 60 Hz.

# C. Emergency Lighting Units

- 1. Description: Self-contained emergency lighting unit with rechargeable battery.
- 2. Input voltage: 120 volts.
- 3. Battery: Nickel-cadmium type with 1.5 hour capacity.
- 4. Battery Charger: Dual rate type capable of recharging discharged battery to full charge within 12 hours.
- 5. Lamps: 12 watt, sealed-beam type.
- 6. Electrical connection: 6-foot cord with NEMA WD 6-type 5-15 plug cap.

### 2.2 ACCESSORIES

### A. Ballasts

- 1. High Intensity Discharge (HID) Ballast:
  - a. Description: ANSI C82.4 HID lamp ballast.
  - b. Description: HID lamp ballast.
  - c. Provide ballast suitable for lamp specified.
  - d. Voltage: Match luminaire voltage.

### B. Lamps

1. High-Pressure Sodium Lamps: Clear, suitable for ballast, furnished in luminaire, and for burning positions.

# C. Photoelectric Control

1. Control above maximum footcandles: provide with adjustable cutoff point.

Date: 05/30/97 16500 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 3 of 5 SCEP/165/SWU/SITE

Mark the Control of t

- Load control: Sized for fixture, 120 volts. 2.
- 3. Provide photoelectric controls for exterior lighting.

#### PART 3 EXECUTION

#### 3.1 SITE CONDITIONS

- Α. Examine substrate and supporting grids for luminaries.
- В. Examine each luminaire to determine suitability for lamps specified.

#### 3.2 ERECTION/INSTALLATION/APPLICATION

- Install in accordance with manufacturer's instructions. Α.
- Install suspended luminaries and exit signs using В. pendants supported from swivel hangers. Provide pendant length required to suspend luminaire at height indicated on drawings.
- C. Support luminaries independent of ceiling framing.
- Install surface-mounted luminaries and exit signs plumb D. and adjust to align with building lines and with each Secure to prohibit movement.

#### 3.3 QUALITY CONTROL

Α. Operate each luminaire after installation and Inspect for proper connection and connection. operation according to project documents and manufacturer's instructions.

#### 3.4 ADJUSTING

- Adjust exit sign directional arrows. Α.
- В. Relamp luminaries that have failed lamps at substantial completion.

WBS No: 1.1.1.1.2.3.6 Date: 05/30/97 16500 4 of 5 0 RE: TF Rev.:

SCEP/165/SWU/SITE

# 3.5 CLEANING

- A. Clean electrical parts to remove conductive and deleterious materials.
- B. Remove dirt and debris from enclosure.
- C. Clean photometric control surfaces as recommended by manufacturer.
- D. Clean finishes and touch up damage.

### 3.6 DEMONSTRATION

A. Provide minimum of 2 hours demonstration of luminaire operation.

# END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\SITE\16500

05/23 9:06

Date: 05/30/97 Rev.: 0 RE: TF 16500 5 of 5 WBS No: 1.1.1.1.2.3.6 SCEP/165/SWU/SITE

000308

# SECTION 16855 HEATING CABLES

### PART 1 GENERAL

# 1.1 SECTION INCLUDES

A. Heating cable and accessories.

# 1.2 RELATED SECTIONS

- A. Section 01000 General Requirements.
- B. Section 01011 Submittals Listing.
- C. Section 15060 Pipe, Fittings, Valves, and Accessories.
- D. Section 15250 Insulation.

### 1.3 REFERENCE DRAWINGS

A. See Section 01012 for the Schedule of Drawings.

### 1.4 REFERENCES

- A. National Fire Protection Association (NFPA):

  1. NFPA 70 National Electrical Code, 1996
  Edition.
- B. National Electrical Manufacturers Association (NEMA):
  - 1. NEMA ICS 6-93 Industrial Controls and Systems Enclosures.

### 1.5 SUBMITTALS

- A. Provide submittals as required by Section 01011.
- B. Annotated drawings reflecting installed features requiring freeze protection, for approval.

Date: 05/30/97 16855 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 1 of 5 SCEP/165/SWU/SITE

C. Record Drawings: Submit after installation and testing of freeze protection equipment and materials.

### 1.6 SYSTEM DESCRIPTION

A. Heat tracing for pipe and any other outdoor equipment requiring freeze protection with outside temperature at -10 degrees F. Pipes to be protected are indicated on contract P&ID drawings. Work includes design of heat trace system as well as products and execution herein specified.

### 1.7 QUALITY ASSURANCE PROGRAM

A. Manufacturer: Company specializing in manufacturing the products specified in this section, with minimum 3 years experience.

# 1.8 SEQUENCING AND SCHEDULING

A. Coordinate installation of heating cable with installation of piping and piping insulation.

### PART 2 PRODUCTS

### 2.1 MANUFACTURERS

- A. Acceptable Manufacturers:
  - 1. Raychem.
  - 2. Chromalox.
  - Thermon.

# 2.2 MATERIALS

- A. Heating Cable
  - Self-limiting, parallel resistance electric tracing cable with grounding shield around conductors. Maximum output temperature 150 degrees F.
  - Rating: 120 V or as required.

Date: 05/30/97 Rev.: 0 RE: TF 16855 2 of 5

### 2.3 ACCESSORIES

- A. Thermostat: Type 4X according to NEMA ICS 6, adjustable setpoint, suitable for -30 degrees F to 140 degrees F.
- B. Power termination kits, splice kits, tee kits, and end seals supplied by heating cable manufacturer and suitable for use with the heating cable provided shall be utilized.
- C. Provide stainless steel identification tags for all devices. Include assembly and circuit numbers.

# PART 3 EXECUTION

# 3.1 SITE CONDITIONS

- A. Verify that the piping system is complete, tested, and ready for heating equipment.
- B. Verify field measurements shown on drawings. Where installation differs from drawings, annotate drawings and submit for approval before installation.
- C. Verify that required utilities are available, in proper locations, and ready for use.

Date: 05/30/97 Rev.: 0 RE: TF 16855 3 of 5

D. Follow these guidelines for cable wattage and maximum circuit length, or provide Supplier information to support alternate lengths:

Pipe OD	Cable Wattage	Max. Length, ft. (20 A, 120 V)	Max. Length, ft. (30 A, 120 V)
1-1/2 inch or less	3 watts/ft	265	330
1-1/2 to 3 inch	5 watts/ft	185	270
3 inch to 6 inch	8 watts/ft	130	200
8 inch	10 watts/ft	105	160
10 inch	15 watts/ft	80	120
12 inch	15 watts/ft	80	120

# 3.2 ERECTION/INSTALLATION/APPLICATION

- A. Install heat trace material on piping system as indicated on drawings. Install to allow for heat trace cable to be moved aside during maintenance of piping system.
- B. Install in accordance with manufacturer's instructions and NFPA 70. Serve cable circuits from GFCI circuit breakers as manufacturer's instructions and NFPA require for the use.
- C. Avoid pinching and making sharp bends in cable.
- D. Prevent damage by sharp objects during installation.
- E. Do not install electric tracing cables across expansion joints.
- F. Electric heat trace cables shall be installed in the 7 and 8 o'clock positions or in the 4 and 5 o'clock positions on horizontal runs of pipes.

Date: 05/30/97 Rev.: 0 RE: TF 16855 4 of 5

G. Accurately record actual locations of heating cable, thermostats, and branch circuit connections.

# 3.3 FIELD QUALITY ASSURANCE

- A. Test continuity of heating cable.
- B. Measure insulation resistance to manufacturer's recommended values. Use test instruments in accordance with manufacturer's instructions.
- C. Perform continuity and insulation resistance test on completed cable installation prior to installation of thermal insulation.

# 3.4 DEMONSTRATION

A. Demonstrate operation of heating cable controls.

### 3.5 RECORD DRAWINGS

A. Provide drawings showing actual heating cable installation. Include cable lengths, cable catalog numbers, indicating lights, and other similar details.

### END OF SECTION

OUDATA\SPECS\OU-2\PO-165\WBS11236\SWU\SITE\16855

05/23 9:06am

Date: 05/30/97 16855 WBS No: 1.1.1.1.2.3.6 Rev.: 0 RE: TF 5 of 5 SCEP/165/SWU/SITE